

Peck, S. B. (2011). CDF Checklist of Galapagos Beetles - FCD Lista de especies de Escarabajos de Galápagos. *In*: Bungartz, F., Herrera, H., Jaramillo, P., Tirado, N., Jiménez-Uzategui, G., Ruiz, D., Guézou, A. Ziemmeck, F. (eds.). Charles Darwin Foundation Galapagos Species Checklist - Lista de Especies de Galápagos de la Fundación Charles Darwin. Charles Darwin Foundation / Fundación Charles Darwin, Puerto Ayora, Galapagos: <http://www.darwinfoundation.org/datazone/checklists/terrestrial-invertebrates/coleoptera/> Last updated 07 Jul 2011.

---

# CDF Checklist of Galapagos Beetles

Stewart B. Peck

Contribs.: Sandra Abedrabbo, Fabián Bersosa, Ruth Boada, Charlotte Causton, Daniel Cherix, Germana Estévez, Lilian Guzmán, Henri W. Herrera, María T. Lasso, Maria Piedad Lincango, E. G. Linsley, Yale Lubin, Alejandro Mieles, Renato Oquendo, Lázaro Roque-Álbelo, Leslie Usinger.

07 Jul 2011

This checklist is automatically generated using Version 3.0 of the online database CDF Galapagos Species Checklist.

**Beetles** are the group of insects with the largest number of known species. They can be found in almost all habitats; they often feed on plants and fungi, break down organic debris, or feed on other invertebrates.

Some species are preyed upon by other animals like birds and mammals. The Galapagos beetle fauna is now known to contain 56 families, 297 genera, and 486 species.

The relationship of beetle diversity increases with island area, elevation, and ecological complexity, but this correlation has not been observed with island age.

The taxonomic composition of the total beetle fauna is probably now more than 95% sampled, and only a few species remain to be named. This provides excellent opportunities for the study of the life cycles and ecology of the Galapagos beetles, and for comparisons with the continental beetle fauna.

For marine species distribution data cited in the CDF Galapagos Checklists refer to the five main bioregions of the archipelago (Far Northern, Northern, Western, South Eastern and the Elithabeth Bay Bioregion). For the terrestrial species the more than 120 islands, islets and small rocks have been aggregated into Islands Groups, thus, for example, the island group "Santa Cruz" includes smaller islands like Santa Fé, Plaza Norte, Plaza Sur, Baltra, Daphne Mayor, Daphne Minor, and others.

Please be aware that the distribution data presented here is automatically generated from specimen records and does not always accurately reflect the known distribution for all species.

IUCN red-list assessments presented here may deviate from the global IUCN list for the following reasons:

- for well known species groups like vascular plants or vertebrates updates proposed to the IUCN are shown instead of the outdated, but currently accepted status;
- for poorly known species groups (e.g., lichenized fungi) a general assessment is currently not possible and the list presented here is a regional red-list list for Galapagos archipelago.

**Names of taxa included in this checklist:** 532 (423 Accepted , 75 Unidentified Taxon , 8 Doubtful , 12 New to Science), 14 rejected.

**Origin of the taxa included:** 95 Accidental, 1 Cultivated, 1 Eradicated, 2 Questionable Accidental, 58 Questionable Native, 280 Endemic, 62 Indigenous, 12 Questionable Endemic.

1. *Ablechrus flavipes* C. Waterhouse, 1877  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Syn.:** *A. darwinii* C. Waterhouse, 1877: 81 (lapsus)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Pinzón, Santa Cruz, Santiago.  
**References:** Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Wittmer, W. et al. (1993).
2. *Acalymma limbata* (C. Waterhouse, 1877)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Syn.:** *Diabrotica limbata* C. Waterhouse, 1877, fide Peck (2006)  
**Origin:** Native, Questionable Endemic.  
**Galapagos Distribution:** Isabela, Santa Cruz, Santiago.  
**References:** Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
3. *Acamptus* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Questionable Endemic.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Peck, S.B. et al. (2006).
4. *Acanthoderes galapagoensis galapagoensis* Linell, 1898  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
5. *Acanthoderes galapagoensis vonhageni* Mutchler, 1938  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006).
6. *Acanthoderes galapagoensis williamsi* Linsley Chemsak, 1966  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santiago, Unknown.  
**References:** Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
7. *Acanthoscelides fuscomaculatus* (Blair, 1928)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Syn.:** *Bruchus fuscomaculatus* Blair, 1928, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Isabela, San Cristóbal, Santa Cruz, Santiago.  
**References:** Blair, K.G. et al. (1928), Kingsolver, J.M. et al. (2001), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
8. *Acanthoscelides manleyi* Johnson, 1990  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Santa Cruz, Santa Fé, Santiago.  
**References:** Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (2006).

9. *Acanthoscelides obtectus* (Say, 1831)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Isabela, Santa Cruz.  
**References:** Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).
10. *Acanthoscelides rossi* Kingsolver Rivera-Costa, 2001  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, Santa Cruz, Santa Fé.  
**References:** Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (2006).
11. *Acaromimus* sp. nov.  
**Taxon status:** Unpublished name (Nomen nudum).  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Peck, S.B. et al. (2006).
12. *Achryson galapagoensis darwini* Linsley Chemsak, 1966  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Unknown.  
**References:** Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).
13. *Achryson galapagoensis flavescens* Linsley Chemsak, 1966  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Unknown.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).
14. *Achryson galapagoensis galapagoensis* Linell, 1898  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Achryson galapagoensis* Linell, 1899, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Marchena, Santa Cruz, Unknown.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
15. *Achryson lineolatum* Erichson, 1847  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Achryson galapagoensis* Linell, 1899 (S. Peck: three subspecies have been distinguished for *A. galapagoensis*: *A. g. galapagoense*, *A. g. darwini*, *A. g. flavescens*), but all these are of doubtful utility.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
16. *Acrotona pseudoclaudiensis* (Klimaszewski Peck, 1998)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Atheta pseudoclaudiensis* Pace, 1985, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz.  
**References:** Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).
17. *Acrotichis discolouroides* Johnson, 1969  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).

18. *Actidium difficilis* Johnson, 1982  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Johnson, C. et al. (1982), Peck, S.B. et al. (2006).
19. *Actidium leleupi* Johnson, 1982  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Santa Cruz, Unknown.  
**References:** Johnson, C. et al. (1982), Peck, S.B. et al. (2006).
20. *Actinopteryx hoguei* Johnson, 1982  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Isabela, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
21. *Aculomicrus* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
 Three neotropical species are known (Smetana 1975).  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
22. *Acupalpus* sp. 1  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
23. *Acupalpus* sp. 2  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
24. *Adelonia costipennis* (Blair, 1933)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Rhacius costipennis* Blair, 1933, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Pinta, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
25. *Adistemia watsoni* (Wollaston, 1871)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
26. *Aeolus galapagoensis* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Aeolus fuscatus* Steinheil 1875: 125, of Mutchler 1938: 4 (error); Van Dyke 1953: 54 (error), fide Peck (2006); *Grammophorus galapagoensis* Van Dyke, 1953, fide Peck (unpublished)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Pinzón, Santa Cruz, Santiago.  
**References:** Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

27. *Ahasverus excisus* (Reitter, 1876)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
28. *Allecula galapagoensis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Santa Cruz, Santiago, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
29. *Allecula insularis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
30. *Allopentarthrum elumbe* (Boheman, 1838)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
31. *Alphitobius laevigatus* (Fabricius, 1781)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Santa Cruz, Unknown.  
**References:** Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
32. *Amblycerus galapagoensis* (Blair, 1928)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Spermophagus galapagoensis* Blair, 1928, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Española, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Blair, K.G. et al. (1928), Kingsolver, J.M. et al. (2001), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
33. *Amblycerus piurae* (Pierce, 1915)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Spermophagus insularum* (Blair, 1927), *Spermophagus piurae* Pierce, 1915, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Unknown.  
**References:** Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).
34. *Ammophorus abingdoni* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Marchena, Pinta.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
35. *Ammophorus antennatus* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Fé, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke,

E.C. et al. (1953).

36. *Ammophorus bifoveatus* G.R. Waterhouse, 1845

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *A. obscurus* Linell, 1898, *A. bifoveatus barringtoni* Van Dyke, 1953; Peck (2006): Kaszab (1970: 186) states that this species is also known from collections by N. and J. Leleup in alpine grasslands in mainland Ecuador. Until this can be confirmed, I think it most likely that this is a case of mislabeling of specimens.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Floreana, Marchena, Santa Fé, Santiago, Unknown.

**References:** Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

37. *Ammophorus cavernicola* Kaszab, 1970

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Floreana, Santa Cruz, Unknown.

**References:** Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

38. *Ammophorus cooksoni* C. Waterhouse, 1877

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *A. carolinensis* Linell 1898: 264. Type in USNM: Galápagos; Charles Island (= Floreana). Acc. 21,999 USFC; *Ammophorus caroli* Linell, 1898 fide Peck (unpublished).

**Origin:** Native, Endemic.

**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Unknown.

**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

39. *Ammophorus denticollis* Boheman, 1858

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Questionable Endemic.

**Galapagos Distribution:** Unknown.

**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

40. *Ammophorus galapagoensis galapagoensis* G.R. Waterhouse, 1845

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Ammophorus galapagoensis subpunctatus* Van Dyke, 1953, fide Peck (2006), *Ammophorus galapagoensis* G.R. Waterhouse, 1845

**Origin:** Native, Endemic.

**Galapagos Distribution:** San Cristóbal, Santa Cruz, Unknown.

**References:** Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

41. *Ammophorus insularis* Boheman, 1858

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz.

**References:** Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1997), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

42. *Ammophorus laevis* Van Dyke, 1953

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *A. galapagoensis laevis*, CAS type 7391, *A. franzi* Kaszab, 1977, fide Peck (2006)

**Origin:** Native, Endemic.

**Galapagos Distribution:** San Cristóbal.

**References:** Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Kaszab, Z. et al. (1977), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

43. *Ammophorus obscurus* G.R. Waterhouse, 1845  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.  
**References:** Blair, K.G. et al. (1928), Blair, K.G. et al. (1933), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
44. *Ammophorus simplex* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
45. *Ammophorus sp. nov. 1*  
**Taxon status:** Unpublished name (Nomen nudum).  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, Isabela, San Cristóbal, Santa Cruz.  
**References:** Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
46. *Amphicerus galapaganus* (Lesne, 1910)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Bostrichus uncinatus* C. Waterhouse, 1877, *Amphicerus punctipennis* Linell (not LeConte), 1898, *Schistoceros obscurus*, *Amphicerus cornutus* (Pallas, 1772), fide Peck (2006). As earlier authors treated it, this species may yet prove to be a synonym or an island subspecies of *Amphicerus cornutus* (Pallas) which is widespread in lowland subtropical and tropical America, including the Pacific Tres Marias islands of Mexico.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Unknown, Wolf.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Reichardt, H. et al. (1970), Zicha, O. (ed.) et al. (1999-2011).
47. *Anchastus sp. nov. 1*  
**Taxon status:** Unpublished name (Nomen nudum).  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Pinta, Unknown.  
**References:** Peck, S.B. et al. (2006).
48. *Anchastus vandykei* Johnson, ?  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Anchastus williamsi* Van Dyke, 1953, new replacement name for the secondary homonym *A. williamsi* Van Dyke 1953: 53; preoccupied by *A. williamsi* Fleutiaux (1934) from the Philippines; Franz 1985: 88, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Isabela, Santa Cruz.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
49. *Ancholaemus acuminatus* Fairmaire, 1904  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Causton, C. et al. (2008), Peck, S.B. et al. (2006).
50. *Anchonus galapagoensis* G.R. Waterhouse, 1845  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.

**Galapagos Distribution:** Fernandina, Floreana, Isabela, Pinzón, Santa Cruz, Santiago.

**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

51. *Anobocoelus* sp.

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

**Origin:** Native, Indigenous.

**Galapagos Distribution:** Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

52. *Anotylus* sp.

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** San Cristóbal, Unknown.

**References:** Peck, S.B. et al. (2006).

53. *Anthicus pallidus* Say, 1826

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Indigenous.

**Galapagos Distribution:** Isabela, Unknown.

**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

54. *Araecerus fasciculatus* (DeGeer, 1775)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

55. *Araptus franzi* Bright Peck, 1998

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Fernandina, Isabela, Pinta, Santa Cruz, Unknown.

**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).

56. *Ariotus* sp.

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

**Origin:** Introduced, Questionable Native.

**Galapagos Distribution:** Santiago, Unknown.

**References:** Peck, S.B. et al. (2006).

57. *Astenus cruzensis* Coiffait, 1985

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Santa Cruz, Unknown.

**References:** Franz, H. et al. (1985), Peck, S.B. et al. (2006).

58. *Astenus galapagoensis* Coiffait, 1981

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Santiago, Unknown.

**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

59. *Ataenius aequatorialis* Petrovitz, 1961

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *A. aequinoctialis*, fide Peck (2006); related to *Ataenius vincentiae* Arrow of the West Indies.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Isabela, Pinta, Santa Cruz, Santiago.

**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).



60. *Ataenius arrowi* Hinton, 1936  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Ataenius cribrithorax* Bates, 1887, *A. leleupi* Petrovitz 1976, fide Peck (2006). It is related to *A. nugator*, which is widespread from the southern US to Chile.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Darwin, Isabela, Pinta, Santa Cruz, Santiago.  
**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
61. *Ataenius atramentarius* (Erichson, 1847)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Ataenius scutellaris* Harold, 1867, *Ataenius dampieri* Petrovitz, 1961, fide Peck (2006)  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Floreana, Genovesa, Isabela, Pinta, San Cristóbal, Santa Cruz.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
62. *Ataenius attenuator* Harold, 1874  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Ataenius abditoides* Chapin, 1940  
**Galapagos Distribution:** Unknown.
63. *Ataenius cavagnaroi* Cartwright, 1970  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.  
**References:** Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
64. *Ataenius cristobalensis* Cook Peck, 2000  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal.  
**References:** Peck, S.B. et al. (2006).
65. *Ataenius floreanae* Cook Peck, 2000  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana.  
**References:** Peck, S.B. et al. (2006).
66. *Ataenius gracilis* (Melsheimer, 1844)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Isabela, Santa Cruz.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).
67. *Ataenius liogaster* Bates, 1887  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Ataenius isabelae* Franz, 1985, fide Peck (2006). The type specimen is *A. liogaster* and the paratypes are *A. cavagnaroi*, fide Peck (2006).  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz.  
**References:** Franz, H. et al. (1985), Peck, S.B. et al. (2006).
68. *Ataenius spp.*  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz, Santiago.
69. *Atanygnathus sp.*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.

- Galapagos Distribution:** San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
70. *Atheta galapagoensis* Pace, 1985  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.  
**References:** Franz, H. et al. (1985), Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).
71. *Aulonium angustatum* Pascoe, 1863  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
72. *Aulonium bidentatum* Fabricius, 1801  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 In Franz (1985: 90) misidentified as *A. belti* Sharp, 1894, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Isabela, Pinta, Santa Cruz, Santiago.  
**References:** Franz, H. et al. (1985), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
73. *Bacanius* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Pinta, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
74. *Bactridium insularis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
75. *Baeocera galapagoensis* Löbl, 1977  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.  
**References:** Franz, H. et al. (1985), Löbl, I. et al. (1977), Peck, S.B. et al. (2006).
76. *Bambara brunnea* (Britten, 1926)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (2006).
77. *Bambara contorta* (Dybas, 1966)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Santa Cruz, Santiago, Unknown.  
**References:** Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (2006).
78. *Bambara frosti* (Dybas, 1966)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Isabela, Pinta, Santa Cruz, Santiago, Unknown.  
**References:** Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (2006).

79. *Bambara steevesi* (Dybas, 1966)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (2006).
80. *Belonuchus rufipennis* (Fabricius, 1801)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
81. *Bembidion equatoriale* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
82. *Bembidion galapagoensis* (G.R. Waterhouse, 1845)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Notaphus galapagoensis* G.R. Waterhouse, 1845, fide Desender et al. (1989)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Isabela, Pinta, Santa Cruz, Santiago.  
**References:** Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
83. *Bitoma exarata* (Pascoe, 1866)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Isabela, Santa Cruz.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
84. *Blapstinus apicalis* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoecus apicalis* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Genovesa, Santa Fé.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
85. *Blapstinus barrigtoni* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoecus barringtoni* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Santa Fé.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
86. *Blapstinus batesoni* (Blair, 1933)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoecus batesoni* Blair, 1933, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
87. *Blapstinus bauri* (Linell, 1898)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.

- Syn.: *Pedonoeces bauri* Linell, 1898, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, San Cristóbal, Unknown.  
**References:** Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
88. *Blapstinus blairi* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoeces blairi* Van Dyke, 1953, fide Peck (2006), *Ammophorus blairi* Van Dyke, 1953 fide Peck (unpublished)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana.  
**References:** Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
89. *Blapstinus caudatus* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoeces caudatus* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Genovesa, Santa Cruz.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
90. *Blapstinus costatus* (G.R. Waterhouse, 1845)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoeces costatus* G.R. Waterhouse, 1845, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santiago.  
**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
91. *Blapstinus culpepperi* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoeces culpepperi* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Darwin.  
**References:** Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
92. *Blapstinus darwini* Aalbu Triplehorn, 1991  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoeces opacus* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Santiago.  
**References:** Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
93. *Blapstinus desenderi* Schatz, 1994  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Santa Cruz, Santa Fé.  
**References:** Peck, S.B. et al. (2006), Schatz, I. et al. (1994).
94. *Blapstinus galapagoensis* (G.R. Waterhouse, 1845)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Acc. name: *Pedonoeces galapagoensis* G.R. Waterhouse, 1845, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santiago.  
**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

95. *Blapstinus lugubris* (Boheman, 1858)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoeces lugubris* Boheman, 1858, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.  
**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
96. *Blapstinus morio* (Boheman, 1858)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoeces morio* Boheman, 1858, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Santiago.  
**References:** Blair, K.G. et al. (1933), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
97. *Blapstinus pubescens* (G.R. Waterhouse, 1845)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoeces pubescens* G.R. Waterhouse, 1845, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Unknown.  
**References:** Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
98. *Blapstinus spatulus* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoeces spatulus* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
99. *Blapstinus uniformis* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoeces uniformis* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
100. *Blapstinus wenmani* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoeces wenmani* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Wolf.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
101. *Blapstinus williamsi* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pedonoeces williamsi* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, Santa Cruz.  
**References:** Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
102. *Bledius aequatorialis* Mutchler, 1925  
**Taxon status:** Accepted name; taxon occurs in Galapagos.

- Origin:** Native, Indigenous.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
103. *Bledius punctatissimus* LeConte, 1877  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Psamathobledius punctatissimus* LeConte, 1877, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Genovesa, Santa Cruz, Santiago, Unknown.  
**References:** Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).
104. *Brachypeplus* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
105. *Bradycellus cristobalinus* Franz, 1985  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Peck, S.B. et al. (2006).
106. *Bradycellus insularis* Reichardt, 1976  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Bradycellus galapagorum galapagorum*, *B. galapagorum santiagoensis*, *B. isabelanus*.  
 Re-examination of the type material of Franz (1985) (Desender, in prep.) does not support the validity of the above names, which are therefore here proposed as new synonyms for the variable species *B. insularis*.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Pinta, Pinzón, Santa Cruz, Santiago.  
**References:** Franz, H. et al. (1985), Peck, S.B. et al. (2006).
107. *Bradycellus isabelae* Franz, 1985  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
108. *Brentus volvulus* Fabricius, 1792  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Peck, S.B. et al. (2006).
109. *Bryoporus tarsalis* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santiago, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
110. *Bythinoplectus caecus* Franz, 1978  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Coulon, G. et al. (1992), Franz, H. et al. (1985), Franz, H. et al. (1978), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
111. *Bythinoplectus peregrinus peregrinus* Schuster Grigarick, 1966  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Bythinoplectus peregrinus similis*, *B. p. santiagoensis*, *B. p. isabelae*, *B. p. pintae*, *B. p.*

crystalensis. This last name was retained as a valid subspecies by Coulon (1992), and all other names were synonymized under the nominal subspecies.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Española, Fernandina, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago, Unknown.

**References:** Coulon, G. et al. (1992), Franz, H. et al. (1985), Franz, H. et al. (1978), Peck, S.B. et al. (2006).

112. *Caccodes oceaniae* (Bourgeois, 1884)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Indigenous.

**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz.

**References:** Peck, S.B. et al. (2006), Wittmer, W. et al. (1993).

113. *Cafius cf. bistriatus* (Erichson, 1840)

**Taxon status:** The identification of this taxon or its occurrence in Galapagos is doubtful.

**Origin:** Native, Indigenous.

**Galapagos Distribution:** Fernandina, Isabela, Unknown.

**References:** Peck, S.B. et al. (2006).

114. *Calleida migratoria* Casale, 2002

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Fernandina, Floreana, Isabela, Pinta, Santa Cruz, Santiago.

**References:** Desender, K. et al. (2002), Peck, S.B. et al. (2006).

115. *Callosobruchus cf. maculatus* (Fabricius, 1775)

**Taxon status:** The identification of this taxon or its occurrence in Galapagos is doubtful.

**Galapagos Distribution:** Santa Cruz.

116. *Calosoma galapageium* Hope, 1838

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Castrida galapageium* Hope, 1838, fide Desender De Dijn (1989)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Santiago, Unknown.

**References:** Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Desender, K. et al. (1989), Gidaspow, T. et al. (1963), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

117. *Calosoma granatense* Géhin, 1885

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Calosoma howardi*, *C. galapageium*, *C. granatense darwiniana*, *C. darwiniana*, *C. granatense floreana*, *C. galapagoum* Howard, 1889 (non Hope), *Castrida granatense* Géhin, 1885, *C. granatensis* Géhin, 1885, *C. granatense granatense* Géhin, 1885, *C. granatense darwiniana* Van Dyke, 1953, *C. granatensis darwiniana* Van Dyke, 1953, *C. granatensis floreana* Basilewsky, 1968. Desender Verdyck (2000) have demonstrated a relatively high genetic differentiation between populations on different islands, indicating that long distance (inter-island) dispersal events are rare in this species.

**Origin:** Introduced, Questionable Native.

**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Unknown, Wolf.

**References:** Basilewsky, P. et al. (1968), Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

118. *Calosoma leleuporum* (Basilewsky, 1968)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Castrida leleuporum* Basilewsky, 1868, fide Desender De Dijn (1989)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Santa Cruz.

**References:** Basilewsky, P. et al. (1968), Desender, K. et al. (1990), Desender, K. et al. (1988),

Desender, K. et al. (1989), Desender, K. et al. (1989), Peck, S.B. et al. (2006).

119. *Calosoma linelli* Mutchler, 1925

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Calosoma galapageium* Linell, 1898 (not Hope), *Castrida linelli* Mutchler, 1925, fide Desender De Dijn (1989)

**Origin:** Native, Endemic.

**Galapagos Distribution:** San Cristóbal.

**References:** Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Desender, K. et al. (1989), Gidaspow, T. et al. (1963), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

120. *Calymmaderus alutaceus* (Blair, 1928)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Eupactus alutaceus* Blair, 1928, fide Peck (2006)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Santa Cruz, Santiago, Unknown.

**References:** Blair, K.G. et al. (1928), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

121. *Calymmaderus galapagoensis* (Blair, 1928)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Thaptor galapagoensis* Blair, 1928, fide Peck (2006)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Floreana, Isabela, Santa Cruz, Santiago, Unknown.

**References:** Blair, K.G. et al. (1928), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

122. *Calymmaderus georgicus* (Blair, 1928)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Eupactus georgicus* Blair, 1928, fide Peck (2006)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Floreana, Isabela, Pinta, Santa Cruz, Santiago, Unknown.

**References:** Blair, K.G. et al. (1928), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

123. *Carcinops galapagoensis* Van Dyke, 1953

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Genovesa, Pinta, San Cristóbal, Santa Cruz, Santiago.

**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

124. *Carcinops* sp. 1

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (2006).

125. *Carcinops tenellus* (Erickson, 1834)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Indigenous.

**Galapagos Distribution:** Isabela, Santa Cruz, Santiago, Unknown.

**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

126. *Carpelimus aequalis* (Jacquelin du Val, 1857)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Troglophloeus aequalis* Le Comte, fide Peck (2006)

**Origin:** Native, Indigenous.

**Galapagos Distribution:** San Cristóbal, Santa Cruz, Unknown.

**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1978), Peck, S.B. et al. (2006).



127. *Carpelimus leleupi* (Coiffait, 1981)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Troglophloeus leleupi* Coiffait, 1981, fide Peck (2006). Described from one female.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).
128. *Carpelimus marchenicus* (Coiffait, 1981)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Troglophloeus marchenicus* Coiffait, 1981, fide Peck (2006). Described from a single specimen, sex not stated.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Marchena, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
129. *Carpelimus obscuricornis* (Coiffait, 1981)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Troglophloeus obscuricornis* Coiffait, 1981. Described from single specimen, sex not known.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).
130. *Carpelimus santiagus* (Coiffait, 1981)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Troglophloeus santiagus* Coiffait, 1981, fide Peck (2006). Described from single specimen, sex not stated.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santiago, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
131. *Carpelimus tripunctulus* (Coiffait, 1981)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Troglophloeus tripunctulus* Coiffait, 1981, fide Peck (2006). Holotype not dissected, sex unknown.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).
132. *Carphina arcifera* Bates, 1872  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 specimen in MZSP, identification by U.R. Martins, Museum of Zoology, University of São Paulo, Brasil  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).
133. *Carpophilus dimidiatus* (Fabricius, 1792)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
134. *Cartodere constricta* (Gyllenhal, 1827)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
135. *Cathartosilvanus opaculus* (LeConte, 1854)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Native.

- Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz.  
**References:** Peck, S.B. et al. (2006).
136. *Cathartosilvanus tropicalis* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Silvanus tropicalis* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Santa Cruz, Unknown.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
137. *Cathartus quadricollis* (Guérin-Méneville, 1829)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, San Cristóbal, Santa Cruz.  
**References:** Peck, S.B. et al. (2006).
138. *Catolethrus* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz.  
**References:** Peck, S.B. et al. (2006).
139. *Caulophilus oryzae* (Gyllenhal, 1838)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
140. *Caulophilus* sp. 1  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Floreana, Santa Cruz.  
**References:** Peck, S.B. et al. (2006).
141. *Ceracis cucullatus* (Mellié, 1848)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.  
**References:** Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
142. *Ceracis* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
143. *Chaetocnema confinis* Crotch, 1873  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Fernandina, Isabela, San Cristóbal, Santa Cruz, Santiago.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).
144. *Chelonarium* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Questionable Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Peck, S.B. et al. (2006).
145. *Chrysobothris williamsi* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.

**Galapagos Distribution:** Isabela, Pinzón, San Cristóbal, Santa Cruz, Unknown.

**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

146. *Cicindela galapagoensis* Horn, 1915

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Cicindelidia galapagoensis* (Horn, 1920), *Cicindela vonhageni*, *C. galapagoensis* *discolourata*. Reichardt (1976) placed *C. vonhageni* as a synonym of *C. galapagoensis* on the basis of intermediate forms in collections from Floreana and Tortuga Bay. Several recent authors still treat *C. vonhageni* as a valid species. Cassola and Roque-Albelo (2003) summarize the evidence that *C. galapagoensis* and *C. vonhageni* as separate and probably sister species. We find the evidence to be unconvincing based on our own collections. There is certainly variation in body size and colouration within and between populations of the colour forms. Allozyme studies did not separate dark and pale forms of what we consider all to be *C. galapagoensis*. However, molecular studies (Desender and co-workers) in progress may help further resolve this question. Cassola et al. (2000) present evidence that this species is possibly threatened by the recently arrives species *C. trifasciata*, which seems to be displacing it.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Fernandina, Floreana, Genovesa, Isabela, Marchena, San Cristóbal, Santa Cruz, Unknown.

**References:** Cassola, F. et al. (2003), Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

147. *Cicindela trifasciata* Fabricius, 1781

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Santa Cruz.

**References:** Cassola, F. et al. (2003), Causton, C. et al. (2008), Peck, S.B. et al. (2006).

148. *Cis creberrimus* Mellié, 1848

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Questionable Native.

**Galapagos Distribution:** Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.

**References:** Peck, S.B. et al. (2006).

149. *Cissites maculata* (Swederus, 1787)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Indigenous.

**Galapagos Distribution:** Fernandina, Isabela, San Cristóbal, Santa Cruz, Santiago, Unknown.

**References:** Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

150. *Clavilispinus exiguus* Erichson, 1840

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Pseudolispinodes sericeus* Coiffait, 1981: 309, fide Peck (2006)

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Española, Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santiago.

**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

151. *Coccidophilus* sp.

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

**Origin:** Introduced, Questionable Native.

**Galapagos Distribution:** Española, Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

152. *Coccotrypes carpophagus* (Hornung, 1842)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

- Origin:** Introduced, Accidental.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).
153. *Coccotrypes dactyliperda* (Fabricius, 1801)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).
154. *Coccotrypes rhizophorae* (Hopkins, 1915)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Isabela, Santa Cruz.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).
155. *Coelosternus leporinus* (Champion, 1906)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Peck, S.B. et al. (2006).
156. *Colopterus sp. 2*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
157. *Colopterus truncatus* Randall, 1838  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
158. *Coluocera maderae* Wollaston, 1854  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
159. *Conoderus galapagoensis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
*Aeolus fuscatus* of Mutchler 1938: 4; Van Dyke 1953: 54, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
160. *Conotelus sp.*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
161. *Copelatus galapagoensis* G.R. Waterhouse, 1845  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1993), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et

- al. (1953), Waterhouse, G.R. et al. (1845).
162. *Coproporus galapagosus* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
163. *Corticotomus cf. quadrimaculatus* Lèveillé, 1905  
**Taxon status:** The identification of this taxon or its occurrence in Galapagos is doubtful.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Floreana, Isabela, Marchena, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
164. *Cosmopolites sordidus* (Germar, 1824)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
165. *Creophilus maxillosus* (Linnaeus, 1858)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Creophilus villosus* (Gravenhorst, 1802), fide Peck (2006). Galápagos specimens differ somewhat from mainland specimens and may be a distinct taxon (A. Smetana, pers. comm.).  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Fernandina, Isabela, San Cristóbal, Santiago, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
166. *Cryptolestes klapperichi* Lefkovitch, 1962  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Española, Floreana, Genovesa, Isabela, San Cristóbal.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
167. *Cryptolestes sp.*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Floreana, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
168. *Cryptolestes unicolornis* (Reitter, 1876)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.  
**References:** Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
169. *Cryptophilus sp.*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
170. *Cryptorama caheni* Español, 1976  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Santa Cruz, Santa Fé, Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
171. *Cryptorama joannae* Español, 1976  
**Taxon status:** Accepted name; taxon occurs in Galapagos.

- Origin:** Native, Endemic.  
**Galapagos Distribution:** Darwin, Española, Genovesa, Pinta, San Cristóbal, Santa Cruz, Unknown, Wolf.  
**References:** Peck, S.B. et al. (2006).
172. *Cybocephaluls serrativentris* (C. Waterhouse, 1877)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Acribus serrativentris* C. Waterhouse, 1877, fide Peck (2006). This species was originally placed in Clambidae and excluded from any later Galápagos list. Endrody-Younga (1959: 82) indicated that the species is a cybocephaline nitidulid, and we agree after examining specimens. *Acribus* is now considered to be a synonym of *Cybocephalus* and would thus not be endemic.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Isabela, Pinta, Pinzón, Santa Cruz.  
**References:** Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
173. *Cycloneda galapagoensis* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Adalia galapagoensis* Van Dyke, 1953, fide Peck (2006). This species is stated as the sister to *Cycloneda sanguinea* (Vandenburg 1992: 380). An Isabela record in the original type series is based on a misidentified Olla (N. Vandenberg, in litt.)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago, Unknown, Wolf.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
174. *Cycloneda sanguinea* (Linnaeus, 1763)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
175. *Cyrcillum strigicolle* (Sharp, 1882)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
176. *Cylidrella* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Galapagos Distribution:** Unknown.  
**References:** Peck, S.B. et al. (1990).
177. *Dactylosternum abdominale* Fabricius, 1793  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
178. *Dactylosternum* sp. 2  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
179. *Dalotia coriaria* (Kraatz, 1856)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Atheta coriaria* (Kraatz, 1856), fide Peck (2006)  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.

**References:** Klimaszewski, J. et al. (1998), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).

180. *Dermestes ater* Degeer, 1774

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Darwin, Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

181. *Dermestes carnivorus* Fabricius, 1775

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Darwin, Española, Isabela, San Cristóbal, Santa Cruz.

**References:** Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

182. *Dermestes maculatus* Degeer, 1774

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Dermestes vulpinus* Fabricius, 1781, fide Peck (2006)

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Darwin, Fernandina, Floreana, Genovesa, Isabela, Pinzón, Santa Cruz, Santiago, Wolf.

**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

183. *Derolathrus* sp.

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

**Origin:** Native, Questionable Endemic.

**Galapagos Distribution:** Floreana, San Cristóbal, Santa Cruz, Santiago, Unknown.

**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

184. *Desmiphora maculosa* Lisney Chemsak, 1966

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *D. hirticollis*, Blair (not Olivier), 1933, fide Peck (2006)

**Origin:** Native, Indigenous.

**Galapagos Distribution:** Fernandina, Isabela, Santa Cruz, Santa Fé, Santiago, Unknown.

**References:** Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

185. *Dienerella filum* (Aubé, 1850)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Isabela, Unknown.

**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

186. *Diestota franziana* Pace, 1986

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *D. franzi*, replacement name (Pace, 1985: 451)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santiago.

**References:** Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

187. *Diestota galapagoensis* (Pace, 1985)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Parasilusa galapagoensis* Pace, 1985, fide Peck (2006)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Marchena, Unknown.

**References:** Franz, H. et al. (1985), Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

188. *Diestota leleupi* (Pace, 1985)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Parasilusa leleupi*, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Santa Cruz, Unknown.  
**References:** Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).
189. *Dinoderus minutus* (Fabricius, 1775)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
190. *Diochus cristobalensis* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Described from only one male.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
191. *Diochus franzi* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Described from three males and five females.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santiago, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
192. *Diochus isabelae* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Described from one male and one female.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
193. *Diochus montguilloni* Coiffait, 1987  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Replacement name for preoccupied *D. testaceus* (Coiffait) 1981; described from only one male.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santiago, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
194. *Diochus santiaqui* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Described from 2 males and 1 female.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santiago, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
195. *Diomus anthony* Gordon, 1999  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz.  
**References:** Peck, S.B. et al. (2006).
196. *Dipropus puberulus* (Boheman, 1858)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Heterocrepidius puberulus* Boheman, 1858, *Ischiodontus inornatus* Candéze, 1859, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz, Unknown.



**References:** Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

197. *Dipropus sp. nov. 1*

**Taxon status:** Unpublished name (Nomen nudum).

**Galapagos Distribution:** Isabela, Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (2006).

198. *Docema galapagoensis* (G.R. Waterhouse, 1845)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Haltica galapagoensis* G.R. Waterhouse, 1845, fide Peck (2006). This species is the type for the genus, and is still known only from the unique specimen collected by Charles Darwin (Peck 2005).

**Origin:** Native, Endemic.

**Galapagos Distribution:** Española, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

**References:** Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

199. *Dryotribus mimeticus* Horn, 1873

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Indigenous.

**Galapagos Distribution:** Española, Fernandina, Isabela, Marchena, San Cristóbal, Santa Cruz.

**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

200. *Eburia lanigera* Linell, 1898

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Eburia amabilis* Boheman, 1859, fide Peck (unpublished)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Unknown.

**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

201. *Eburia pilosa* (Erichson, 1833)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Eburia bauri* Linell, 1898, *Eburia proletaria* Blair (not Erichson), 1933, fide Peck (2006)

**Origin:** Native, Indigenous.

**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz, Santiago.

**References:** Blair, K.G. et al. (1933), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

202. *Echiaster leleupi* Coiffait, 1981

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Santa Cruz, Unknown.

**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

203. *Eidoreus minutus* Sharp, 1885

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Indigenous.

**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz.

**References:** Peck, S.B. et al. (2006).

204. *Endeius multipunctatus* Coiffait, 1981

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Fernandina, Pinta, Santa Cruz, Unknown.

**References:** Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).

205. *Endeius ovaliceps* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
206. *Enochrus obscurus* (Sharp, 1882)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.  
**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
207. *Enochrus waterhousei* Blair, 1933  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Genovesa, Isabela, Marchena, Santa Cruz, Santiago.  
**References:** Appeltans, W. et al. (2010), Blair, K.G. et al. (1933), Gelin, A. et al. (2002), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
208. *Eretes sticticus* (Linnaeus, 1767)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Eunectes occidentalis*  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Española, Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
209. *Espeson cruzensis* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
210. *Espeson franzi* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz, Santiago.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
211. *Espeson minor* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
212. *Estola insularis cribrata* Blair, 1933  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Estola cribrata* Blair, 1933, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
213. *Estola insularis duncani* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Estola duncani* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.

- Galapagos Distribution:** Pinzón, Unknown.  
**References:** Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
214. *Estola insularis insularis* Blair, 1933  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
215. *Estola insularis nigrescens* Linsley Chemsak, 1966  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 ? Syn.: *Estola insularis subnigrescens* Breunning, 1974, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Unknown.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).
216. *Estoloides galapagoensis* Blair, 1933  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Estola galapagoensis* Blair, 1933, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Isabela, Santa Cruz, Santa Fé, Santiago, Unknown.  
**References:** Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
217. *Eubulus coecus* (Fabricius, 1801)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Peck, S.B. et al. (2006).
218. *Eubulus pilipectus* Champion, 1905  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
219. *Euconnus sp. nov.*  
**Taxon status:** Unpublished name (Nomen nudum).  
 This is probably an undescribed species.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Peck, S.B. et al. (2006).
220. *Euscepes postfasciatus* (Fairmaire, 1849)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Isabela, Santa Cruz.  
**References:** Franz, H. et al. (1985), Peck, S.B. et al. (2006).
221. *Euspilotus batesoni* Blair, 1933  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Saprinus batesoni* Blair, 1933, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Darwin, Española, Genovesa, Isabela, Pinta, Santa Cruz, Wolf.  
**References:** Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
222. *Euspilotus nigrinus* (Blanchard, 1842)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Saprinus modestior* Van Dyke, 1953, fide Peck (2006)

- Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Isabela, Pinta, Santa Cruz, Santiago, Unknown.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
223. *Euthiconus* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
Probably an undescribed species, the record is based on one specimen.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Peck, S.B. et al. (2006).
224. *Euvira scalesiai* Klimaszewski Peck, 1998  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).
225. *Euxestus erithaeus* Chevrolat, 1863  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
226. *Fallia colourata* John, 1959  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Lawrence and Newton (1995) point out that The grammatically correct spellings of the family and nominotypical subfamily names are Discolomatidae and -inae  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).
227. *Fallia galapagana* John, 1959  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Lawrence and Newton (1995) point out that The grammatically correct spellings of the family and nominotypical subfamily names are Discolomatidae and -inae  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Isabela, Santa Cruz, Santiago.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).
228. *Faustinus rhombifer* (Champion, 1905)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Española, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.  
**References:** Peck, S.B. et al. (2006).
229. *Feluva franzi* Pace, 1985  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, Marchena, Pinta, Santa Cruz, Santiago, Unknown.  
**References:** Franz, H. et al. (1985), Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).
230. *Fornax* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Questionable Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
231. *Galapaganus ashlocki* Lanteri, 1992  
**Taxon status:** Accepted name; taxon occurs in Galapagos.

- Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz, Unknown.  
**References:** Lanteri, A.A. et al. (1992), Peck, S.B. et al. (2006).
232. *Galapaganus blairi* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pantomorus blairi* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santiago, Unknown.  
**References:** Lanteri, A.A. et al. (1992), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
233. *Galapaganus caroli* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pantomorus caroli* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana.  
**References:** Franz, H. et al. (1985), Lanteri, A.A. et al. (1992), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
234. *Galapaganus collaris* Lanteri, 1992  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, San Cristóbal.  
**References:** Lanteri, A.A. et al. (1992), Peck, S.B. et al. (2006).
235. *Galapaganus conwayensis* (Mutchler, 1938)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pantomorus conwayensis* Mutchler, 1938, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Lanteri, A.A. et al. (1992), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
236. *Galapaganus crockeri* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pantomorus crockeri* Van Dyke, 1953  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Genovesa, Pinta.  
**References:** Lanteri, A.A. et al. (1992), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
237. *Galapaganus darwini* Lanteri, 1992  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Darwin, Wolf.  
**References:** Lanteri, A.A. et al. (1992), Peck, S.B. et al. (2006).
238. *Galapaganus galapagoensis* (Linell, 1898)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pantomorus galapagoensis* Linell, 1898, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, San Cristóbal.  
**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Lanteri, A.A. et al. (1992), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
239. *Galapaganus howdenae* Lanteri, 1992  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.

- References:** Peck, S.B. et al. (2006).
240. *Galapaganus vandykei* Lanteri, 1992  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, San Cristóbal.  
**References:** Lanteri, A.A. et al. (1992), Peck, S.B. et al. (2006).
241. *Galapaganus williamsi* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pantomorus williamsi* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela.  
**References:** Franz, H. et al. (1985), Lanteri, A.A. et al. (1992), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
242. *Galapagodacnum darwini* (Blair, 1933)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Coelostoma darwini* Blair, 1933, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
243. *Galapagonotus cuneiformis* (G.R. Waterhouse, 1845)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn: *Amphideritus cuneiformis* G.R. Waterhouse, 1845, *Otiorynchus cuneiformis* (G.R. Waterhouse, 1845), fide Peck (unpublished); Anderson Lanteri (2000) could not reliably place this genus and species at the tribal level. It is here placed tentatively as Naupactini. A second species of *Amphideritus* suggested by Franz (1985: 100) appears to be this same species. Separate island populations show external differences but no significant differences were seen in the male genitalia between populations.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, San Cristóbal, Santa Cruz, Santiago.  
**References:** Anderson, R.S. et al. (2000), Peck, S.B. et al. (2006).
244. *Gen. 1 Cryptorhynchini indet. sp.*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Unknown.  
**References:** Peck, S.B. et al. (2006).
245. *Gen. 2 Anchonini indet. sp. nov.*  
**Taxon status:** Unpublished name (Nomen nudum).  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Unknown.
246. *Gen. 3 Pentarthrini indet. sp.*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Questionable Endemic.  
**Galapagos Distribution:** Unknown.  
**References:** Peck, S.B. et al. (2006).
247. *Gen. nov. Araecerini indet. sp. nov.*  
**Taxon status:** Unpublished name (Nomen nudum).  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Unknown.  
**References:** Peck, S.B. et al. (2006).
248. *Gerstaeckeria galapagoensis barringtonensis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.

- Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Fé, Unknown.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
249. *Gerstaeckeria galapagoensis galapagoensis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Marchena, Pinta, Santa Cruz, Santiago, Unknown.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).
250. *Gerstaeckeria galapagoensis hoodensis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Unknown.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
251. *Gerstaeckeria galapagoensis seymourensis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
252. *Gerstaeckeria sp. nov.*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Unknown.  
**References:** Peck, S.B. et al. (2006).
253. *Gnathocerus cornutus* (Fabricius, 1798)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Eradicated.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Santiago.  
**References:** Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
254. *Gnathocerus maxillosus* (Fabricius, 1801)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Accidental.  
**Galapagos Distribution:** Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.  
**References:** Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).
255. *Gyrinus galapagoensis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
256. *Haliphus gravidus* Aubé, 1838  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Haliphus robustus* Sharp, 1877, fide Van Vondel Spangler (2008); in Peck (1993 2006) as *Haliphus robustus*.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006), Van Vondel, B.J. et al. (2008).
257. *Halocoryza acapulcana* Whitehead, 1966  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.

- Galapagos Distribution:** Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
258. *Hapalips sp. 1*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz.  
**References:** Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
259. *Hapalips sp. 2*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
260. *Haptoncus luteolus* (Erichson, 1843)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
261. *Heterachthes apicalis* (Blair, 1933)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Compsa arubae* Gilmour, 1968, *Compsa apicalis* Blair, 1933, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Santa Cruz, Santiago, Unknown.  
**References:** Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
262. *Holisus sp.*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
263. *Holoparamecus franzi* Rucker, 1984  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Unknown.  
**References:** Franz, H. et al. (1985), Peck, S.B. et al. (1992), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
264. *Holotrochus galapagosus* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, San Cristóbal, Santa Cruz, Santiago.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
265. *Holotrochus isabelae* Hernandez Outerelo, 1993  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Hernández, J.J. et al. (1993), Peck, S.B. et al. (2006).
266. *Homaeotarsus franzi* (Coiffait, 1981)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Gastrobium franzi* (Coiffait, 1981), fide Peck (2006), *Gastrobium franzi* Coiffait, 1981, fide Peck (unpublished)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).



267. *Homoconnus galapagoensis* Franz, 1978  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santiago, Unknown.  
**References:** Franz, H. et al. (1985), Franz, H. et al. (1978), Peck, S.B. et al. (2006).
268. *Horistonotus williamsi* (Mutchler, 1925)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Coptostethus williamsi* Mutchler, 1925, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Marchena, Pinta, Santa Cruz, Santiago, Unknown.  
**References:** Franz, H. et al. (1985), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
269. *Hylocurus* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Questionable Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).
270. *Hypasclera collenetti* Blair, 1928  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Alloxaxis hoodi* Van Dyke, 1953, *Alloxaxis collenettei* Blair, 1928, fide Peck (2003)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Darwin, Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Unknown, Wolf.  
**References:** Blair, K.G. et al. (1928), Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
271. *Hypasclera seymourensis* Mutchler, 1925  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Alloxaxis seymourensis* Mutchler, 1925, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Santa Cruz, Santa Fé, Santiago.  
**References:** Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
272. *Hyperaspis bromelicola* Sicard, 1925  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 A species with high variability in the size and position of the light-whitish and dark areas on the head, prothorax, and elytra. This species belongs to the subgenus *Tenuisvalvae* as evidenced by the narrow, elongate valves (coxites, hemisternites, or 9th sternites) of the female genitalia.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago.  
**References:** Peck, S.B. et al. (2006).
273. *Hypothenemus birmanus* (Eichhoff, 1878)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Stephanoderes birmanus* Eichhoff, 1878, fide Peck (2006)  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.  
**References:** Bright, D.E. et al. (1998), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
274. *Hypothenemus brunneus* (Hopkins, 1915)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).

275. *Hypothenemus californicus* Hopkins, 1915  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).
276. *Hypothenemus columbi* Hopkins, 1915  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 In Peck Kukulová (1990) as *Hypothenemus cylindricus*, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Española, Floreana, Genovesa, Isabela, Marchena, San Cristóbal, Santa Cruz, Unknown.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
277. *Hypothenemus crudiae* (Panzer, 1791)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz, Unknown.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).
278. *Hypothenemus eruditus* Westwood, 1833  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Española, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.  
**References:** Bright, D.E. et al. (1998), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
279. *Hypothenemus indigenus* Bright Peck, 1998  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).
280. *Hypothenemus obscurus* (Fabricius, 1801)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Stephanoderes obscurus* Fabricius, 1801, fide Peck (unpublished)  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Española, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago, Wolf.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).
281. *Hypothenemus pacificus* Bright Peck, 1998  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).
282. *Hypothenemus seriatus* (Eichhoff, 1872)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Floreana, San Cristóbal.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).
283. *Ischiodontus* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Galapagos Distribution:** Unknown.  
**References:** Peck, S.B. et al. (1990).

284. *Laemophloeus suturalis* Reitter, 1876  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
285. *Lathrobium* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
286. *Lathropus cf. parvulus* Grouvelle, 1878  
**Taxon status:** The identification of this taxon or its occurrence in Galapagos is doubtful.  
 These are probably conspecific with individuals of *L. parvulus* Grouvelle of Panama. The genus is in need of revision and identification must remain tentative at present.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Española, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
287. *Lembodes subcostatus* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Darwin, Española, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Wolf.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Van Dyke, E.C. et al. (1953).
288. *Lichenophanes rutilans* Reichardt, 1970  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Isabela, Marchena, San Cristóbal, Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006), Reichardt, H. et al. (1970).
289. *Liodessus aff. affinis* (Say, 1823)  
**Taxon status:** The identification of this taxon or its occurrence in Galapagos is doubtful.  
 Peck (2006): *Liodessus affinis* is distributed throughout North America and the Neotropics; to Chile and Argentina (Larson and Roughley 1990); many other species occur in tropical America and *L. affinis* may be a species complex.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Darwin, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
290. *Lispinus sulcicollis* (Coiffait, 1981)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Lispinus sulcicollis* (Coiffait, 1981), fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
291. *Lissohypnus pecki* Bordoni, 2004  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Lissohypnus texanus* Casey, 1906, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

292. *Litargus balteatus* LeConte, 1856  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.  
**References:** Franz, H. et al. (1985), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
293. *Lithocharis jeannae* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Study of material is necessary to determine if this is a valid species separable from *L. ochracea*.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
294. *Lithocharis ochracea* Gravenhorst, 1802  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
295. *Lithocharodes elytratus* (Coiffait, 1981)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Described from one female from the pampa zone. Syn.: *Hesperolinus elytratus* Coiffait, 1981, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).
296. *Lobopoda galapagoensis* Linell, 1898  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Syn.: *L. brunneipennis* Campbell, 1966, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Santa Cruz, Unknown.  
**References:** Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
297. *Longitarsus galapagoensis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
298. *Longitarsus lunatus* C. Waterhouse, 1877  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela.  
**References:** Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
299. *Longitarsus sp. nov. 1*  
**Taxon status:** Unpublished name (Nomen nudum).  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Peck, S.B. et al. (2006).
300. *Longitarsus sp. nov. 2*  
**Taxon status:** Unpublished name (Nomen nudum).  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (2006).

301. *Lyctus brunneus* Stephens, 1830  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006), Reichardt, H. et al. (1970).
302. *Lyctus* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
303. *Macrancylus gracilis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, Pinta, Santa Cruz.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
304. *Macroscytalus* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
305. *Malldon molarius galapagoensis* (Mutchler, 1938)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Acc. name: *Stenodontes molarius galapagoensis* Mutchler, 1938, fide Peck (2006)  
**Galapagos Distribution:** Unknown.  
**References:** Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Zicha, O. (ed.) et al. (1999-2011).
306. *Mastogenius cuneaticollis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Pinzón, Santa Cruz, Santiago, Unknown.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
307. *Mastogenius galapagoensis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Fernandina, Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
308. *Megacerus minusculus* (Pic, 1934)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Española, Marchena, Santa Cruz, Santiago.  
**References:** Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (2006).
309. *Menimopsis leleupi* (Kaszab, 1970)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Caecomenemopsis leleupi* Kaszab, 1970, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Pinzón, San Cristóbal, Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1978), Kaszab, Z. et al. (1970), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
310. *Metachroma labrale* Blair, 1933  
**Taxon status:** Accepted name; taxon occurs in Galapagos.

- Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, Isabela, Santa Cruz, Santiago.  
**References:** Blair, K.G. et al. (1933), Blake, D.H. et al. (1970), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
311. *Metamasius hemipterus* (Linnaeus, 1758)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
312. *Metopthalmus nodosus* Rücker, 1984  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, Isabela, Marchena, Pinta, Pinzón, Santa Cruz, Santa Fé, Santiago.  
**References:** Franz, H. et al. (1985), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Rücker, H.W. et al. (1984).
313. *Mexico litoralis* Spilman, 1972  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Fernandina, Unknown.  
**References:** Peck, S.B. et al. (2006).
314. *Micrapate scabrata* Erichson, 1847  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Floreana, San Cristóbal, Santa Cruz, Santiago.  
**References:** Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Reichardt, H. et al. (1970), Van Dyke, E.C. et al. (1953).
315. *Microlinus pusio* (LeConte, 1880)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Leptacinus galapagoensis* Coiffait, 1981, fide Peck (2006). Described from two females from San Cristóbal.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
316. *Microxypterus* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz.  
**References:** Peck, S.B. et al. (2006).
317. *Mimographus* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Peck, S.B. et al. (2006).
318. *Minthea rugicollis* (Walker, 1858)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
319. *Molamba* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.

- Galapagos Distribution:** Isabela, Pinta, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
320. *Monanus concinnulus* Walker, 1858  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
321. *Monotoma* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Peck, S.B. et al. (2006).
322. *Mordellistena galapagoensis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Genovesa, Isabela, Pinta, Pinzón, Santa Cruz, Santiago.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
323. *Mordellistena* sp. 1  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Questionable Endemic.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
324. *Mordellistena* sp. 2  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
 only one specimen known, in CAS (Peck 2006)  
**Origin:** Native, Questionable Endemic.  
**Galapagos Distribution:** Isabela, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
325. *Mulsanteus* sp. nov.  
**Taxon status:** Unpublished name (Nomen nudum).  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Peck, S.B. et al. (2006).
326. *Murmidius ovalis* (Beck, 1817)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
327. *Mychocerus* cf. *discretus* (Casey, 1890)  
**Taxon status:** The identification of this taxon or its occurrence in Galapagos is doubtful.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Peck, S.B. et al. (2006).
328. *Myllaena leleupi* Pace, 1985  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

329. *Myochrous* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Peck, S.B. et al. (1993).
330. *Myrmecocephalus cingulatus* (LeConte, 1866)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Unknown.  
**References:** Peck, S.B. et al. (1998).
331. *Myrmecocephalus concinnus* (Erichson, 1840)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz, Unknown.  
**References:** Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).
332. *Mystroceridius basilewskyi* Reichardt, 1970  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Desender, K. et al. (1989), Franz, H. et al. (1985), Franz, H. et al. (1978), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Reichardt, H. et al. (1970).
333. *Mystroceridius wittmeri* Franz, 1978  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Unknown.  
**References:** Franz, H. et al. (1985), Franz, H. et al. (1978), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
334. *Nacaeus galapagosus* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Pseudolispinodes galapagoensis* Coiffait, 1981, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz, Santiago.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
335. *Naucles* sp. 1  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Santa Cruz, Santa Fé, Santiago.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
336. *Naucles* sp. 2  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Fernandina, Floreana, Genovesa, Marchena, Pinta, Santa Cruz, Santa Fé, Santiago, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
337. *Naucles* sp. 3  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Darwin, Fernandina, Isabela, Pinta, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
338. *Necrobia rufipes* De Geer, 1775  
**Taxon status:** Accepted name; taxon occurs in Galapagos.



- Syn.: *Corynetes rufipes* Auct., fide Peck (2006)  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Genovesa, Isabela, Santa Cruz, Santiago, Unknown.  
**References:** Blair, K.G. et al. (1928), Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
339. *Neohypnus galapagoensis* Bordoni, 2004  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
340. *Neoryctes galapagoensis* (G.R. Waterhouse, 1845)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Oryctes galapagoensis* G.R. Waterhouse, 1845, *Parapseudoryctes galapagoensis* (G.R. Waterhouse, 1845), fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santiago, Unknown.  
**References:** Cook, J. et al. (1995), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
341. *Neoryctes linelli* Mutchler, 1938  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal.  
**References:** Cook, J. et al. (1995), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
342. *Neoryctes moreti* Dechambre, 1991  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Cook, J. et al. (1995), Peck, S.B. et al. (2006).
343. *Neoryctes williamsi* Cook, Howden, Peck, 1995  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Unknown.  
**References:** Cook, J. et al. (1995), Peck, S.B. et al. (2006).
344. *Neoxantholinus galapagoensis* (Coiffait, 1981)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Neolinus galapagoensis* Coiffait, 1981, fide Peck (2006). The genus *Neolinus* Coiffait 1981 is now judged to be a synonym of the more widespread *Neoxantholinus* (Bordoni 2004) and is thus removed from the list of endemic genera.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Marchena, Santa Cruz, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
345. *Nesaecrepida darwini* (Mutchler, 1925)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Docema darwini* Mutchler, 1925, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santa Fé.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

346. *Nesoeme kuscheli* Linsley Chemsak, 1966  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).
347. *Nesozineus galapagoensis galapagoensis* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Leptostylus galapagoensis* Linell, 1898, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
348. *Nesozineus galapagoensis variabilis* Linsley Chemsak, 1966  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
349. *Nesozineus galapagoensis williamsi* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Leptostylus williamsi* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santiago, Unknown.  
**References:** Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
350. *Ochthebius batesoni* Blair, 1933  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago.  
**References:** Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
351. *Oligota chrysopyga* Kraatz, 1859  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz.  
**References:** Klimaszewski, J. et al. (1998), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).
352. *Oligotergus fasciatus* (Nordman, 1837)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
353. *Olla hageni* Vandenberg, 1992  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Olla abdominalis* Say, 1824, fide Peck (2006). The Galápagos species is most closely related to *O. v-nigrum* (Mulsant), which is widespread throughout most of North, Central, and South America and the West Indies. Hybrids between *O. v-nigrum* from California and *O. hageni* from Santa Cruz died in their egg shells (Vandenberg 1992).  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Santiago, Unknown.  
**References:** Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

354. *Olla lacrimosa* Vandenberg, 2004  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 This and *Olla hageni* are sister species, representing a single colonization of the Galápagos by the ancestor of *O. v-nigrum*.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Santa Cruz.  
**References:** Peck, S.B. et al. (2006).
355. *Omicrus* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
 This is a group of very small beetles which scavenge in decomposing plant debris. Many difficult and separate species occur in South America (Smetana 1975).  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
356. *Omonadus floralis* (Linnaeus, 1758)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
357. *Omorgus indigenus* Scholtz, 1990  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 This species probably descended from an ancestor of *O. suberosus*.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Unknown.  
**References:** Peck, S.B. et al. (2006).
358. *Omorgus suberosus* (Fabricius, 1775)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Trox suberosus* Fabricius, 1775, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.  
**References:** Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
359. *Oosternum costatum* Sharp, 1882  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.  
**References:** Franz, H. et al. (1985), Peck, S.B. et al. (2006).
360. *Ormiscus variegatus* G.R. Waterhouse, 1845  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 This species is highly variable in colour and pattern of setae, and this suggests the presence of a species complex. Wing dimorphism occurs at high elevations on Santa Cruz, where some individuals are flightless and others have normal wings. All specimens examined from Wolf Island are flightless.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, Genovesa, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.  
**References:** Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
361. *Orphinus* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (2006).

362. *Orthoperus* sp.

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

There are possibly two species present (J. Pakaluk, pers. comm.).

**Origin:** Introduced, Questionable Native.

**Galapagos Distribution:** Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago, Unknown.

**References:** Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

363. *Oryzaephilus surinamensis* Linnaeus, 1758

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** San Cristóbal, Santa Cruz.

**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).

364. *Osorius cristobalicus* Coiffait, 1981

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** San Cristóbal, Unknown.

**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

365. *Oxycopsis galapagoensis* Peck Cook, 2003

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Oxacis pilosa* Champion, 1890, fide Peck (2006)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Fernandina, Isabela, Santiago, Unknown.

**References:** Blair, K.G. et al. (1928), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

366. *Oxytelus incisus* Motschulsky, 1857

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago, Unknown.

**References:** Peck, S.B. et al. (2006).

367. *Pagiocerus frontalis* (Fabricius, 1801)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Isabela, Santa Cruz.

**References:** Bright, D.E. et al. (1998), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

368. *Parandra galapagoensis* Van Dyke, 1953

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Indigenous.

**Galapagos Distribution:** Isabela, Santa Cruz, Santiago.

**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

369. *Paratenetus* sp.

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

The record is based on a single specimen. The genus contains many species in the Neotropics and is in need of revision.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Santa Cruz.

**References:** Peck, S.B. et al. (2006).

370. *Paromalus* sp.

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

- Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
371. *Paroxacis galapagoensis* (Linell, 1898)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Oxacis galapagoensis* Linell, 1898, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.  
**References:** Blair, K.G. et al. (1928), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
372. *Passalus punctiger* Lepeltier Serville, 1825  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Passalus interruptus* Linnaeus, 1767, *Neleus tascalala* Percheron, 1835, fide Peck (2006). This record needs to be verified. The record was collected by US Fish Commission steamer "Albatross" in 1891 under direction of A. Agassiz, Smithsonian Archives, USNM, acc. 25157. The specimen is in NMNH (Schuster 1983: 299).  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
373. *Pelonium longfieldae* Blair, 1928  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Blair, K.G. et al. (1928), Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
374. *Pentagonica flavipes flavipes* (LeConte, 1853)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
375. *Pentilia* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
376. *Perepitrachus solieri* Casey, 1907  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Perepitrachus fuscipes* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Española, Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
377. *Phalacrus darwini* C. Waterhouse, 1877  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

**References:** Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

378. *Phaleria manicata* Boheman, 1858

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Unknown.

**References:** Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

379. *Phanerota tridentata* Klimaszewski Peck, 1998

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Questionable Native.

**Galapagos Distribution:** Santa Cruz, Unknown.

**References:** Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

380. *Philonthus discoideus* (Gravenhorst, 1802)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (2006).

381. *Philonthus pauxillus* Solsky, 1868

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Unknown.

**References:** Peck, S.B. et al. (2006).

382. *Philonthus ventralis* (Gravenhorst, 1802)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (2006).

383. *Physorhinus galapagoensis* G.R. Waterhouse, 1845

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Anchastus galapagoensis* G.R. Waterhouse, 1845, *Physorhinus batesoni* Van Dyke, 1953, *Physorhinus blairi* Van Dyke, 1953, *Physorhinus chathamii* Van Dyke, 1953, *Physorhinus hoodi* Van Dyke, 1953, fide Peck (2006). The synonyms were interpreted as species by Van Dyke but are now interpreted to represent inconsistent population variation between islands.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Española, Fernandina, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago, Unknown.

**References:** Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

384. *Physorhinus quirsfeldi* (Mutchler, 1938)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Physorhinus dichroa* Van Dyke, 1953, fide Peck (2006), *Anchastus quirsfeldi* Mutchler, 1938

**Origin:** Native, Endemic.

**Galapagos Distribution:** Isabela, Pinta, Pinzón, Santa Cruz, Unknown.

**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

385. *Physorhinus ruficeps* Van Dyke, 1953

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Isabela, Pinta, Santa Cruz, Santiago, Unknown.

**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

386. *Physorhinus sp. nov. 1*  
**Taxon status:** Unpublished name (Nomen nudum).  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
387. *Piestus minutus* Erichson, 1840  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz.  
**References:** Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
388. *Piestus pygmaeus* Laporte, 1834  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
389. *Piestus sulcatus* Gravenhorst, 1806  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Isabela, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
390. *Pinostygus galapagoensis* Campbell Peck, 1989  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Campbell, J.M. et al. (1989), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
391. *Pitnus galapagoensis galapagoensis* (Franz, 1985)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Syn.: *Nitpus galapagoensis* Franz, 1985, fide Peck (unpublished)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, Santa Cruz, Santa Fé, Santiago.  
**References:** Peck, S.B. et al. (2006).
392. *Pitnus galapagoensis lapidicola* Belles, 1992  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, Genovesa, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
393. *Pitnus pintae grandis* Belles, 1992  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
394. *Pitnus pintae pintae* (Franz, 1985)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Known only from the holotype specimen.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Pinta, Santa Cruz.  
**References:** Peck, S.B. et al. (2006).
395. *Placonotus politissimus* (Wollaston, 1867)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.

- References:** Peck, S.B. et al. (2006).
396. *Platynus albemarli* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Agonum albemarli* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Santa Cruz.  
**References:** Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
397. *Platynus chathamii* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Agonum chathamii* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal.  
**References:** Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
398. *Platynus darwini* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Agonum darwini* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
399. *Platypus linearis* Stephens, 1832  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz, Santiago.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
400. *Platypus santacruzensis* Mutchler, 1925  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
401. *Platystethus spiculus* Erichson, 1840  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
402. *Platytomus darwini* (Cartwright, 1970)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Its closest relative is *Platytomus gregalis* of Colombia. Syn.: *Diastichus darwini* Cartwright, 1970, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Darwin, Isabela, San Cristóbal, Santa Cruz, Santiago, Unknown, Wolf.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
403. *Polynoncus galapagoensis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Trox galapagoensis* Van Dyke, 1953, fide Peck (2006); Santa Cruz and Santiago records of Franz are erroneous and represent *P. seymourensis* and *P. suberosus*. This species probably descended from an ancestor of *P. seymourensis*.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Darwin, Unknown, Wolf.



**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

404. *Polynoncus seymourensis* Mutchler, 1925

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Trox seymourensis* Mutchler, 1925, fide Peck (2006); This species is probably a sister species of *P. sallei* of coastal Peru and Ecuador.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santiago, Unknown.

**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Scholtz, C.H. et al. (1990), Van Dyke, E.C. et al. (1953).

405. *Polytus mellerborgii* (Boheman, 1838)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz.

**References:** Peck, S.B. et al. (2006).

406. *Prateus dentatus* Van Dyke, 1953

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Española, Fernandina, Floreana, Pinta, Pinzón, Santa Cruz, Santa Fé.

**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

407. *Pseudopentarthrum cunicollis* (Van Dyke, 1953)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Neopentarthrum cunicollis* Van Dyke, 1953, fide Peck (2006)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Española, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

408. *Pseudopentarthrum glabrum* (Van Dyke, 1953)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Neopentarthrum glabrum* Van Dyke, 1953, fide Peck (2006)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Española, Pinta, San Cristóbal.

**References:** Franz, H. et al. (1978), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

409. *Pseudopentarthrum sp. 1*

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Española, Isabela.

**References:** Franz, H. et al. (1985), Peck, S.B. et al. (2006).

410. *Pseudopentarthrum sp. 2*

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Fernandina, Isabela, San Cristóbal, Santa Cruz, Santa Fé.

**References:** Pedersen, T.M. et al. (1987).

411. *Pseudopentarthrum towerensis* (Mutchler, 1925)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *P. mutchleri* (Van Dyke, 1953), *Neopentarthrum towerensis* Mutchler, 1925, fide Peck (2006), *Neopentarthrum mutchleri* Van Dyke, 1953

**Origin:** Native, Endemic.

**Galapagos Distribution:** Española, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

**References:** Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

412. *Pseudothysanoes isolatus* Bright Peck, 1998

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Floreana, Pinta, Unknown.

**References:** Bright, D.E. et al. (1998).

413. *Psyllobora bisigma* Van Dyke, 1953

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Fernandina, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

414. *Pterostichus becki* (Van Dyke, 1953)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Pterostichus galapagoensis becki*, fide Peck (2006), *Feronia becki* Van Dyke, 1953

**Origin:** Native, Endemic.

**Galapagos Distribution:** Santiago, Unknown.

**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

415. *Pterostichus blairi* (Van Dyke, 1953)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Feronia blairi* Van Dyke, 1953, fide Peck (2006)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Santiago.

**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

416. *Pterostichus calathoides* (G.R. Waterhouse, 1845)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Feronia calathoides* G.R. Waterhouse, 1845, *Poecilus calathoides* (G.R. Waterhouse, 1845), fide Desender et al. (1989)

**Origin:** Native, Endemic.

**Galapagos Distribution:** San Cristóbal.

**References:** Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

417. *Pterostichus duncani* (Van Dyke, 1953)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Feronia duncani* Van Dyke, 1953, fide Desender et al. (1989)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Pinzón.

**References:** Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

418. *Pterostichus galapagoensis* (G.R. Waterhouse, 1845)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Feronia galapagoensis* G.R. Waterhouse, 1845, *Platynus galapagoensis* (G.R. Waterhouse, 1845), fide Peck (2006); S. Peck: the subspecies *P. g. galapagoensis* is of doubtful utility, *Pterostichus galapagoensis becki* Van Dyke, 1953 is now regarded as a synonym of *Pterostichus becki* (Van Dyke, 1953)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Santiago, Unknown.

**References:** Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

419. *Pterostichus insularis* (Boheman, 1858)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

- Syn.: *Feronia insularis* Boheman, 1858, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela.  
**References:** Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
420. *Pterostichus leleuporum* Reichardt, 1976  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
421. *Pterostichus mutchleri* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Syn.: *Feronia mutchleri* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
422. *Pterostichus sp. 10*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Unknown.  
**References:** Peck, S.B. et al. (2006).
423. *Pterostichus sp. 11*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Peck, S.B. et al. (2006).
424. *Pterostichus sp. 12*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Peck, S.B. et al. (2006).
425. *Pterostichus waterhousei* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Syn.: *Feronia waterhousei* Van Dyke, 1953, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
426. *Pterostichus williamsi* (Van Dyke, 1953)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Syn.: *Feronia williamsi* Van Dyke, 1953, fide Desender et al. (1989)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
427. *Ptinella galapagana* Johnson, 1982  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Santa Cruz, Santiago, Unknown.  
**References:** Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

428. *Ptinellodes darwini* Johnson, 1982  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Marchena, Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
429. *Pycnarthrum insulare* Blair, 1933  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.  
**References:** Blair, K.G. et al. (1933), Bright, D.E. et al. (1998), Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
430. *Rhantus galapagoensis* Peck Balke, 1993  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Rhantus signatus* (Fabricius 1775), fide Peck Balke (1993)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
431. *Rodolia cardinalis* (Mulsant, 1850)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Cultivated.  
**Galapagos Distribution:** Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.  
**References:** Lincango, M.P. et al. (2011), Peck, S.B. et al. (2006).
432. *Rothium ashlocki* Ahn Ashe, 1996  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).
433. *Rothium littoralis* Klimaszewski Peck, 1998  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Pinta, Santa Cruz, Unknown, Wolf.  
**References:** Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).
434. *Sapintus sp. nov.*  
**Taxon status:** Unpublished name (Nomen nudum).  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
435. *Saprinus sp.*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
 record based on one specimen collected by Ashlock, 1964, in Bishop Museum  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Darwin, Unknown.  
**References:** Peck, S.B. et al. (2006).
436. *Scarites galapagoensis* Linell, 1898  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, San Cristóbal, Unknown.  
**References:** Desender, K. et al. (1989), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

437. *Scarites williamsi* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela.  
**References:** Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
438. *Scopaeus galapagosus* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Scopaeus santiagus* Coiffait, 1981, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Pinta, Santa Cruz, Santiago.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
439. *Scutobrachus ceratioborus* (Philippi, 1859)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Lawrence Newton (1995) use Bruchidae as a subfamily.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Española, Isabela, Pinzón, San Cristóbal, Santa Cruz.  
**References:** Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
440. *Scydmaenus galapagoensis* Franz, 1978  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Franz, H. et al. (1985), Franz, H. et al. (1978), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
441. *Scymnobius galapagoensis* (G.R. Waterhouse, 1845)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Scymnus galapagoensis* G.R. Waterhouse, 1845, *Diomus galapagoensis* (G.R. Waterhouse, 1845), fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.  
**References:** Blair, K.G. et al. (1933), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
442. *Scymnobius scalesius* Gordon Gonzalez, 2004  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Peck Kukulova-Peck 1990: 1636 (as *Nephus* sp.)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Unknown.  
**References:** Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
443. *Selenophorus galapagoensis galapagoensis* G.R. Waterhouse, 1845  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Selenophorus galapagoensis* G.R. Waterhouse, 1845  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
444. *Selenophorus galapagoensis wenmani* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Selenophorus wenmani* Van Dyke, 1953, fide Peck (2006); Ball Maddison (1987: 253) indicate that all the Galápagos forms of *Selenophorus* might be united under the single species name *S.*

obscuricornis. This is certainly an error and at least *S. galapagoensis* and *S. obscuricornis* are valid and easily distinguished species. There is still doubt as to the status of *S. g. wenmani*. Genetic work is in progress (Desender co-workers).

**Origin:** Native, Endemic.

**Galapagos Distribution:** Darwin, Marchena, Pinta, Unknown, Wolf.

**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

445. *Selenophorus obscuricornis* (G.R. Waterhouse, 1845)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Amblygnathus obscuricornis* G.R. Waterhouse, 1845, fide Peck (2006)

**Origin:** Native, Endemic.

**Galapagos Distribution:** Española, Fernandina, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Unknown.

**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

446. *Semnorhynchus* sp.

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** San Cristóbal, Unknown.

**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).

447. *Sennius falcatus* Kingsolver Rivera-Costa, 2001

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Indigenous.

**Galapagos Distribution:** Pinzón, Santa Cruz, Santiago.

**References:** Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (2006).

448. *Sericoderus* sp.

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

**Origin:** Introduced, Questionable Native.

**Galapagos Distribution:** Española, Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

449. *Silvanus difficilis* Halstead, 1973

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).

450. *Silvanus* sp.

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Unknown.

**References:** Peck, S.B. et al. (1993).

451. *Sinoxylon conigerum* Gestacker, 1855

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Floreana, Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).

452. *Sitophagus hololeptoides* (Laporte, 1840)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Questionable Native.

**Galapagos Distribution:** Isabela, Santa Cruz, Santa Fé.

**References:** Franz, H. et al. (1985), Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

453. *Sitophagus sp. 2*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Fernandina, Genovesa, Santa Cruz, Santa Fé, Santiago.  
**References:** Peck, S.B. et al. (2006).
454. *Sitophilus oryzae* (Linnaeus, 1763)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Española, Fernandina, Floreana, San Cristóbal, Santa Cruz.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
455. *Sosylus aff. dentiger* Horn, 1878  
**Taxon status:** The identification of this taxon or its occurrence in Galapagos is doubtful.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
456. *Stegobium paniceum* (Linnaeus, 1761)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).
457. *Stelidota insularis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
This may prove to be a synonym of *S. strigosa* (Gyll.), or a separate introduced species.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
458. *Stelidota sp. 1*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
459. *Stenodontes molarius galapagoensis* Mutchler, 1938  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Syn.: *Mallodon molarius galapagoensis* (Mutchler, 1938), fide Peck (2006); *Stenodontus galapagoensis* Mutchler, 1938, fide Peck (unpublished)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006).
460. *Stenodontes molarius glabratus* Linsley Chemsak, 1966  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal, Unknown.  
**References:** Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
461. *Stenodontes molarius vandykei* Linsley Chemsak, 1966  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Unknown.  
**References:** Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
462. *Stethusa dichroa* (Gravenhorst, 1802)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.

- Syn.: *Atheta dichroa* (Gravenhorst, 1802), fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.  
**References:** Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).
463. *Stethusa lurida* (Erichson, 1840)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Atheta lurida* Erichson, 1840, fide Peck (2006)  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Fernandina, Santiago, Unknown.  
**References:** Franz, H. et al. (1985), Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).
464. *Stichtoptychus basilewski* Español, 1976  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Peck, S.B. et al. (2006).
465. *Stilicopsis galapagosa* (Coiffait, 1981)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Described from two females from Isabela. Syn.: *Acanthoglossa galapagosa* Coiffait, 1981, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
466. *Stomion cribricollis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Darwin, Genovesa, Wolf.  
**References:** Finston, T.L. et al. (2004), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
467. *Stomion galapagoensis* G.R. Waterhouse, 1845  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Stomion galapagoense* Waterhouse, 1845, *Stomion carinipenne* Linell, 1898, *Stomion carinatipenne* Blair, 1933, *Stomion piceum* Linell, 1898, fide Peck (2006), *Stomion galapagoensis galapagoensis* G.R. Waterhouse, 1845, *Stomion galapagoense galapagoense* Waterhouse, 1845  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, Unknown.  
**References:** Blair, K.G. et al. (1928), Blair, K.G. et al. (1933), Finston, T.L. et al. (2004), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
468. *Stomion genovesa* Finston Peck, 2004  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Genovesa.  
**References:** Finston, T.L. et al. (2004), Peck, S.B. et al. (2006).
469. *Stomion helopoides* G.R. Waterhouse, 1845  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** San Cristóbal.  
**References:** Blair, K.G. et al. (1933), Finston, T.L. et al. (2004), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).



470. *Stomion laevigatum* G.R. Waterhouse, 1845  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Stomion bauri* Linell, 1898, *Stomion laevigatum santacruensis* Franz, 1985, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Santiago.  
**References:** Blair, K.G. et al. (1928), Blair, K.G. et al. (1933), Finston, T.L. et al. (2004), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
471. *Stomion linelli* Blair, 1933  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *S. laevigatum* Linell (not G.R. Waterhouse), 1898, *S. mutchleri* Blair, 1933 (nomen nudum), *S. galapagoensis leleupi* Kaszab 1970, *S. galapagoense leleupi* Kaszab, 1970 (spelling error), *S. linelli leupi* Kaszab, 1970, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Santa Cruz, Santiago.  
**References:** Blair, K.G. et al. (1933), Finston, T.L. et al. (2004), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
472. *Stomion longicornis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española.  
**References:** Finston, T.L. et al. (2004), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
473. *Stomion longulum* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Santa Cruz, Unknown.  
**References:** Finston, T.L. et al. (2004), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
474. *Stomion obesum* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Stomion galapagoensis pinzoni* Franz, 1985, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Pinzón, Santa Cruz.  
**References:** Finston, T.L. et al. (2004), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
475. *Stomion punctipennis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Stomion galapagoensis punctipennis* Van Dyke, 1963, fide Peck (2006), *Stomion galapagoense punctipennis* Van Dyke, 1953  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española.  
**References:** Finston, T.L. et al. (2004), Franz, H. et al. (1985), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
476. *Stomion rugosum* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Marchena, Pinta.  
**References:** Finston, T.L. et al. (2004), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

477. *Strongylaspis kraepelini* Lameere, 1903  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
478. *Strongylaspis kraepelini parvula* Linsley Chemsak, 1966  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
479. *Strongylaspis kraepelini* ssp. *indet.*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Santiago, Unknown.  
**References:** Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).
480. *Sunius aptera* (Coiffait, 1981)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Described from a single female. Syn.: *Hypomedon aptera* Coiffait, 1981, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Marchena, Santa Cruz, Santiago, Unknown.  
**References:** Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).
481. *Sunius debilicornis* (Wollaston, 1857)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Chloecharis monilicornis* (Wollaston, 1857), fide Peck (2006)  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).
482. *Synchita* sp. 1  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
 Given subfamily rank within the Zopheridae by Slipinski and Lawrence (1999)  
**Origin:** Native, Questionable Endemic.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
483. *Tachys erwini* Reichardt, 1976  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Darwin, Fernandina, Floreana, Genovesa, Isabela, Pinta, Pinzón, Santa Cruz, Santa Fé, Unknown, Wolf.  
**References:** Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Peck, S.B. et al. (2006).
484. *Tachys* sp. 3  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Questionable Endemic.  
**Galapagos Distribution:** Floreana, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
485. *Tachys* sp. 4  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Pinta, Santa Cruz, Santa Fé, Unknown, Wolf.  
**References:** Peck, S.B. et al. (2006).

486. *Tachys vittiger* LeConte, 1851  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Tachys beebei*, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Española, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Unknown.  
**References:** Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
487. *Tarsostenus univittatus* (Rossi, 1792)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
488. *Tenebroides* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
 The single Franz specimen bears a label “*Tenebroides galapagoensis*” (Peck 2005)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, Santa Cruz, Unknown.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
489. *Tetrapriocera longicornis* (Olivier, 1795)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Tetrapriocera tridens* Lesne (non Fabricius), 1901 fide Peck (2006)  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Española, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.  
**References:** Blair, K.G. et al. (1928), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Reichardt, H. et al. (1970), Van Dyke, E.C. et al. (1953).
490. *Thalpius* sp. 1  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Marchena, Santa Cruz, Unknown.
491. *Thalpius* sp. 2  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.
492. *Thecturota franzi* Pace, 1985  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Leptischnusa franzi* Pace, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.  
**References:** Franz, H. et al. (1985), Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).
493. *Thermonectus basillaris galapagoensis* Van Dyke, 1953  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Acilius incisus* C. Waterhouse, 1877, *A. basillaris* Mutchler, 1925 (not Harris), fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1993), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

494. *Thoracophorus galapagosus* Coiffait, 1981  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.  
**References:** Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
495. *Tribolium castaneum* Herbst, 1797  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).
496. *Trichodesma denticollis* Blair, 1928  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Española, Floreana, Isabela, Santa Cruz, Santiago, Unknown.  
**References:** Blair, K.G. et al. (1928), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
497. *Tricorynus straeleni* Español, 1976  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.  
**References:** Peck, S.B. et al. (2006).
498. *Trigonodera lineata* (Champion, 1891)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Causton, C. et al. (2008), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
499. *Trogoderma* sp. 1  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Isabela, Santa Cruz, Santiago, Unknown.  
**References:** Peck, S.B. et al. (2006).
500. *Trogoderma* sp. 2  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Española, Santa Fé, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
501. *Trogoderma* sp. 3  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (2006).
502. *Trogossita galapagoensis* (Mutchler, 1938)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Acc. name: *Temnochila galapagoensis* Mutchler, 1938, fide Peck (2006)  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.  
**References:** Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
503. *Trogoxylon* sp.  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.

In Peck (1993) as *Trogoxylon parallelopipedum* (Melsheimer, 1844), fide Peck (2006)

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Floreana, Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

504. *Tropicus sp.*

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

Record based on only one specimen (label data: Santa Cruz, 100–300m, 17.IX.1970, J. Sedlacek, BPBM), which needs to be confirmed.

**Origin:** Introduced, Questionable Native.

**Galapagos Distribution:** Santa Cruz, Unknown.

**References:** Peck, S.B. et al. (2006).

505. *Tropisternus lateralis* (Fabricius, 1775)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Indigenous.

**Galapagos Distribution:** Española, Fernandina, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago.

**References:** Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

506. *Typhaea stercorea* Linnaeus, 1758

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Isabela, Santa Cruz, Santiago.

**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

507. *Urophorus humeralis* (Fabricius, 1798)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz.

**References:** Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

508. *Xyleborinus gracilis* (Eichhoff, 1868)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Xyleborus gracilis* Eichhoff, 1868, fide Peck (2006)

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Floreana, Unknown.

**References:** Bright, D.E. et al. (1998), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).

509. *Xyleborinus saxeseni* (Ratzeburg, 1837)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz, Santiago.

**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).

510. *Xyleborus affinis* Eichhoff, 1867

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Questionable Native.

**Galapagos Distribution:** Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

**References:** Bright, D.E. et al. (1998), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).

511. *Xyleborus ferrugineus* (Fabricius, 1801)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Questionable Native.

**Galapagos Distribution:** Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

**References:** Bright, D.E. et al. (1998), Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).

512. *Xyleborus spinulosus* (Blandford, 1898)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Xyleborus artespinulosus* Schedl, 1935, fide Peck (2006)  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.  
**References:** Bright, D.E. et al. (1998), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
513. *Xyleborus volvulus* (Fabricius, 1775)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Xyleborus torquatus* Eichoff, 1868, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago, Unknown.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
514. *Xyletinus leleupi* Español, 1976  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Native, Endemic.  
**Galapagos Distribution:** Floreana, Genovesa, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.  
**References:** Peck, S.B. et al. (2006).
515. *Xylosandrus morigerus* (Blandford, 1894)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).
516. *Zabrotes subfasciatus* (Boheman, 1833)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Isabela, Santa Cruz.  
**References:** Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
517. *Zophobas atratus* (Fabricius, 1775)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
 Syn.: *Z. morio*; in Franz (1985) as *Z. morio*, fide Peck (2006)  
**Origin:** Native, Indigenous.  
**Galapagos Distribution:** Isabela, San Cristóbal.  
**References:** Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
518. *cf. Corylophodes sp.*  
**Taxon status:** The identification of this taxon or its occurrence in Galapagos is doubtful.  
**Origin:** Introduced, Questionable Native.  
**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz, Unknown.  
**References:** Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

### **Rejected Taxa:**

1. *Aerenea quadriplagiata* Boheman  
 Syn.: *Acrenia quadriplagiata* (in Franz, 1985, spelling error, fide Peck, 2006); According to Peck (2006) erroneous record for Galapagos.
2. *Aulonium belti* Sharp, 1894  
 Misidentification of *A. bidentatum* Fabricius, 1801, fide Peck (2006)
3. *Calocladon testaceum* Gorham, 1881  
 According to Peck (2006) erroneous record for Galapagos.

4. *Chauliognathus sulphureus* C. Waterhouse, 1878  
According to Peck (2006) erroneous record for Galapagos.
5. *Comptocarpus longicollis* Motschulsky, 1860  
According to Peck (2006) erroneous record for Galapagos.
6. *Copris lugubris* Boheman, 1858  
According to Peck (2006) erroneous record for Galapagos.
7. *Ctesia pedinoides* Maklin, 1875  
According to Peck (2006) erroneous record for Galapagos.
8. *Diabrotica ventricosa* Jacoby, 1887  
According to Peck (2006) erroneous record for Galapagos.
9. *Doryphora guerini* Stål, 1857  
According to Peck (2006) erroneous record for Galapagos.
10. *Geraeus batesoni* Blair, 1933  
According to Peck (2006) erroneous record for Galapagos.
11. *Gynandrobrotica ventricosa* Jacoby, 1887  
According to Peck (2006) erroneous record for Galapagos.
12. *Nephus* sp.  
Misidentification of *Scymnobioides scalesius* Gordon Gonzalez, 2004, fide Peck (2006)
13. *Physonota alutacea* Boheman, 1854  
According to Peck (2006) erroneous record for Galapagos.
14. *Trogoxylon parallelopedum* (Melsheimer, 1844)  
In Peck (2006) as *Trogoxylon* sp.

### **References:**

1. Anderson, R.S., Lanteri, A.A. (2000) *New genera and species of weevils from the Galapagos Islands, Ecuador, and Cocos Island, Costa Rica (Coleoptera; Curculionidae; Entiminae; Entimini)*. American Museum Novitates 3299: 1-15.
2. Appeltans, W., Bouchet, P., Boxshall, G.A., Fauchald, K., Gordon, D.P., Hoeksema, B.W., Poore, G.C.B., van Soest, R.W.M., Stöhr, S., Walter, T.C., Costello, M.J. (eds.) (2010) *World Register of Marine Species (WoRMS)*. Available online at <http://www.marinespecies.org>.
3. Basilewsky, P. (1968) *Les Calosomes des îles Galápagos (Coleoptera: Carabidae)*. Mission zoologique belge aux îles Galápagos et en Ecuador, 1: 179-207
4. Blair, K.G. (1928) *Coleoptera (Heteromera, Terebrilia, Malacodermata, and Bruchidae) from the Galapagos Islands, collected on the 'St. George' Expedition, 1924*. Ann. Mag. Nat. Hist., ser. 10, 1: 671-680.
5. Blair, K.G. (1933) *Further Coleoptera from the Galapagos Archipelago*. Ann. Mag. Nat. Hist., ser. 10, 11: 471-487.
6. Blake, D.H. (1970) *A review of the beetles of the genus Metachroma Chevrolat (Coleoptera: Chrysomelidae)*. Smiths. Contr. Zool. 57: iii + 111 pp.
7. Bright, D.E., Peck, S.B. (1998) *Scolytidae from the Galápagos Islands, Ecuador, with descriptions of four new species, new distribution records, and a key to species (Coleoptera: Scolytidae)*. Koleopterologische Rundschau 68: 233-252.
8. Campbell, J.M., Peck, S.B. (1989) *Pinostygus galapagoensis, a new genus and species of eyeless rove beetle (Coleoptera: Staphylinidae: Paederinae) from a cave in the Galapagos Islands, Ecuador*. The Coleopterists Bulletin 43(4): 397-405.

9. Cassola, F., Roque-Albelo, L. (2003) *The larva of Cicindelidia galapagoensis* (W. Horn, 1920) (Coleoptera: Cicindelidae). *Lambillionea* 103(2): 279-282.
10. Causton, C., Sevilla, C. (2008) *Latest records of introduced invertebrates in Galapagos and measures to control them. In: Galapagos Report 2006-2007*. CDF, GNP and INGALA, Pueto Ayora, Galapagos, Ecuador, 142-145 p.
11. Coiffait, H. (1981) *Contribution a la connaissance des Staphylinides de îles Galapagos* (Coleoptera). *Anns. Soc. ent. Fr. (N. S.)* 17(3): 287-310.
12. Cook, J., Howden, H.F. Peck, S.B. (1995) *The Galápagos Islands genus Neoryctes Arrow* (Coleoptera: Scarabaeidae: Dynastinae). *The Canadian Entomologist* 127: 177-193.
13. Coulon, G. (1992) *Spéciation et insularité: le piège des îles Galapagos*. *Mém. Soc. R. belge Ent.* 35: 605-612.
14. Desender, K., Baert, L. Maelfait, J.P. (1988) *Carabid Beetles of Galápagos*. Unpublished Manuscript.
15. Desender, K., Baert, L. Maelfait, J.P. (1989) *Contribution to the knowledge of the Carabid beetles of Galápagos (Ecuador)*. *Entomologie* 58: 55-65.
16. Desender, K., De Dijn, B. (1989) *The Calosoma species of the Galápagos archipelago. I. Redescriptions and distribution of the species*. *Entomologie* 59: 131-144.
17. Desender, K., Baert, L. Maelfait, J.P. (1990) *Carabid beetles (Coleoptera, Carabidae) of Galápagos (Ecuador) collected during the Belgian 1988- expedition*. *Entomologie*: 49-54.
18. Desender, K., Casale, A., Baert, L., Maelfait, J.P. Verdyck, P. (2002) *Calleida migratoria Casale, New species (Coleoptera: Carabidae), a newly introduced ground beetle in the Galapagos Islands, Ecuador*. *The Coleopterists Bulletin* 56(1): 71-78.
19. Finston, T.L., Peck, S.B. (2004) *Speciation in Darwin's darklings: taxonomy and evolution of Stomion beetles in the Galápagos Islands, Ecuador (Insecta: Coleoptera: Tenebrionidae)*. *Zool. J. Linn. Soc.* 141: 135-152.
20. Franz, H. (1978) *Erster Beitrag zur Kenntnis der Bodenfauna der Galapagos-Inseln*. *Entomol. Blätter* 74(1-2): 55-66.
21. Franz, H. (1985) *Beitrag zur Kenntnis der Koleopterenfauna der Galapagos-Inseln*. *Österr. Akad. Wissensch. Mathem.-naturw. Kl., Abt. I*, 194(1-5): 73-124.
22. Gelin, A., Gravez, V. (2002) *Laguas costeras. In: Danulat, E. Edgar, G.J. (eds.) (2002): Reserva Marina de Galápagos. Línea Base de la Biodiversidad*. Fundación Charles Darwin/Servicio Parque Nacional Galápagos, Santa Cruz, Galápagos, Ecuador, p. 119-145.
23. Gidaspow, T. (1963) *The Genus Calosoma in Central America, the Antilles, and South America (Coleoptera: Carabidae)*. *Bulletin of the American Museum of Natural History* 124(7): 275-314.
24. Hernández, J.J., Outerelo, R. (1993) *Holotrochus isabelae sp. n., a new Osoriini (Coleoptera: Staphylinidae: Osoriinae) from the Galapagos Islands*. *Elytron* 7: 21-26.
25. Johnson, C. (1982) *Ptiliidae (Coleoptera) from the Galapagos and Cocos Islands*. *Brenesia* 19/20: 189-199.
26. Kaszab, Z. (1970) *Coleoptera, Tenebrionidae*. *Mission Zool. Belge aux îles Galapagos et en Ecuador (N. et J. Leleup, 1964-1965)* 2: 183-210.
27. Kaszab, Z. (1977) *Neue Tenebrioniden (Coleoptera) von den Galapagos und Antillen, sowie aus Südamerika und Ostasien*. *Anns. Hist. Nat. Mus. Natl. Hungarici* 69: 117-131.
28. Kingsolver, J.M., Ribeiro-Costa, C.S. (2001) *Bruchidae (Insecta: Coleoptera) of the Galápagos Islands with new host and locality records, new synonyms, and descriptions of two new species*. *Insecta Mundi* 15: 19-30.
29. Klimaszewski, J., Peck, S.B. (1998) *A Review of Aleocharine rove beetles from the Galápagos Islands, Ecuador (Coleoptera: Staphylinidae, Aleocharinae)*. *Revue Suisse de Zoologie* 105(2): 221-260.



30. Lanteri, A.A. (1992) *Systematics, cladistics and biogeography of a new weevil genus, Galapaganus (Coleoptera: Curculionidae) from the Galápagos Islands, and Coasts of Ecuador and Perú*. Transact. Amer. Entomol. Soc. 118(2): 227-267.
31. Lincango, M.P., Causton, C.E., Calderón-Álvarez, C., Jiménez-Uzcátegui, G. (2011) *Evaluating the safety of *Rodolia carnidialis* to two species of Galapagos finch: *Camarhynchus parvulus* and *Geospiza fuliginosa**. Biological control 56: 145-149. <http://dx.doi.org/10.1016/j.biocontrol.2010.10.006>
32. Linell, M.L. (1898) *On the coleopterous insects of the Galapagos Islands*. Proc. U. S. Natl. Mus. 21(1143): 249-268.
33. Linsley, E.G., Usinger, R.L. (1966) *Insects of the Galápagos Islands*. Proceedings of the California Academy of Sciences Fourth Series 33(7): 113-196.
34. Linsley, E.G., Chemsak, J.A. (1966) *Cerambycidae of the Galápagos Islands*. Proc. Calif. Acad. Sci., 4th ser., 33(8): 197-235.
35. Linsley, E.G. (1977) *Insects of the Galápagos (Supplement)*. Occasional Papers of the California Academy of Sciences 125: 1-50.
36. Löbl, I. (1977) *Baeocera galapagoensis nov. spec. a new scaphidiid beetle from the Galapagos Islands (Coleoptera, Scaphidiidae)*. Studies on Neotropical Fauna and Environment 12: 249-252.
37. Mutchler, A.J. (1925) *Coleoptera. From the Williams Galapagos Expedition*. Zoologica 5(20): 219-240.
38. Mutchler, A.J. (1938) *Coleoptera from the Galapagos Islands*. American Museum Novitates 981: 1-19.
39. Peck, S.B., Kukulová-Peck, J. (1990) *Origin and biogeography of the beetles (Coleoptera) of the Galápagos Archipelago, Ecuador*. Can. J. Zool. 68: 1617-1638.
40. Peck, S.B. (1990) *Eyeless arthropods of the Galapagos Islands, Ecuador: Composition and origin of the cryptozoic fauna of a young, tropical, oceanic archipelago*. Biotropica 22(4): 366-381.
41. Peck, S.B., Roth, L.M. (1992) *Cockroaches of the Galápagos Islands, Ecuador, with descriptions of three new species (Insecta: Blattodea)*. Canadian Journal of Zoology 70: 2202-2217.
42. Peck, S.B. (1993) *New beetle records from the Galapagos Islands, Ecuador (Coleoptera)*. Coleopterists Bull. 47(2): 151-157.
43. Peck, S.B., Balke, M. (1993) *A synopsis of the Dytiscidae of the Galapagos Islands, Ecuador, with description of *Rhantus galapagoensis sp. nov.* (Coleoptera: Dytiscidae)*. The Canadian Entomologist 125: 259-266
44. Peck, S.B. (1997) *Ammophorus insularis in Hawaii: A Galapagos Islands species immigrant to Hawaii (Coleoptera: Tenebrionidae)*. Bishop Museum Occasional Papers 49: 26-29.
45. Peck, S.B., Heraty, J., Landry, B., Sinclair, B.J. (1998) *Introduced insect fauna of an oceanic archipelago: The Galápagos Islands, Ecuador*. Am. Entomol. 44: 218-237.
46. Peck, S.B. (2006) *The Beetles of the Galápagos Islands, Ecuador: Evolution, Ecology, and Diversity (Insecta: Coleoptera)* NRC Research Press, Ottawa, Ontario, Canada. 314 pp.
47. Pedersen, T.M. (1987) *Amaranthaceae, Caryophyllaceae*. In A. Burkart. Fl. Il. Entre Ríos 6(3): 160–203, 251–291.
48. Reichardt, H. (1970) *Bostrichidae (Coleoptera) from the Galápagos Islands*. Mission Zoologique Belge aux îles Galápagos et en Ecuador (N. et J. Leleup, 1964-1965) 2: 213-223.
49. Reichardt, H. (1970) *Un nouveau Coléoptère carabique humicole et aveugle des îles Galápagos*. Mission Zoologique Belge aux îles Galápagos et en Ecuador (N. et J. Leleup, 1964-1965) 2: 165-169.
50. Rücker, H.W. (1984) *Metopthalmus nodosus sp. n. (Coleoptera: Lathridiidae) von den Galápagos-Inseln*. Entomol. Blätter, 79(2-3): 176-178.
51. Schatz, I. (1994) *Blapstinus desenderi sp. nov. from the Galapagos Islands (Ecuador) (Coleoptera, Tenebrionidae)*. Entomofauna 15(36): 417-424.

52. Scholtz, C.H., Peck, S. (1990) *Description of a Polynoncus Burmeister larva, with implications for phylogeny of the Trogidae (Coleoptera: Scarabaeoidea)*. Systematic Entomology 15: 383-389.
53. Van Dyke, E.C. (1953) *The Coleoptera of the Galapagos Islands*. Occasional Papers of the California Academy of Sciences 22: 1-181.
54. Van Vondel, B.J., Spangler, P.J. (2008) *Revision of the Haliplidae of the Neotropical Region including Mexico (Coleoptera: Haliplidae)*. Koleopterologische Rundschau 78: 69-194.
55. Waterhouse, G.R. (1845) *Descriptions of coleopterous insects collected by Charles Darwin, Esq., in the Galapagos Islands*. Ann. Nat. Hist. 16: 19-41.
56. Wittmer, W., Peck, S.B. (1993) *Cantharidae and Malachiidae of the Galapagos Islands, Ecuador*. The Coleopterists Bulletin 47(1): 77-81.
57. Zicha, O. (ed.) (1999-2011) *BioLib. - Online encyclopedia of plants, fungi and animals*. <http://www.biolib.cz/en>