

Roque-Álbelo, L., Landry, B. (2012). CDF Checklist of Galapagos Butterflies and Moths - FCD Lista de especies de Mariposas y polillas de Galápagos. *In*: Bungartz, F., Herrera, H., Jaramillo, P., Tirado, N., Jiménez-Uzcátegui, G., Ruiz, D., Guézou, A. Ziemmeck, F. (eds.). Charles Darwin Foundation Galapagos Species Checklist - Lista de Especies de Galápagos de la Fundación Charles Darwin. Charles Darwin Foundation / Fundación Charles Darwin, Puerto Ayora, Galapagos: <http://checklists.galadarwin.webfactional.com/terrestrial-invertebrates/lepidoptera/> Last updated 20 May 2012.

CDF Checklist of Galapagos Butterflies and Moths

Lázaro Roque-Álbelo, Bernard Landry

Contribs.: Sandra Abedrabbo, Fabián Bersosa, Ruth Boada, Omar Cartillo, Germanía Estévez, Lilian Guzmán, Henri W. Herrera, María T. Lasso, María Piedad Lincango, E. G. Linsley, Edison Lomas, Yale Lubin, Alejandro Mieles, Renato Oquendo, Christine E. Parent, Stewart B. Peck, Patrick Schmitz, Leslie Usinger.

20 May 2012

This checklist is automatically generated using Version 3.0 of the online database CDF Galapagos Species Checklist.

The **Lepidoptera** include two large groups of insects: moths and butterflies. They are undoubtedly one of the most popular insect orders, especially the large and colorful butterflies.

Many species are of economic interest, a famous example is the silk moth. Its larvae feed on mulberry leaves and build cocoons of some of the finest fibre known to man.

Lepidoptera are important pollinators, with many night blooming flowers requiring pollination by moths. All Lepidoptera have a body and wings covered with microscopic scales, a characteristic unique to this insect group. In Galapagos the large, conspicuous Macro-Lepidoptera are best known.

Although Charles Darwin was the first collector of insects in the Islands, he curiously never mentioned any butterflies.

Today the Lepidoptera belong to the best studied group of Galapagos insects and new species continue to be discovered.

For marine species distribution data cited in the CDF Galapagos Checklists refer to the five main bioregions of the archipelago (Far Northern, Northern, Western, South Eastern and the Elithabeth Bay Bioregion). For the terrestrial species the more than 120 islands, islets and small rocks have been aggregated into Islands Groups, thus, for example, the island group "Santa Cruz" includes smaller islands like Santa Fé, Plaza Norte, Plaza Sur, Baltra, Daphne Mayor, Daphne Minor, and others.

Please be aware that the distribution data presented here is automatically generated from specimen records and does not always accurately reflect the known distribution for all species.

IUCN red-list assessments presented here may deviate from the global IUCN list for the following reasons:

- for well known species groups like vascular plants or vertebrates updates proposed to the IUCN are shown instead of the outdated, but currently accepted status;
- for poorly known species groups (e.g., lichenized fungi) a general assessment is currently not possible and the list presented here is a regional red-list list for Galapagos archipelago.

Names of taxa included in this checklist: 347 (309 Accepted , 34 Unidentified Taxon , 3 Doubtful), 1 rejected.

Origin of the taxa included: 69 Accidental, 1 Questionable Native, 166 Endemic, 93 Indigenous, 2 Questionable Endemic.

1. *Achyra eeneanalis* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.
References: Roque-Albelo, L. et al. (2006).
2. *Acrocercops serrigera galapagosensis* B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 1.IV.1992. B. Landry; in Roque-Albelo Landry (2006) as *Acrocercops* sp.
Origin: Native, Endemic.
Galapagos Distribution: Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
3. *Acrolepiopsis jaspidata* (Meyrick, 1919)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
4. *Adaina scalesiae* B. Landry, Roque Matthews, 2004
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Santa Cruz.
References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
5. *Aetole galapagoensis* (Heppner B. Landry, 1994)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Genovesa, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
6. *Agathodes designalis* Guenée, 1854
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
7. *Agathodes* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
8. *Agnippe omphalopa* (Meyrick, 1917)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Tholerostola omphalopa* Meyrick, 1917, fide Landry Roque-Albelo (2010).
Syn.: *Evippe omphalopa* (Meyrick), fide Landry Roque-Albelo (2010).
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Pinta, Pinzón, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
9. *Agraulis vanillae galapagensis* Holland, 1889
Taxon status: Accepted name; taxon occurs in Galapagos.

- Origin:** Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Linsley, E.G. et al. (1966), Michener, C.D. et al. (1942), Roque-Albelo, L. et al. (2006), Van Duzee, E.P. et al. (1933).
10. *Agrius cingulata* (Fabricius, 1775)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago, Wolf.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
11. *Agrotis consternans* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
12. *Agrotis ipsilon* (Hufnagel, 1766)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
13. *Agrotisia williamsi* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Isabela, Pinta, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
14. *Amyna insularum* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
15. *Anacamptis primigenia* Meyrick, 1918
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago, Wolf.
References: Roque-Albelo, L. et al. (2006).
16. *Ancylostomia stercorea* (Zeller, 1848)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Floreana, Genovesa, Isabela, Pinta, Santa Cruz, Santiago.
References: Landry, B. et al. (1998), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
17. *Anicla infecta* (Ochsenheimer, 1816)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
18. *Anicla oceanica* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.

- Origin:** Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
19. *Anomis editrix* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
20. *Anomis erosa* Hübner, [1821]1816
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Floreana, Isabela, Marchena, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977).
21. *Anomis illita* Guenée, 1852
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
22. *Anomis luridula professorum* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
23. *Anticarsia gemmatalis* Hübner, 1818
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
24. *Argyria lacteella* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
25. *Argyrogramma verruca* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
26. *Aristotelia naxia* Meyrick, 1926
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Meyrick, E. et al. (1926), Roque-Albelo, L. et al. (2006).
27. *Aristotelia sarcodes* Walsingham, 1910
Taxon status: Accepted name; taxon occurs in Galapagos.
Galapagos Distribution: Unknown.

28. *Aristotelia sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
29. *Ascalapha odorata* (Linnaeus, 1758)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
30. *Asciodes gordialis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Darwin, Fernandina, Isabela, Marchena, Pinta, Santa Cruz, Santiago, Wolf.
References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
31. *Asciodes quietalis* Walker 1859
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Unknown.
32. *Astrotischeria alcedoensis* B. Landry, 2003
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
33. *Astrotischeria scalesiaella* B. Landry, 2003
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Santa Cruz, Wolf.
References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
34. *Atteva hyginiella* (Wallengren, 1861)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Meyrick, E. et al. (1926), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
35. *Autoplusia egena galapagensis* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
36. *Bactra philoherda* Diakonoff, 1964
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Razowski, J. et al. (2008), Roque-Albelo, L. et al. (2006).
37. *Bagisara repanda* (Fabricius, 1793)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Floreana, Isabela, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

38. *Beebea guglielmi* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

39. *Bipunctiphorus nigroapicalis* (B. Landry Gielis, 1992)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz.

References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).

40. *Blastobasis normalis* (Meyrick, 1918)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Adamski, D. et al. (1997), Roque-Albelo, L. et al. (2006).

41. *Bucculatrix cordiaella* Davis B. Landry, 2002

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Genovesa, Isabela, Santa Cruz, Santiago.

References: Davis, D.R. et al. (2002), Roque-Albelo, L. et al. (2006).

42. *Cadra cautella* (Walker, 1863)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

43. *Callopietria floridensis* (Guenée, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

44. *Caloptilia cruzorum* B. Landry, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 12.II.2005. B. Landry P. Schmitz

Origin: Native, Endemic.

Galapagos Distribution: Fernandina.

References: Landry, B. et al. (2006).

45. *Caloptilia dondavis* B. Landry, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 15.V.1992. B. Landry; in Roque-Albelo Landry (2006) as *Caloptilia* sp. 1

Origin: Native, Endemic.

Galapagos Distribution: Española, Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santa Fé, Santiago.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

46. *Caloptilia galacotra* B. Landry, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 6.IV.1992. B. Landry; in Roque-Albelo Landry (2006) as *Caloptilia* sp. 2

Origin: Native, Endemic.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.

- References:** Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
47. *Calosima darwini* Adamski B. Landry, 1997
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz, Santiago.
References: Adamski, D. et al. (1997), Roque-Albelo, L. et al. (2006).
 48. *Calpodes ethlius* (Stoll, 1782)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, Santa Cruz.
References: Onore, G. et al. (1988), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
 49. *Catabenoides seorsa* (Todd, 1972)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
 50. *Caudellia galapagosensis* B. Landry Neunzig, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
 51. *Celiptera remigioides* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Genovesa, Isabela, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
 52. *Characoma nilotica* (Rogenhofer, 1881)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
 53. *Chionodes stefaniae* Schmitz B. Landry, 2007
Taxon status: Accepted name; taxon occurs in Galapagos.
 Holotype: MHNG. male. 17.V.1992. leg. B. Landry; in Roque-Albelo Landry (2006) as *Chionodes* sp.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006), Schmitz, P. et al. (2007).
 54. *Cobubatha numa* (Druce, 1889)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Isabela, Santiago.
References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
 55. *Cocytius antaeus* (Drury, 1773)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (1999).
 56. *Coleophora darwini* J.-F. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.

- Origin:** Native, Endemic.
Galapagos Distribution: Española, Pinta, Pinzón.
References: Roque-Albelo, L. et al. (2006).
57. *Compsolechia cf. salebrosa* Meyrick, 1918
Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé.
References: Roque-Albelo, L. et al. (2006).
58. *Compsolechia salebrosa* Meyrick, 1918
Taxon status: Accepted name; taxon occurs in Galapagos.
Galapagos Distribution: Unknown.
59. *Condica concisa* (Walker, 1856)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Floreana, Isabela, Santa Fé.
References: Roque-Albelo, L. et al. (2006).
60. *Condica mobilis* (Walker, [1857]1856)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
61. *Condica ruthae* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
62. *Condica sutor* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
63. *Coniostola isabelae* Razowski B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: CNC. male. 5.III.1989. B. Landry
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Razowski, J. et al. (2008).
64. *Coptarthria dasyppyga* (Zeller, 1881)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, Pinta, Santa Cruz, Santiago.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
65. *Corcyra cephalonica* (Stainton, 1886)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).

66. *Cosmopterix attenuatella* (Walker, 1864)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
67. *Cosmopterix galapagosensis* B. Landry, 2001
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
68. *Cosmopterix madeleinae* B. Landry, 2001
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
69. *Cosmopterix yvani* B. Landry, 2001
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Marchena, Pinta.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
70. *Crambus* sp. 1
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Roque-Albelo, L. et al. (2006).
71. *Crambus* sp. 2
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
72. *Crociosema plebejana* Zeller, 1847
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, Santa Cruz, Santiago.
References: Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
73. *Crociosema synneurota* Meyrick, 1926
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Unknown.
References: Meyrick, E. et al. (1926), Razowski, J. et al. (2008).
74. *Cropia infusa* (Walker, [1858]1857)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
75. *Cryptolectica lazaroii* B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: CNC. male. 8.II.1989. B.Landry; in Roque-Albelo Landry (2006) as *Cryptolectica* sp.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

76. *Ctenoplusia oxygramma* (Geyer, 1832)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: San Cristóbal.
References: Roque-Albelo, L. et al. (2006).
77. *Cyclophora impudens* (Warren, 1904)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Herbulot, C. et al. (1970), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).
78. *Cyclophora* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Questionable Endemic.
Galapagos Distribution: Floreana, Isabela, Pinta, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
79. *Danaus gillippus thersippus* (Bates, 1863)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
80. *Danaus plexippus megalippe* (Hübner, [1819-1826])
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz.
References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
81. *Desmia* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
82. *Dialectica galapagosensis* B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
 Holotype: MHNG. male. 9.IV.1992. leg. B. Landry; in Roque-Albelo Landry (2006) as *Dialectica* sp.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
83. *Dialectica sanctaerucis darwini* Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
 Holotype: MHNG. male. 5.IV.1992. leg. B. Landry; in Roque-Albelo Landry (2006) as *Dialectica* sp. 2
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Marchena, Santa Cruz, Santa Fé, Santiago.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
84. *Diaphania glauculalis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Galapagos Distribution: Isabela, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
85. *Diaphania hyalinata* (Linnaeus, 1767)
Taxon status: Accepted name; taxon occurs in Galapagos.

- Origin:** Introduced, Accidental.
Galapagos Distribution: Isabela, Marchena, Pinta, Santa Cruz.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
86. *Diaphania indica* (Saunders, 1851)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
87. *Diaphania nitidalis* (Cramer, 1781)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
88. *Diatraea saccharalis* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: San Cristóbal.
References: Roque-Albelo, L. et al. (2006).
89. *Dichomeris acuminatus* (Staudinger, 1876)
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: Mesophleps ? acuminatus Staudinger, 1876, fide Landry Roque-Albelo (2010).
Origin: Native, Indigenous.
Galapagos Distribution: Española, Isabela, Marchena, Pinta, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
90. *Dichrorampha galapagana* Razowski B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
 Holotype: MHNG. male. 15.V.1992. B. Landry
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Razowski, J. et al. (2008).
91. *Disclisioprocta stellata* Guenée, 1858
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Herbulot, C. et al. (1970), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).
92. *Eccopsis floreana* Razowski B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
 Holotype: MHNG. male. 30.IV.1992. B. Landry
Origin: Native, Endemic.
Galapagos Distribution: Española.
References: Razowski, J. et al. (2008).
93. *Eccopsis galapagana* Razowski B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
 Holotype: CDRS. male. 12.IX.2001. L. Roque, Type locality: Ecuador, Galapagos, Santa Cruz, Barranco, Charles Darwin Research Station
Origin: Native, Endemic.
Galapagos Distribution: Unknown.
References: Razowski, J. et al. (2008).
94. *Elaphria encantada* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.

- Origin:** Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
95. *Endothenia eidolon* Razowski Pelz, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Unknown.
References: Razowski, J. et al. (2008).
96. *Enyo lugubris delanoi* Kernbach, 1962
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
97. *Ephysteris scimitarella* Landry, 2010
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Unknown.
98. *Ephysteris sp. 1*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.
References: Roque-Albelo, L. et al. (2006).
99. *Ephysteris sp. 2*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Marchena, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
100. *Ephysteris sporobolella* Landry, 2010
Taxon status: Accepted name; taxon occurs in Galapagos.
Galapagos Distribution: Unknown.
101. *Ephysteris subdiminutella* (Stainton, 1867)
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: Phthorimaea subdiminutella Stainton, 1867, fide Landry Roque-Albelo (2010).
 Syn.: Gelechia jamaicensis Walsingham, 1897, fide Landry Roque-Albelo (2010).
 Syn.: Phthorimaea jamaicensis (Walsingham), fide Landry Roque-Albelo (2010).
Galapagos Distribution: Unknown.
102. *Epidromia zephyritis* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
103. *Epidromia zetophora* Guenée, 1852
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

104. *Epinotia lantana* (Busck, 1910)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Unknown.
References: Razowski, J. et al. (2008).
105. *Epinotia microscyphos* Razowski B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
 Holotype: CDRS. female. 15.I.2002. L. Roque C, Causton
Origin: Native, Endemic.
Galapagos Distribution: Unknown.
References: Razowski, J. et al. (2008).
106. *Epiptema becki* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
Galapagos Distribution: Fernandina, Isabela.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
107. *Episimus alcedanus* Razowski B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
 Holotype: MHNG. male. 15.V.1992. B. Landry
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Razowski, J. et al. (2008).
108. *Episimus transferranus* (Walker, 1863)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela.
References: Peck, S.B. et al. (1998), Razowski, J. et al. (2008).
109. *Episimus utilis* Zimmerman, 1978
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
110. *Epitaua prona* (Möschler, 1880)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
111. *Ercta vittata* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Genovesa, Marchena, Pinta, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
112. *Erechtias minuscula* (Walsingham, 1897)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Marchena, Santa Cruz.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
113. *Erinnyis alope dispersa* Kernbach, 1962
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

114. *Erinnyis ello encantada* Kernbach, 1962

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

115. *Erinnyis obscura conformis* Kernbach, 1962

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

116. *Etiella zinckenella* (Treitschke, 1832)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Genovesa, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

117. *Eublemma recta* (Guenée, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

118. *Euchromius galapagosalis* Capps, 1966

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé.

References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

119. *Eumorpha fasciata tupaci* (Kernbach, 1962)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

120. *Eumorpha labruscae yupanquii* (Kernbach, 1962)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

121. *Eupithecia galapagosata* B. Landry Rindge, 1995

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Isabela, San Cristóbal, Santiago.

References: Landry, B. et al. (1995).

122. *Eupithecia perryvriesi* Herbulot, 1971
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).
123. *Exelastis montischristi* (Walsingham, 1897)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
124. *Exelastis pumilio* (Zeller, 1873)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, San Cristóbal, Santiago.
References: Landry, B. et al. (1993), Landry, B. et al. (2004), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
125. *Feltia williamsi* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
126. *Fulrada carpasella* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
127. *Fundella argentina* Dyar, 1919
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.
References: Landry, B. et al. (1998), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
128. *Galagete cinerea* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
129. *Galagete consimilis* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
130. *Galagete cristobalensis* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).

131. *Galagete darwini* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santiago, Wolf.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
132. *Galagete gnathodoxa* Meyrick, 1926
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinzón, Santiago.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
133. *Galagete griseonana* Schmitz B. Landry, 2005
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006), Schmitz, P. et al. (2005).
134. *Galagete krameri* B. Landry Schmitz, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
 Holotype: MHNG. male. 25.II.2005. leg. B. Landry.
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal.
References: Landry, B. et al. (2008), Schmitz, P. et al. (2008).
135. *Galagete levequei* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
136. *Galagete pecki flavofasciata* Schmitz B. Landry, 2005
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006), Schmitz, P. et al. (2005).
137. *Galagete pecki pecki* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
138. *Galagete protozona* Meyrick, 1926
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Santa Cruz, Santa Fé.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
139. *Galagete seymourensis* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
 Holotype: MHNG. male. gen. slide no. BL 1133. 29.III.1992. B. Landry
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2002).
140. *Galagete turritella españolaensis* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Not Evaluated.

- Galapagos Distribution:** Española.
References: Roque-Albelo, L. et al. (2006).
141. *Galagete turritella turritella* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Santa Cruz, Santiago.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
142. *Gen. Crambinae indet. sp. 1*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Marchena, Santa Fé.
References: Roque-Albelo, L. et al. (2006).
143. *Gen. Crambinae indet. sp. 2*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
144. *Gen. Crambinae indet. sp. 3*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
145. *Gen. Phycitinae indet. sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Galapagos Distribution: Santa Fé.
References: Roque-Albelo, L. et al. (2006).
146. *Gen. Pyraustinae indet. sp. 1*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Pinta, Santiago.
References: Roque-Albelo, L. et al. (2006).
147. *Gen. Pyraustinae indet. sp. 2*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
148. *Gen. Scythridinae indet. sp. 1*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz, Santa Fé.
References: Roque-Albelo, L. et al. (2006).
149. *Gen. Scythridinae indet. sp. 2*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
150. *Gen. Scythridinae indet. sp. 3*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).

151. *Gen. Scythridinae indet. sp. 4*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
152. *Gen. Scythridinae indet. sp. 5*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
153. *Gonodonta biarmata evadens* Walker, [1858]
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Questionable Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
154. *Gonodonta fulvangula* Geyer, 1832
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
155. *Gonodonta pyrgo* (Cramer, 1777)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
156. *Gonodonta sicheas* (Cramer, 1777)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
157. *Haplochrois galapagosalis* B. Landry, 2001
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago, Wolf.
References: Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
158. *Hedya brunneograptia* Razowski B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: CDRS. male. 14.IV.2002. L. Roque B. Landry, Type locality: Ecuador, Galapagos, Alcedo I Isabela, North east side, 200 m
Origin: Native, Endemic.
Galapagos Distribution: Unknown.
References: Razowski, J. et al. (2008).
159. *Heliocheilus cystiphora* (Wallengren, 1860)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
160. *Heliodines galapagoensis* Heppner B. Landry, 1994
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.

- Galapagos Distribution:** Española, Pinta.
References: Heppner, J.B. et al. (1994).
161. *Heliothis virescens* (Fabricius, 1777)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
162. *Hellinsia cristobalis* (B. Landry Gielis, 1992)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Isabela, Pinta, San Cristóbal, Santiago.
References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
163. *Hellinsia devriesi* (B. Landry Gielis, 1992)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Isabela, Santa Cruz.
References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
164. *Hellinsia nephogenes* (Meyrick, 1926)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, Santa Cruz.
References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
165. *Hellula galapagensis* B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
 in Roque-Albelo Landry (2006) as *Hellula* sp.
Origin: Native, Endemic.
Galapagos Distribution: Unknown.
References: Landry, B. et al. (2008), Roque-Albelo, L. et al. (2006).
166. *Hellula phidilealis* (Walker, 1859)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
167. *Hemeroplanis toddi* (Hayes, 1975)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé.
References: Roque-Albelo, L. et al. (2006).
168. *Hemiargus ramon* (Dognin, 1887)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2007), Roque-Albelo, L. et al. (2006).
169. *Herpetogramma bipunctalis* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Genovesa, Isabela, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

170. *Herpetogramma phaeopteralis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
171. *Holcocera gozmanyi* Adamski B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina.
References: Roque-Albelo, L. et al. (2006).
172. *Hyles lineata* (Fabricius, 1775)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
173. *Hymenia perspectalis* (Hübner, 1796)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Fernandina, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
174. *Hypena fuliginea* (Hayes, 1975)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
175. *Hypena lividalis* (Hübner, 1796)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
176. *Hypena microfuliginea* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
177. *Hypena minualis constans* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
178. *Hypena vetustalis* Guenée, 1854
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
179. *Hypocala andremona* (Stoll, 1781)*
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.

- References:** Roque-Albelo, L. et al. (2006).
180. *Hypsipyla grandella* (Zeller, 1848)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: San Cristóbal, Santa Cruz.
References: Landry, B. et al. (1998), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
181. *Ithome volcanica* B. Landry, 2001
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
182. *Lantanophaga minima* (B. Landry Gielis, 1992)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Pinta, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
183. *Lantanophaga pusillidactyla* (Walker, 1864)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Genovesa, Isabela, Marchena, Santa Cruz.
References: Landry, B. et al. (1992), Landry, B. et al. (1993), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
184. *Leptotes parrhasioides* (Wallengren, 1860)
Taxon status: Accepted name; taxon occurs in Galapagos.
erroneously spelled "Leptodes" in Fitter et al. (2000) Wildlife of the Galapagos. Safari Field Guides. Collins. 254 pp.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Van Duzee, E.P. et al. (1933).
185. *Lepyrotica acantha* Davis, 1994
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
186. *Lesmone formularis* (Geyer, 1837)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Fernandina, Floreana, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
187. *Letis mycerina* (Cramer, 1777)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
188. *Leucania cooperi* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

- References:** Roque-Albelo, L. et al. (2006).
189. *Leucania humidicola* Guenée, 1852
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Genovesa, Isabela, San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
190. *Leucania subpuncta* (Harvey, 1875)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
191. *Lineodes fontella* Walsingham, 1913
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Santiago.
References: Roque-Albelo, L. et al. (2006).
192. *Lineodes integra* (Zeller, 1873)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Pinta, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
193. *Lineodes* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
194. *Loxomorpha cf. cambogialis* (Guenée, 1854)
Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.
Origin: Native, Indigenous.
Galapagos Distribution: San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
195. *Macaria cruciata cruciata* (Herbulot, 1970)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Endangered.
Galapagos Distribution: Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
196. *Macaria cruciata isabelae* (Rindge, 1973)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Endangered.
Galapagos Distribution: Isabela.
References: Roque-Albelo, L. et al. (2006).
197. *Macrorrhinia pinta* B. Landry Neunzig, 1997
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago, Wolf.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
198. *Magusa erema* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.

- Galapagos Distribution:** Fernandina, Floreana, Genovesa, Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
199. *Magusa orbifera* (Walker, 1857)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Isabela.
References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
200. *Manduca rustica galapagensis* (Holland, 1889)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
201. *Manduca sexta leucoptera* (Rothschild Jordan, 1903)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
202. *Marasmia trapezalis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
203. *Maruca vitrata* (Fabricius, 1787)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela.
References: Roque-Albelo, L. et al. (2006).
204. *Megalorhipida leucodactyla* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
205. *Megalota johni* Razowski B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
 Holotype: CDRS. male. 12.X.1998. L. Roque, Type locality: Ecuador, Galapagos, Isabela, Volcan Alcedo, 850 m
Origin: Native, Endemic.
Galapagos Distribution: Unknown.
References: Razowski, J. et al. (2008).
206. *Melipotis acontoides producta* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
207. *Melipotis harrisoni* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.

- Galapagos Distribution:** Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
208. *Melipotis indomita* (Walker, [1858]1857)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
209. *Mesolia* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Galapagos Distribution: Isabela, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
210. *Mesophleps adustipennis* (Walsingham, 1897)
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Lathontogenus adustipennis* Walsingham, 1897, fide Landry Roque-Albelo (2010).
 Syn.: *Brachyacma palpigera* (Walsingham, 1891), fide Landry Roque-Albelo (2010).
 Syn.: ? *Lipatia crotalariella* Busck, 1910, fide Landry Roque-Albelo (2010).
Origin: Native, Indigenous.
Galapagos Distribution: Española, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
211. *Metalectra praecisalis* Hübner, 1823
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
212. *Metallata absumens contiguata* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
213. *Microthyris anormalis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
214. *Mocis incurvalis* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
215. *Mocis latipes* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Floreana, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

216. *Mouralia tinctoides* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
217. *Neogalea sunia longfieldae* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
218. *Neohelvitotys* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
219. *Neoleucinodes elegantalis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
220. *Neoleucinodes* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Pinta, Santiago.
References: Roque-Albelo, L. et al. (2006).
221. *Neurostrotta brunnea* B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 22.II.2005. leg. B. Landry
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal.
References: Landry, B. et al. (2006).
222. *Neurostrotta magnifica* B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 17.III.2004. leg. B. Landry; in Roque-Albelo Landry (2006) as *Neurostrotta* sp.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
223. *Nicetiodes apianellus* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.
References: Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
224. *Notioplusia illustrata* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana.
References: Roque-Albelo, L. et al. (2006).
225. *Ocrasa nostralis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.

- Origin:** Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
226. *Oecia oecophila* (Staudinger, 1876)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
227. *Oidaematophorus cristobalis* B. Landry Gielis, 1992
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal.
References: Landry, B. et al. (1992).
228. *Omiodes indicata* (Fabricius, 1775)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Fernandina, Isabela, Pinta, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
229. *Ommatochila mundula* (Zeller, 1872)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Marchena, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
230. *Oryctometopia fossulatella* Ragonot, 1888
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
231. *Oxydia lignata* (Warren, 1905)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).
232. *Ozarba consternans* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
233. *Paectes arcigera* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
234. *Palpita flegia* (Cramer, 1777)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.

- References:** Roque-Albelo, L. et al. (2006).
235. *Paraponyx fluctuosalis* (Zeller, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
236. *Penestola bufalis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Fernandina, Isabela, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
237. *Peridroma saucia* Hübner, 1808
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
238. *Perigonia lusca* (Fabricius, 1777)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Pinzón, Santa Cruz.
References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
239. *Periploca darwini* B. Landry, 2001
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
240. *Periploca longipenis* B. Landry, 2001
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Marchena, Pinzón, Santa Cruz.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
241. *Perizoma cf. perryi* Rindge, 1973
Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).
242. *Phereoeca allutella* (Rebel, 1892)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: San Cristóbal.
References: Roque-Albelo, L. et al. (2006).
243. *Phidotricha erigens* Ragonot, 1888
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
244. *Phoebis sennae marcellina* (Cramer, 1779)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa

Cruz, Santiago.

References: Roque-Albelo, L. et al. (2006).

245. *Phthorimaea absoluta* Meyrick, 1917

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Gnorimoschema absoluta* (Meyrick), fide Landry Roque-Albelo (2010).

Syn.: *Scrobipalpula absoluta* (Meyrick), fide Landry Roque-Albelo (2010).

Syn.: *Scrobipalpuloides absoluta* (Meyrick), fide Landry Roque-Albelo (2010).

Syn.: *Tuta absoluta* (Meyrick), fide Landry Roque-Albelo (2010).

Galapagos Distribution: Unknown.

246. *Phthorimaea perfidiosa* Meyrick, 1917

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Gnorimoschema perfidiosa* (Meyrick), fide Landry Roque-Albelo (2010).

Origin: Native, Indigenous.

Galapagos Distribution: Genovesa, Isabela, Pinta.

References: Roque-Albelo, L. et al. (2006).

247. *Phyllocnistis citrella* Stainton, 1856

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Causton, C. et al. (2008), Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

248. *Pilocrocis ramentalis* Lederer, 1863

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

249. *Platynota colobota* Meyrick, 1926

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Meyrick, E. et al. (1926), Razowski, J. et al. (2008), Roque-Albelo, L. et al. (2006).

250. *Platyptilia vilema* B. Landry, 1993

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Fernandina, Isabela, Pinta.

References: Landry, B. et al. (1993), Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2003).

251. *Pleuroprucha insulsaria* Guenée, 1858

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Genovesa, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Landry, B. et al. (1995), Roque-Albelo, L. et al. (2006).

252. *Pleuroptya silicalis* (Guenée, 1854)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Isabela, Marchena, Pinta, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

253. *Plusiodonta clavifera* (Walker, 1869)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Pinta, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
254. *Plutella xylostella* (Linnaeus, 1758)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
255. *Ponometia exigua* (Fabricius, 1793)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
256. *Postplatyptilia huigraica* B. Landry Gielis, 1992
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Santa Cruz.
References: Landry, B. et al. (1992), Landry, B. et al. (1993), Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
257. *Powondrella cingillaria* Geyer, 1837
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
258. *Praeacedes atomosella* (Walker, 1863)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
259. *Prays galapagosella* B. Landry J.-F. Landry, 1998
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
260. *Proteoteras atromacula* Razowski B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: CNC. male. 8.III.1989. B. Landry
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Razowski, J. et al. (2008).
261. *Psaphara conwayi* (Richards, 1941)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Pinta, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
262. *Psaphara interclusa* Walker, 1857
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, San Cristóbal.

- References:** Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
263. *Psara chathamalis* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santa Fé.
References: Roque-Albelo, L. et al. (2006).
264. *Pseudaletia sequax* Franclemont, 1951
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
265. *Pseudoplusia includens* (Walker, [1858])
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
266. *Pseudopostega galapagosae* Davis Stonis, 2007
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Isabela, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
267. *Psorya hadesia* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
268. *Pyralis manihotalis* Guenée, 1854
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
269. *Pyrausta panopealis* (Walker, 1859)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
270. *Pyrausta sp. 1*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Pinta, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
271. *Pyrausta sp. 2*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).

272. *Pyroderces rileyi* (Walsingham, 1882)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, Santa Cruz.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
273. *Rhectocraspeda periusalis* (Walker, 1859)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, Pinta, Santiago.
References: Roque-Albelo, L. et al. (2006).
274. *Rivula asteria* (Druce, 1898)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Isabela, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
275. *Samea ecclesialis* Guenée, 1854
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
276. *Samea castellalis* Guenée, 1854
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Unknown.
277. *Samea sp. 1*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
278. *Samea sp. 2*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
279. *Scopula sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Introduced, Questionable Native.
Galapagos Distribution: Isabela.
References: Roque-Albelo, L. et al. (2006).
280. *Scrobipalpula caustonae* Landry, 2010
Taxon status: Accepted name; taxon occurs in Galapagos.
Galapagos Distribution: Unknown.
281. *Scrobipalpula densata* (Meyrick, 1917)
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: Phthorimaea densata Meyrick, 1917, fide Landry Roque-Albelo (2010).
 Syn.: ? Scrobipalpula densata (Meyrick), fide Landry Roque-Albelo (2010).
 Syn.: Gnorimoschema densata (Meyrick), fide Landry Roque-Albelo (2010).
 Syn.: Scrobipalpula densata (Meyrick), fide Landry Roque-Albelo (2010).
Galapagos Distribution: Unknown.
282. *Scrobipalpula equatoriella* Landry, 2010
Taxon status: Accepted name; taxon occurs in Galapagos.
Galapagos Distribution: Unknown.

283. *Scrobipalpula inornata* Landry, 2010
Taxon status: Accepted name; taxon occurs in Galapagos.
Galapagos Distribution: Unknown.
284. *Semiothisa cerussata* Herbulot, 1970
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Hayes, A.H. et al. (1975), Herbulot, C. et al. (1970), Landry, B. et al. (1995), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2003).
285. *Setomorpha rutella* Zeller, 1852
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
286. *Shafferiessa galapagoensis* B. Landry Neunzig, 1997
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago, Wolf.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
287. *Shafferiessa pumila* B. Landry Neunzig, 1997
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
288. *Shranki* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
289. *Sisyrcera inabsconsalis* (Möschler, 1890)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Fernandina, Genovesa, Isabela, Marchena, Pinta, Pinzón, Santa Cruz, Santa Fé, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
290. *Sitotroga cerealella* (Olivier, 1789)
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Alucita cerealella* Olivier, 1789, fide Landry Roque-Albelo (2010).
 Syn.: *Sitotroga cerealella* (Olivier), fide Landry Roque-Albelo (2010).
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
291. *Sorygaza variata* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Pinta, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
292. *Sphacelodes vulneraria* (Hübner, 1823)
Taxon status: Accepted name; taxon occurs in Galapagos.

- Origin:** Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Hayes, A.H. et al. (1975), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).
293. *Spodoptera cosmioides* Walker
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
294. *Spodoptera dolichos* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
295. *Spodoptera eridania* (Stoll, 1782)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
296. *Spodoptera frugiperda* (Smith, 1797)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
297. *Spodoptera roseae* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
298. *Spoladea recurvalis* (Fabricius, 1775)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
299. *Spragueia creton* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923), Todd, E.L. et al. (1972).
300. *Spragueia margana* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.
References: Roque-Albelo, L. et al. (2006).
301. *Stegasta francisci* Landry, 2010
Taxon status: Accepted name; taxon occurs in Galapagos.

- Galapagos Distribution:** Unknown.
302. *Stegasta zygotoma* Meyrick, 1917
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
303. *Stenoma catenifer* Walsingham, 1912
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
304. *Stenoptilodes brevipennis* (Zeller, 1874)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Floreana, Isabela, Marchena, Santa Cruz.
References: Landry, B. et al. (1992), Landry, B. et al. (1993), Landry, B. et al. (2004), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
305. *Stenoptilodes gielisi* B. Landry, 1993
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Landry, B. et al. (1993), Roque-Albelo, L. et al. (2006).
306. *Stenoptilodes juanfernandicus* Gielis, 1991
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela.
References: Landry, B. et al. (1992), Roque-Albelo, L. et al. (2006).
307. *Stilbosis schmitzi* B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
 Holotype: MHNG. male. 20.II.2005. leg. B. Landry; in Roque-Albelo Landry (2006) as *Stilbosis* sp.
Origin: Native, Endemic.
Galapagos Distribution: Unknown.
References: Landry, B. et al. (2008), Roque-Albelo, L. et al. (2006).
308. *Strepsicrates smithiana* Walsingham, 1892
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Razowski, J. et al. (2008), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
309. *Symmetrischema escondidella* Landry, 2010
Taxon status: Accepted name; taxon occurs in Galapagos.
Galapagos Distribution: Unknown.
310. *Symmetrischema* sp. 1
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Española, Pinzón, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
311. *Symmetrischema* sp. 5
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Pinzón.
References: Roque-Albelo, L. et al. (2006).

312. *Synclera jarbusalis* (Walker, 1859)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
313. *Syngamia florella* (Cramer, 1781)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
314. *Taygete sphecophila* (Meyrick, 1936)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
315. *Tebenna allanhancocki* Wicksten, 1992
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
Galapagos Distribution: Floreana, Marchena, Pinzón.
References: Heppner, J.B. et al. (1994), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2003).
316. *Tebenna galapagoensis* Heppner B. Landry, 1994
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
Galapagos Distribution: Fernandina, Isabela, Pinta, Santa Cruz, Santiago.
References: Heppner, J.B. et al. (1994), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2003).
317. *Terastia meticulousalis* Guenée, 1854
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, Pinta, Santa Cruz, Wolf.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
318. *Thyrinteina infans* Herbulot, 1970
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Herbulot, C. et al. (1970), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).
319. *Thyrinteina umbrosa* Herbulot, 1971
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
Galapagos Distribution: Fernandina, Floreana, Isabela, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).
320. *Thysania zenobia* (Cramer, 1777)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.

- Galapagos Distribution:** Floreana, Santa Cruz.
References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (1999).
321. *Tota galdinella* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
322. *Trachea cavagnaroi* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
Galapagos Distribution: Isabela, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
323. *Trichophaga mormopis* Meyrick, 1935
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Fernandina, Isabela, Pinzón, Santa Cruz, Santa Fé.
References: Roque-Albelo, L. et al. (2006).
324. *Triphosa affirmata* Guenée, 1858
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
325. *Tuta absoluta* (Meyrick, 1917)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: San Cristóbal.
References: Roque-Albelo, L. et al. (2006).
326. *Udea sp. 1*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
327. *Udea sp. 2*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
328. *Unadilla maturella* (Zeller, 1881)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
329. *Undulambia lindbladi* B. Landry Roque-Albelo, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
 Holotype: MHNG. male. 9.IV.1992. leg. B. Landry; in Roque-Albelo Landry (2006) as *Undulambia* sp.
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal, Santa Cruz.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

330. *Untomia lunatella* Landry, 2010
Taxon status: Accepted name; taxon occurs in Galapagos.
Galapagos Distribution: Unknown.
331. *Untomia* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
332. *Urbanus galapagensis* (Williams, 1911)
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Urbanus dorantes galapagensis* Williams, 1911
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
333. *Utetheisa connerorum* Roque-Albelo B. Landry, 2009
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2009).
334. *Utetheisa devriesi* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
Galapagos Distribution: Fernandina, Isabela, Pinta, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2009).
335. *Utetheisa galapagensis* (Wallengren, 1860)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Forbes, W.T.M. et al. (1941), Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2009), Schaus, W. et al. (1923).
336. *Utetheisa henrii* Roque-Albelo B. Landry, 2009
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal.
References: Roque-Albelo, L. et al. (2009).
337. *Utetheisa ornatix* (Linnaeus, 1758)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2009), Schaus, W. et al. (1923).
338. *Utetheisa perryi* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.

- Galapagos Distribution:** Isabela, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2009).
339. *Vanessa carye* (Hübner, 1812)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, San Cristóbal.
References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
340. *Vanessa virginiensis* (Drury, 1773)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Santa Cruz, Santiago.
References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
341. *Xylesthia pruniramiella* Clemens, 1859
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santiago.
References: Linsley, E.G. et al. (1966), Meyrick, E. et al. (1926), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
342. *Xylophanes norfolki* Kernbach, 1962
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
Galapagos Distribution: Fernandina, Isabela, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
343. *Xylophanes pluto* (Fabricius, 1777)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
344. *Xylophanes tersa tersa* (Linnaeus, 1771)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
345. *Zale obsita* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
346. *Zeuctostyla vidrierata* (Dognin, 1893)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).

Rejected Taxa:

1. *Gelechia bosquella* Chambers, 1875

References:

1. Adamski, D., Landry, B. (1997) *Review of the Blastobasinae (Lepidoptera: Gelechioidea: Coleophoridae) of the Galápagos Islands*. Proc. Entomol. Soc. Wash. 99(2): 348-358.
2. Causton, C., Sevilla, C. (2008) *Latest records of introduced invertebrates in Galapagos and measures to control them*. In: *Galapagos Report 2006-2007*. CDF, GNP and INGALA, Pueto Ayora, Galapagos, Ecuador, 142-145 p.
3. Davis, D.R., Landry, B. Roque-Albelo, L. (2002) *Two new Neotropical species of Bucculatrix leaf miners (Lepidoptera: Bucculatricidae) reared from Cordia (Boraginaceae)*. Rev. Suisse Zool. 109(2): 277-294.
4. Forbes, W.T.M. (1941) *The position of Utetheisa galapagensis (Lepidoptera, Arctiidae)* Jour. N.Y. Entom. Soc. 49: 101-110.
5. Hayes, A.H. (1975) *The larger moths of the Galápagos Islands (Geometroidea: Sphingoidea Noctuoidea)*. Proc. Calif. Acad. Sc., 4th series, 40(7): 145-208.
6. Heppner, J.B., Landry, B. (1994) *A new sun moth from the Galápagos Islands (Lepidoptera: Heliodinidae)*. Tropical Lepidoptera 5(2): 126-128.
7. Heppner, J.B., Landry, B. (1994) *A new Tebenna species from the Galápagos Islands (Lepidoptera: Choreutidae)*. Tropical Lepidoptera 5(2): 123-125.
8. Herbulot, C. (1970) *Lepidopteres Geometridae des îles Galápagos recueillis par M. et Mme. N. Leleup*. Lambillionea 69(7-12): 17-25.
9. Landry, B., Gielis, C. (1992) *A synopsis of the Pterophoridae (Lepidoptera) of the Galápagos Islands, Ecuador*. Zoologische Verhandlungen no. 276, 42 pp.
10. Landry, B. (1993) *Additions to the knowledge of Pterophoridae (Lepidoptera) of the Galápagos archipelago, Ecuador, with descriptions of two new species*. Zool. Med. 67(34): 473-485.
11. Landry, B., Rindge, F.H. (1995) *Additions to the Geometridae (Lepidoptera) of the Galápagos Islands, Ecuador, including a new species of Eupithecia*. American Museum Novitates 3118, 10 pp.
12. Landry, B., Neunzig, H.H. (1998) *A review of the Phycitinae of the Galápagos Islands (Lepidoptera: Pyralidae)*. Entomol. Scand. 28: 493-508.
13. Landry, B., Landry, J.-F. (1998) *Yponomeutidae of the Galápagos Islands, with description of a new species of Prays (Lepidoptera: Yponomeutoidea)*. Tropical Lepidoptera 9(1): 31-40.
14. Landry, B. (2001) *The Cosmopterigidae (Lepidoptera) of the Galápagos Islands, Ecuador*. Rev. Suisse Zool. 108(3): 513-539.
15. Landry, B. (2001) *A new agonoxenine moth from the Galápagos Islands (Gelechioidea: Elachistidae)*. Journal of the Lepidopterists' Society 55(2): 59-62.
16. Landry, B. (2002) *Galagete, a new genus of Autostichidae representing the first case of an extensive radiation of endemic Lepidoptera in the Galápagos Islands*. Revue Suisse de Zoologie 109 (4): 813-868.
17. Landry, B., Roque-Albelo, L. Matthews, D.L. (2004) *Supplemental additions to the Pterophoridae (Lepidoptera) of the Galapagos Islands (Ecuador) with descriptions of a new species of Adaina Tutt*. Mitteil. schweiz. Entomol. Ges. - Bull. Soc. Entomol. Suisse 77: 289-310.
18. Landry, B., Roque-Albelo, L. (2004) *First report of Tischeriidae (Lepidoptera) on the Galapagos Islands, Ecuador, with descriptions of two new endemic species*. Rev. Suisse Zool. 111(3): 599-609
19. Landry, B. (2006) *The Gracillariidae (Lepidoptera: Gracillarioidea) of the Galapagos Islands, Ecuador, with notes on some of their relatives*. Revue Suisse de Zoologie 113(3): 437-485.

20. Landry, B., Neunzig, H.H. (2006) *Additions to the Phycitinae (Lepidoptera, Pyralidae) of the Galapagos Islands, Ecuador, with descriptions of a new species of Caudellia Dyar*. Bulletin de la Société Entomologique Suisse 79: 1-6.
21. Landry, B., Roque-Albelo, L. (2006) *The Acentropinae and Musotiminae (Lepidoptera, Pyralidae) of the Galapagos Islands, Ecuador*. Zootaxa 1354: 45-56.
22. Landry, B., Adamski, D., Schmitz, P., Parent, C.E. Roque-Albelo, L. (2006) *Taygete sphericophila (Meyrick) (Lepidoptera; Autostichidae): redescription of the adult, description of the larva and pupa and impact in Polistes wasps (Hymenoptera; Vespidae) nests in the Galapagos Islands*. Revue Suisse de Zoologie 113(2): 307-323.
23. Landry, B., Roque-Albelo, L. (2008) *Additions to the Cosmopterigidae (Lepidoptera) of the Galapagos Islands, Ecuador, with description of a new species of Stilbosis Clemens*. Revue Suisse de Zoologie 115(2): 303-309.
24. Landry, B., Schmitz, P. (2008) *A striking new endemic species of Galagete Landry (Lepidoptera, Autostichidae) from the Galapagos Islands, Ecuador*. Rev. Suisse Zool. 115(3): 575-583.
25. Landry, B., Roque-Albelo, L. (2008) *The Glaphyriinae (Lepidoptera: Pyralidae) of the Galapagos Islands, Ecuador, with keys to the Neotropical species of Hellula Guenée*. Tijdschrift voor Entomologie 151: 193-203.
26. Linsley, E.G., Usinger, R.L. (1966) *Insects of the Galápagos Islands*. Proceedings of the California Academy of Sciences Fourth Series 33(7): 113-196.
27. Linsley, E.G. (1977) *Insects of the Galápagos (Supplement)*. Occasional Papers of the California Academy of Sciences 125: 1-50.
28. Meyrick, E. (1926) *On Micro-Lepidoptera from the Galapagos Islands and Rapa*. Transactions Royal Entomological Society of London 2: 269-278.
29. Michener, C.D. (1942) *A review of the subspecies of Agraulis vanillae (Linnaeus). Lepidoptera: Nymphalidae*. American Museum Novitates 1215: 1-7.
30. Onore, G., Mielke, O.H.H. (1988) *Calpodes ethlius (Cramer) (Lepidoptera, Hesperidae) em Galápagos*. Revista Brasileira de Zoologia 5(4): 619-620.
31. Peck, S.B., Heraty, J., Landry, B. Sinclair, B.J. (1998) *Introduced insect fauna of an oceanic archipelago: The Galápagos Islands, Ecuador*. Am. Entomol. 44: 218-237.
32. Razowski, J., Landry, B. Roque-Albelo, L. (2008) *The Tortricidae (Lepidoptera) of the Galapagos Islands, Ecuador*. Revue Suisse de Zoologie 115 (1): 185-220.
33. Rindge, F.H. (1973) *The Geometridae (Lepidoptera) of the Galapagos Islands*. American Museum Novitates 2510: 1-31.
34. Roque-Albelo, L. (1999) *Two large tropical moths (Thysania zenobia (Noctuidae) and Cocutius antaeus (Sphingidae) colonize the Galapagos Islands*. Journal of the Lepidopterists Society 53(3): 129-130.
35. Roque-Albelo, L. (2001) *The Sphingidae (Lepidoptera) of the Galápagos Islands: their identification, distribution, and host plants, with new records*. Mitteil. schweiz. Entomol. Ges. - Bull. Soc. Entomol. Suisse 74: 217-226.
36. Roque-Albelo, L. (2003) *Population Decline of Galapagos endemic Lepidoptera on Volcán Alcedo (Isabela Island, Galapagos Islands, Ecuador): An effect of the introduction of the cottony cushion scale?* Bulletin de L'Institut Royal des Sciences Naturelles de Belgique 73: 177-180.
37. Roque-Albelo, L., Landry, B. (2006) *Lista anotada de los Lepidópteros de las islas Galápagos, Ecuador*. Charles Darwin Research Station, 32 pp.
38. Roque-Albelo, L., Cruz Bedón, V Lamas, G. (2007) *Hemiargus ramon (Dognin, 1887) (Lycaenidae: Polyommatainae) A new resident butterfly of the Galápagos Islands*. Noticias de Galápagos 224: 1.
39. Roque-Albelo, L., Landry, B. (2009) *Two new species of Utetheisa Hübner (Lepidoptera, Noctuidae, Arctiinae) from the Galapagos Islands, Ecuador*. ZooKeys 21: 55-72. doi: 10.3897/zookeys.21.201.

40. Schaus, W. (1923) *Galapagos Heterocera with descriptions of new species*. Zoologica Scientific Contributions of the New York Zoological Society 5(2): 22-48.
41. Schmitz, P., Landry, B. (2005) *Two new taxa of Galagete (Lepidoptera, Autostichidae) from the Galápagos Islands, Ecuador*. Revue Suisse de Zoologie 112(2): 511-517.
42. Schmitz, P., Landry, B. (2007) *Two new species of Chionodes Hübner from Ecuador, with a summary of known Galapagos records of Gelechiidae (Lepidoptera)*. Suisse de Zoologie 114 (2): 175-184.
43. Schmitz, P., Landry, B. (2008) *A striking new endemic species of Galagete Landry (Lepidoptera: Autostichidae) from the Galapagos Islands, Ecuador*. Revue Suisse de Zoologie 115 (3): 575-583.
44. Todd, E.L. (1972) *Descriptive and Synonymical notes for some species of Noctuidae from the Galapagos Islands (Lepidoptera)*. Journal Washinton Academy of Science 62(1): 36-40.
45. Van Duzee, E.P. (1933) *The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No.12 The diurnal Lepidoptera of the Expedition*. Proceedings of the California Academy of Sciences Fourth Series 21(12): 139-146.