

Ruiz, D., Ziemmeck, F. (2012). CDF Checklist of Galapagos Green Algae - FCD Lista de especies de Algas verdes de Galápagos. *In*: Bungartz, F., Herrera, H., Jaramillo, P., Tirado, N., Jiménez-Uzcátegui, G., Ruiz, D., Guézou, A., Ziemmeck, F. (eds.). Charles Darwin Foundation Galapagos Species Checklist - Lista de Especies de Galápagos de la Fundación Charles Darwin. Charles Darwin Foundation / Fundación Charles Darwin, Puerto Ayora, Galapagos: <http://checklists.datazone.darwinfoundation.org/algae/chlorophyta/> Last updated 21 May 2012.

CDF Checklist of Galapagos Green Algae

Diego Ruiz, Frauke Ziemmeck

Contribs.: Stuart Banks, Margarita Brandt, Rodrigo Bustamante, Angel Chiriboga, Graham Edgar, José Miguel Fariña, Peter Glynn, Jack Grove, Alex Hearn, Cleveland Hickman, Paul Humann, Jerson Moreno, Fernando Pinillos, Fernando Rivera, Franz Smith, Marco Toscano, Mariana Vera, Luis Vinuesa.

21 May 2012

This checklist is automatically generated using Version 3.0 of the online database CDF Galapagos Species Checklist.

Green algae are characterized by chlorophyll *a* and *b*, although a few also contain other pigments, especially xanthophylls like lutein, violaxanthine, neoxanthine, and enterxanthine.

Because of the presence of these pigments, the majority of these algae are green, generally a good, first characteristic by which to identify the Chlorophyta.

For marine species distribution data cited in the CDF Galapagos Checklists refer to the five main bioregions of the archipelago (Far Northern, Northern, Western, South Eastern and the Elithabeth Bay Bioregion). For the terrestrial species the more than 120 islands, islets and small rocks have been aggregated into Islands Groups, thus, for example, the island group "Santa Cruz" includes smaller islands like Santa Fé, Plaza Norte, Plaza Sur, Baltra, Daphne Mayor, Daphne Minor, and others.

Please be aware that the distribution data presented here is automatically generated from specimen records and does not always accurately reflect the known distribution for all species.

IUCN red-list assessments presented here may deviate from the global IUCN list for the following reasons:

- for well known species groups like vascular plants or vertebrates updates proposed to the IUCN are shown instead of the outdated, but currently accepted status;
- for poorly known species groups (e.g., lichenized fungi) a general assessment is currently not possible and the list presented here is a regional red-list list for Galapagos archipelago.

Names of taxa included in this checklist: 47 (44 Accepted , 1 Unidentified Taxon , 2 Preliminary Identification).

Origin of the taxa included: 5 Endemic, 2 Indigenous.

1. *Acrochaete viridis* (Reinke) R. Nielsen

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Entocladia viridis* Reinke, fide Appeltans et al. (2010) and Guiry Guiry (2010)

IUCN Red List: Not Evaluated.

Galapagos Distribution: Unknown.

- References:** Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
2. *Boodleopsis pusilla* (F.S. Collins) W.R. Taylor, A.B. Joly Bernatowicz
Taxon status: Accepted name; taxon occurs in Galapagos.
 Basionym: *Dichotomosiphon pusillus* F.S. Collins 1909: 431-432. Type locality: West Indies (Silva, Basson Moe 1996: 878)
IUCN Red List: Not Evaluated.
Galapagos Distribution: Santa Cruz.
References: Appeltans, W. et al. (2010), Dawson, E.Y. et al. (1963), Garske, L.E. et al. (2002).
 3. *Bryopsidella neglecta* (Berthold) H. Rietema
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Derbesia neglecta* Berthold, fide Guiry Guiry (2010). Basionym: *Derbesia neglecta* Berthold 1880
 . Mitt. Zool. Stat. Neapel 2: 77. Type locality: Naples
Galapagos Distribution: Española.
References: Dawson, E.Y. et al. (1963), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
 4. *Bryopsis galapagensis* W.R. Taylor, 1945
Taxon status: Accepted name; taxon occurs in Galapagos.
 Type locality: I. Wenman, Galápagos Islands, Ecuador (Taylor 1945: 60, 61). Type: W.R. Taylor no. 34-83; 11 Jan. 1934; intertidal in pools. Hancock Foundation (Taylor 1945: 60, 61).
Origin: Native, Indigenous.
IUCN Red List: Not Evaluated.
Galapagos Distribution: Fernandina, Santa Cruz, Wolf.
References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010), Taylor, W.R. et al. (1945).
 5. *Bryopsis hypnoides* J.V. Lamouroux
Taxon status: Accepted name; taxon occurs in Galapagos.
 Type locality: Mediterranean coast of France (near Cette [Sète, Hérault] fide Lamouroux, 1809c: 135
IUCN Red List: Not Evaluated.
Galapagos Distribution: Santa Cruz.
References: Appeltans, W. et al. (2010), Dawson, E.Y. et al. (1963), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
 6. *Bryopsis maxima* Okamura
Taxon status: Accepted name; taxon occurs in Galapagos.
Galapagos Distribution: Unknown.
 7. *Bryopsis pennata* var. *minor* J. Agardh
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Bryopsis pennatula* J. Agardh, fide Guiry Guiry (2010). Farlow 1902: 89, as *Bryopsis ramulosa* Montagne (fide Taylor 1945). Taylor 1945: 61-62, as *Bryopsis pennatula* J. Agardh. Basionym: *Bryopsis pennatula* J. Agardh, 1847: 6. Type locality: San Agustín, Oaxaca, Mexico. Note: *Bryopsis pennatula* was cited in the protologue of *B. pennata* var. *minor* so that the two names have the same type (Silva et al. 1996: 807).
Galapagos Distribution: Floreana, Santa Cruz.
References: Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
 8. *Bryopsis ramulosa* Montagne
Taxon status: Identification not yet confirmed.
Galapagos Distribution: Unknown.
References: Farlow, W.G. et al. (1902), Guiry, M.D. et al. (2010).
 9. *Caulerpa peltata* J.V. Lamouroux
Taxon status: Accepted name; taxon occurs in Galapagos.
 Type locality: Antilles, West Indies (Silva, Basson Moe 1996: 828).
IUCN Red List: Not Evaluated.
Galapagos Distribution: Floreana, Isabela, Santa Cruz.

- References:** Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
10. *Caulerpa racemosa* (Forsskål) J. Agardh
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Caulerpa racemosa* var. *uvifera* (C. Agardh) J. Agardh, fide Guiry Guiry (2010). Basionym: *Fucus racemosus* Forsskål 1775: 191. Type locality: Suez, Egypt (Silva, Basson Moe 1996: 832)
IUCN Red List: Not Evaluated.
Galapagos Distribution: Darwin, Fernandina, Floreana, Isabela, Santa Cruz.
References: Appeltans, W. et al. (2010), Farlow, W.G. et al. (1902), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
 11. *Caulerpa racemosa* var. *occidentalis* (J. Agardh) Børgesen
Taxon status: Accepted name; taxon occurs in Galapagos.
 Basionym: *Caulerpa chamnitzia* var. *occidentalis* J. Agardh 1873: 37. Type locality: upper Gulf of Mexico to Recife, Brazil (Silva, Basson Moe 1996: 837).
Origin: Native, Indigenous.
IUCN Red List: Not Evaluated.
Galapagos Distribution: Fernandina, Santa Cruz.
References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002).
 12. *Caulerpella ambigua* (Okamura) Prud'homme van Reine Lokhorst
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Caulerpa vickersiae* Børgesen, fide Guiry Guiry (2010); Miller (2011) treats *Caulerpa ambigua* Okamura as the accepted name of this taxon.
Galapagos Distribution: Santa Cruz.
References: Dawson, E.Y. et al. (1963), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
 13. *Chaetomorpha antennina* (Bory) Kützing
Taxon status: Accepted name; taxon occurs in Galapagos.
 Basionym: *Conferva antennina* Bory de Saint-Vincent, 1804a: 381 Type locality: Réunion.
IUCN Red List: Not Evaluated.
Galapagos Distribution: Floreana, Isabela, Santa Cruz.
References: Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
 14. *Chaetomorpha brachygona* var. *crassipellita* W.R. Taylor
Taxon status: Accepted name; taxon occurs in Galapagos.
 Type locality: Banks Bay, I. Isabela, Galápagos Islands, Ecuador (Taylor 1945: 53). Holotype: W.R. Taylor no. 34-133; 13 Jan. 1934; in a lagoon south of Banks Bay. Hancock Foundation (Taylor 1945: 53).
Origin: Native, Endemic.
IUCN Red List: Not Evaluated.
Galapagos Distribution: Unknown.
References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
 15. *Chaetomorpha linum* (O.F. Müller) Kützing
Taxon status: Accepted name; taxon occurs in Galapagos.
 Basionym: *Conferva linum* O.F. Müller, 1778: 7, pl. 771(2). Syntype localities: Nakskov and Rødby, Denmark
IUCN Red List: Not Evaluated.
Galapagos Distribution: Unknown.
References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
 16. *Cladophora perpusilla* Skottsberg Levring
Taxon status: Accepted name; taxon occurs in Galapagos.
 Type locality: Masatierra, Juan Fernandez Is.
IUCN Red List: Not Evaluated.
Galapagos Distribution: Santa Cruz.
References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
 17. *Cladophora prolifera* (Roth) Kützing
Taxon status: Accepted name; taxon occurs in Galapagos.
 Basionym: *Conferva prolifera* Roth, 1797: 182--183, pl. III: fig. 2. Type locality: "in mare

Corsicam".

IUCN Red List: Not Evaluated.

Galapagos Distribution: Española, Santa Cruz.

References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).

18. *Codium brandegeei* Setchell N.L. Gardner

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Codium cervicorne* Setchell N.L. Gardner, fide Guiry Guiry (2010)

Galapagos Distribution: Unknown.

References: Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).

19. *Codium dichotomum* S.F. Gray

Taxon status: Accepted name; taxon occurs in Galapagos.

IUCN Red List: Not Evaluated.

Galapagos Distribution: Isabela.

References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).

20. *Codium fernandezianum* Setchell

Taxon status: Accepted name; taxon occurs in Galapagos.

Type locality: Juan Fernandez Is.

IUCN Red List: Not Evaluated.

Galapagos Distribution: Floreana.

References: Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010), Taylor, W.R. et al. (1945).

21. *Codium foveolatum* M.A. Howe

Taxon status: Accepted name; taxon occurs in Galapagos.

Type locality: Lobos de Afuera, Peru.

IUCN Red List: Not Evaluated.

Galapagos Distribution: Isabela.

References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010), Taylor, W.R. et al. (1945).

22. *Codium isabellae* W.R. Taylor

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Codium santamariae* W.R. Taylor; Type locality: Head of Tagus Cove, I. Isabela, Galápagos Islands, Ecuador (Taylor 1945: 70). Holotype: W.R. Taylor no. 34-152; 14 Jan. 1934; very small plants on the littoral rocks at the head of Tagus Cove. Hancock Foundation (Taylor 1945: 70). Notes: Type: fertile (Taylor, 1945).

IUCN Red List: Not Evaluated.

Galapagos Distribution: Fernandina, Santa Cruz.

References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010), Taylor, W.R. et al. (1945).

23. *Codium setchellii* N.L. Gardner

Taxon status: Accepted name; taxon occurs in Galapagos.

IUCN Red List: Not Evaluated.

Galapagos Distribution: Genovesa.

References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).

24. *Derbesia hollenbergii* W.R. Taylor

Taxon status: Accepted name; taxon occurs in Galapagos.

Type locality: Black Beach Anchorage, Isla Santa María, Galápagos, Ecuador (Taylor 1945: 75, 76). Holotype: W.R. Taylor no. 34-264; 18 Jan. 1934; Hancock Foundation (Taylor 1945: 75, 76). Note: The gametophyte of this species is not known (Silva et al. 1996: 810).

IUCN Red List: Not Evaluated.

Galapagos Distribution: Unknown.

References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010), Taylor, W.R. et al. (1945).

25. *Derbesia marina* (Lyngbye) Solier

Taxon status: Accepted name; taxon occurs in Galapagos.

Type: *Vaucheria marina* Lyngbye 1819: 79, pl. 22A (sporophyte). Type locality: Kvivig, Strømø, Faeroes (Silva et al. 1996: 810)

IUCN Red List: Not Evaluated.

Galapagos Distribution: Española.

References: Appeltans, W. et al. (2010), Dawson, E.Y. et al. (1963), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).

26. *Derbesia prolifica* W.R. Taylor

Taxon status: Accepted name; taxon occurs in Galapagos.

Type locality: Gardner Bay, Isla Española, Galápagos Islands, Ecuador (Taylor 1945: 75). Holotype: W.R. Taylor no. 34-425; 31 Jan. 1934; intertidal pools on an islet. Hancock Foundation (Taylor 1945: 75).

IUCN Red List: Not Evaluated.

Galapagos Distribution: Unknown.

References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Taylor, W.R. et al. (1945).

27. *Enteromorpha salina* var. *polyclados* Kützing

Taxon status: Accepted name; taxon occurs in Galapagos.

Acc. name: *Ulva prolifera* O.F. Müller, fide Guiry Guiry (2010)

IUCN Red List: Not Evaluated.

Galapagos Distribution: Unknown.

References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010), Taylor, W.R. et al. (1945).

28. *Entocladia thivyae* O'Kelly Yarish, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Ectochaete perforans* Thivy 1945, fide Guiry Guiry (2010)

Origin: Native, Endemic.

IUCN Red List: Data Deficient.

Galapagos Distribution: Unknown.

References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010), O'Kelly et al. (1981).

29. *Oedogonium* sp.

Taxon status: Identification not yet confirmed.

Galapagos Distribution: Unknown.

References: Farlow, W.G. et al. (1902), Guiry, M.D. et al. (2010).

30. *Parvocaulis parvulus* (Solms-Laubach) S. Berger, U. Fettweiss, S. Gleissberg, L. B. Liddle, U. Richter, H. Sawitsky G.C. Zuccarello

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Acetabularia parvula* Solms-Laubach, *A. moebii* Solms-Laubach, fide Berger et al. (2003). Basionym: *Acetabularia parvula* Solms-Laubach 1895: 29, pl. 2: figs. 3, 5. Syntype localities: "Tropical India"; Celebes, Indonesia (Silva, Basson Moe 1996: 893)

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Berger, S. et al. (2003), Dawson, E.Y. et al. (1963), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).

31. *Phaeophila dendroides* (P.L. Crouan H.M. Crouan) Batters

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Phaeophila engleri* Reinke, fide Guiry Guiry (2010). Basionym: *Ochlochaete dendroides* P.L. Crouan H.M. Crouan 1852: no. 346. Type locality: Brest, Finistère, France. (Silva, Basson Moe 1996: 726). Note: On the basis of ultrastructural features of the quadriflagellate zoospores of this species, Chappell et al. (1990) removed *Phaeophila* from a tentative position alongside members of the Ulvellaceae to its own family and order. The diagnostic characters include the presence of simple, convex terminal caps on the anteriormost pair of flagellar basal bodies and the formation of zoospores by simultaneous cleavage of multinucleate zoosporangial initials. O'Kelly Yarish (1981a) recognized only one species of *Phaeophila* in contrast to Nielsen (1972), who added to the genus 11 species previously assigned to *Ectochaete* (Huber) Wille (1909 [1909--1910]: 79) (*Endoderma* sect. *Ectochaete* Huber, 1893: 319, 326)

Galapagos Distribution: Unknown.

References: Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).

32. *Rhizoclonium crasspellitum* var. *robustum* G.S. West
Taxon status: Accepted name; taxon occurs in Galapagos.
 Type locality: Barbados, Porter's Estate
IUCN Red List: Not Evaluated.
Galapagos Distribution: Unknown.
References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
33. *Rhizoclonium implexum* (Dillwyn) Kützing
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Rhizoclonium riparium* var. *implexum* (Dillwyn) Rosenvinge, fide Guiry Guiry (2010)
Galapagos Distribution: Unknown.
References: Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
34. *Rhizoclonium rhizophilum* W.R. Taylor
Taxon status: Accepted name; taxon occurs in Galapagos.
 Type locality: Academy Bay, I. Santa Cruz, Galápagos Islands, Ecuador (Taylor 1945: 55).
 Holotype: W.R. Taylor 34-301D; 20 January 1934; with other algae on *Rhizophora* roots in a lagoon.
 Hancock Foundation (Taylor 1945: 55).
Origin: Native, Endemic.
IUCN Red List: Data Deficient.
Galapagos Distribution: Unknown.
References: Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010), Taylor, W.R. et al. (1945).
35. *Rhizoclonium riparium* (Roth) Harvey, 1849
Taxon status: Accepted name; taxon occurs in Galapagos.
 (includes *Rhizoclonium implexum* (Dillwyn) Kützing = *Rhizoclonium riparium* var. *implexum* (Dillwyn) Rosenvinge)
IUCN Red List: Not Evaluated.
Galapagos Distribution: Unknown.
References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
36. *Rhizoclonium robustum* Setchell N.L. Gardner
Taxon status: Accepted name; taxon occurs in Galapagos.
 Type locality: In tide pools at low tide. North Seymour I. Type: CAS 236507, leg. J.T. Howell (170a), 11.vi.1932.
Origin: Native, Endemic.
IUCN Red List: Data Deficient.
Galapagos Distribution: Santa Cruz.
References: Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010), Setchell, W.A. et al. (1937).
37. *Spongomorpha conjuncta* W.R. Taylor
Taxon status: Accepted name; taxon occurs in Galapagos.
 Type locality: I. Santa María, Galápagos Islands, Ecuador (Taylor 1945: 58). Holotype: W.R. Taylor no. 34-229A; 17 Jan. 1934; Rare and inconspicuous in the littoral. Hancock Foundation (Taylor 1945: 58).
IUCN Red List: Not Evaluated.
Galapagos Distribution: Unknown.
References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010), Taylor, W.R. et al. (1945).
38. *Trentepohlia* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Galapagos Distribution: Española.
39. *Ulva clathrata* (Roth) C. Agardh
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Enteromorpha muscoides* (Clemente) Cremades, E. *clathrata* (Roth) C. Agardh, fide Guiry Guiry (2010). Taylor 1945: 39-40; as *Enteromorpha crinita* (Roth) J. Agardh
Galapagos Distribution: Unknown.
References: Farlow, W.G. et al. (1902), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).

40. *Ulva fasciata* S.F.Gray, 1821
Taxon status: Accepted name; taxon occurs in Galapagos.
 Acc. name: *Ulva linza* Linnaeus, fide Guiry Guiry (2010)
IUCN Red List: Not Evaluated.
Galapagos Distribution: Unknown.
References: Appeltans, W. et al. (2010), Farlow, W.G. et al. (1902), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
41. *Ulva flexuosa* Wulfen
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Enteromorpha flexuosa* (Wulfen) J. Agardh, *E. lingulata* J. Agardh, *E. tubulosa* (Kützing) Kützing, fide Guiry Guiry (2010). Taylor 1945: 38, as *Enteromorpha tubulosa* Kützing, prox.
Galapagos Distribution: Española, Santa Cruz.
References: Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
42. *Ulva lactuca* Linnaeus, 1753
Taxon status: Accepted name; taxon occurs in Galapagos.
IUCN Red List: Not Evaluated.
Galapagos Distribution: Fernandina, Floreana, Santa Cruz.
References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
43. *Ulva linza* L.
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Ulva fasciata* S.F. Gray, fide Guiry Guiry (2010)
Galapagos Distribution: Unknown.
References: Farlow, W.G. et al. (1902), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
44. *Ulva lobata* (Kützing) Harvey, 1855
Taxon status: Accepted name; taxon occurs in Galapagos.
IUCN Red List: Not Evaluated.
Galapagos Distribution: Española, Isabela, Santa Cruz.
References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
45. *Ulva prolifera* O.F. Müller
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Enteromorpha salina* var. *polyclados* Kützing. Taylor 1945: 39, as *Enteromorpha salina* (Kützing) v. *polyclados* Kützing
Galapagos Distribution: Unknown.
References: Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010), Taylor, W.R. et al. (1945).
46. *Ulva taeniata* (Setchell) Setchell N.L.Gardner, 1920
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Ulva dactylifera* Setchell N.L. Gardner, fide Guiry Guiry (2010)
IUCN Red List: Not Evaluated.
Galapagos Distribution: Isabela.
References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).
47. *Zygomitus reticulatus* Bornet Flahault, 1889
Taxon status: Accepted name; taxon occurs in Galapagos.
IUCN Red List: Not Evaluated.
Galapagos Distribution: Unknown.
References: Appeltans, W. et al. (2010), Garske, L.E. et al. (2002), Guiry, M.D. et al. (2010).

References:

1. Appeltans, W., Bouchet, P., Boxshall, G.A., Fauchald, K., Gordon, D.P., Hoeksema, B.W., Poore, G.C.B., van Soest, R.W.M., Stöhr, S., Walter, T.C., Costello, M.J. (eds.) (2010) *World Register of Marine Species*

(WoRMS). Available online at <http://www.marinespecies.org>.

2. Berger, S., Fettweiss, U., Gleissberg, S., Liddle, L.B., Richter, U., Sawitsky, H. Zuccarello, G.C. (2003) *18S rDNA phylogeny and evaluation of cap development in Polyphysaceae (formerly Acetabulariaceae; Dasyladales, Chlorophyta)*. Phycologia 42: 506-561.
3. Dawson, E.Y. (1963) *New records of marine algae from the Galapagos Islands*. Pacific Naturalist 4(1): 1-23.
4. Farlow, W.G. (1902) *Algae*. In: B.L. Robinson: Flora of the Galapagos Islands. Proc. Amerc. Acad. Arts Sc. 38(4): 89-99, N.S. 14 (Papers from the Hopkins-Stanford Expedition to the Galapagos Islands)
5. Garske, L.E. (2002) *Macroalgas Marinas*. In: Danulat, E. Edgar, G.J. (eds.) (2002): *Reserva Marina de Galápagos. Línea Base de la Biodiversidad*. Fundación Charles Darwin/Servicio Parque Nacional Galápagos, Santa Cruz, Galápagos, Ecuador, p. 419-439.
6. Guiry, M.D., Guiry, G.M. (2010) *AlgaeBase*. World-wide electronic publication, National University of Ireland, Galway. <http://www.algaebase.org>.
7. O'Kelly, Yarish, C.J. (1981) *Observations on marine Chaetophoraceae (Chlorophyta). II. On the circumscription of the genus Entocladia Reinke*. Phycologia 20: 32-45.
8. Setchell, W.A., Gardner, N.L. (1937) *The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 31: A preliminary report on the algae*. Proceedings of the California Academy of Science, series 4, 22: 65-98, 1 fig, plates 3-25.
9. Taylor, W.R. (1945) *Pacific marine algae of the Allan Hancock Expeditions to the Galapagos Islands*. Allan Hancock Pacific Expeditions 12: iv + 528, 3 figs, 100 plates.