

CDF Checklist of Galapagos Mammals

Gustavo Jiménez-Uzcátegui, Howard L. Snell

Last updated: 04 Mar 2013

Abstract

This Checklist of Galapagos Mammals includes a total of all 59 taxa reported from the Galapagos Islands.

For each name, detailed information is provided: its Galapagos distribution in islands groups or bioregions generated from the specimen records, comments about the taxonomy (especially synonyms), the origin (native and introduced), taxon status (accepted vs. rejected records) and relevant literature references.

Introduction

This publication lists all species of Galapagos Mammals currently known.

Mammals are capable of regulating their body temperature and have a pulmonary respiratory system. The females give milk to their young from breast glands (called *mammae* in Latin).

Embryo development of mammals usually occurs inside the body of the mother.

Of the 57 species recorded in Galapagos, 16 are native and endemic, eight species are extinct. Five became extinct before humans arrived in the archipelago, and were only ever known as fossils.

Methods

This checklist of all known Galapagos Mammals is automatically generated using the online database of the Charles Darwin Foundation Galapagos Species Checklist.

All CDF Galapagos Species Checklists represent the synthesis of many different records: literature citations, data from previously unpublished reports (grey literature), specimen records of natural history collections located in Galapagos and all over the world. To the best of their knowledge authors of the individual checklists revised all available data. When new information becomes available, the taxonomy of a group changes or new species are discovered, the CDF online database and thus this publication becomes updated.

For many poorly known species groups the higher taxonomic classification still regularly changes according to how our knowledge about species being related changes. In many well known groups the phylogeny is somewhat stable, but to avoid confusion, in particular for groups where taxonomic changes are frequent, all checklists presented here are sorted alphabetical according to genus name and specific epithet. Please refer to the website for the currently accepted taxonomic hierarchy of each group.

Please be aware that the distribution presented here is automatically generated from specimen records and does not always accurately reflect the known distribution for all species.

For marine species, the distribution generally refers to the five main bioregions of the archipelago (Far Northern, Northern, Western, South Eastern and the Elisabeth Bay Bioregion). For the terrestrial species more than 120 islands, islets and small rocks have been

aggregated into Islands Groups, thus, for example, the island group "Santa Cruz" includes smaller islands like Santa Fé, Plaza Norte, Plaza Sur, Baltra, Daphne Mayor, Daphne Minor, and others.

IUCN red-list assessments presented here may deviate from the global IUCN list for the following reasons:

- for well known species groups like vascular plants or vertebrates updates proposed to the IUCN are shown instead of the outdated, but currently accepted status;
- for poorly known species groups (e.g., lichenized fungi) a general assessment is currently not possible and the list presented here is a regional red-list list for Galapagos archipelago.

Numbers of the species included in this list are auto-generated. Adding up the number of species in each category will not always equal the total number indicated. Some species have insufficient data to be categorized while others (e.g., category eradicated) will not be included in the total.

Results

Names of taxa included in this checklist: 59 (55 accepted, 4 unidentified taxon).

Origin of the taxa included: 5 accidental, 3 cultivated, 6 escaped, 1 intercepted, 15 endemic, 3 indigenous, 13 migrant, 13 vagrant.

1. *Aegialomys bauri* (Allen, 1892)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Oryzomys galapagoensis bauri* (Allen, 1892) [previous versions of the checklist erroneously cited this synonym as *Oryzomys galapagoensis bauri* Wilson & Reeder, 2005, but this name does not exist, instead the species is listed in Wilson & Reeder (2005) who did not publish that name]; *Oryzomys bauri* Allen, 1892

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Santa Fé.

References: Allen, J.A. et al. (1892), Dowler R.C. et al. (2000), Harris, D.B. et al. (2006), Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991), Weksler, M. et al. (2006), Wilson, D.E. et al. (2005).

2. *Aegialomys galapagoensis* (Waterhouse, 1839)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Oryzomys galapagoensis* (Waterhouse, 1839), *Oryzomys galapagoensis galapagoensis* Waterhouse, 1839

Origin: Native, Endemic.

IUCN Red List: Extinct.

Galapagos Distribution: Santa Cruz.

References: Dowler R.C. et al. (2000), Harris, D.B. et al. (2006), Jiménez-Uzcátegui, G. et al. (2007), Orr, R.J. et al. (1966), Steadman, D. et al. (1991), Weksler, M. et al. (2006).

3. *Arctcephalus galapagoensis* Heller, 1904

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Endangered.

Galapagos Distribution: Española, Fernandina, Isabela, San Cristóbal, Santiago.

References: Alava, J.J. et al. (2011), Appeltans, W. et al. (2010), Hickin, N. et al. (1979), Lanteri, A.A. et al. (2001), Merlen, G. et al. (1995), Salazar, S. et al. (2002).

4. *Balaenoptera acutorostrata* Lacépède, 1804

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Agaphelus gibbosus* Cope, 1968 (synonym), *Balaena gibbosa* Cope, 1868 (synonym), *Balaena microcephala* Tomilin, 1957 (synonym), *Balaena minima* Rapp, 1837 (synonym), *Balaena minima borealis* Knox, 1838 (synonym), *Balaena rostrata* Fabricius, 1780 (synonym), *Balaenoptera acutorostrata thalmaha* Deraniyagala, 1963 (synonym), *Balaenoptera acuturostrata* Lacépède, 1804 (lapsus calami), *Balaenoptera davidsoni* Scammon, 1872, *Balaenoptera eschrichtius* Rasch, 1845 (synonym), *Balaenoptera microcephala* Gray, 1850 (synonym), *Balaenoptera rostrata* Van Beneden & Gervais, 1880 (synonym), *Balaenoptera thalmaha* (synonym), *Balaenoptera thalmaha thalmaha* Deranyagala, 1963 (synonym), *Pterobalaena minor* Eschricht, 1849 (synonym), *Pterobalaena minor bergensis* Eschricht, 1849 (synonym), *Pterobalaena minor groenlandica* Eschricht, 1849 (synonym), *Pterobalaena nana* Barkow, 1862 (synonym), *Pterobalaena nana pentadactyla* Barkow, 1862 (synonym), *Pterobalaena nana tetradactyla* Barkow, 1862 (synonym), *Pterobalaena pentadactyla* Flower, 1865 (synonym), *Rorqualus minor* Hamilton, 1837 (synonym), *Sibbaldius mondinii* Capellini, 1877 (synonym), fide Appeltans et al. (2010)

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Constant, P. et al. (2007), Palacios, D.M. et al. (2002).

5. *Balaenoptera borealis* Lesson, 1828

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Balaenoptera alba* Giglioli, 1870 (synonym), *Balaenoptera arctica* Temminck, 1841 (synonym), *Balaenoptera iwasi* Gray, 1846 (synonym), *Balaenoptera laticeps* Gray, 1846 (synonym), *Balaenoptera schlegelii* Van Beneden & Gervais, 1880 (synonym), *Balaenoptera schlegelii* Dabbene, 1902 (synonym), *Balena rostrata* Rudolphi, 1822 (synonym), *Balaenoptera schlegeli* Lahille, 1899 (synonym), *Pterobalaena alba* Giglioli, 1874 (synonym), *Pterobalaena schlegeli* Tomilin, 1957 (synonym), *Pterobalaena schlegeli alba* Tomilin, 1957 (synonym), *Sibbaldius schlegelii* Gray, 1864 (synonym), fide Appeltans et al. (2010)

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Constant, P. et al. (2007), Hickin, N. et al. (1979).

6. *Balaenoptera edeni* Anderson, 1879

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Balaenoptera brydei* Olsen, 1913 (Nomen inquirendum), *Balaenoptera brydei* Cadenat, 1957, fide Appeltans et al. (2010)

Origin: Native, Migrant.

Galapagos Distribution: Santa Cruz, Santiago.

References: Appeltans, W. et al. (2010), Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002).

7. *Balaenoptera musculus* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Balaena borealis* Fischer, 1829 (synonym), *Balaena maximus*, *Balaena musculus* Linnaeus, 1758 (basonym), *Balaenoptera carolinae* Malm, 1866 (synonym), *Balaenoptera gigas* Reinhardt, 1857 (synonym), *Balaenoptera indica* Blyth, 1859 (synonym), *Balaenoptera jubartes* Lacépède, 1804 (synonym), *Balaenoptera miramaris* Lahille, 1898 (synonym), *Balaenoptera sibbaldi* Van Beneden, 1887 (synonym), *Balaenoptera*

sibbaldii Flower, 1885 (synonym), Physalus latirostris Flower, 1865 (synonym), Physalus sibbaldii Gray, 1847 (synonym), Pterobalaena gigas Reinhardt, 1857 (synonym), Pterobalaena grypus Munter, 1877 (synonym), Rorqualus boops F. Cuvier, 1836 (synonym), Rorqualus borealis Hamilton, 1837 (synonym), Rorqualus major Knox, 1870 (synonym), Sibbaldius antarcticus Burmeister, 1866 (synonym), Sibbaldius borealis Gray, 1864 (synonym), Sibbaldius musculus Kellogg, 1929 (synonym), fide Appeltans et al. (2010)

Origin: Native, Migrant.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2000), Palacios, D.M. et al. (2002).

8. *Balaenoptera physalus* (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Balaena antipodarum Tomilin, 1957 (synonym), Balaena antiquorum Fischer, 1829 (synonym), Balaena boops Linnaeus, 1758 (synonym), Balaena mysticetus major Kerr, 1792 (synonym), Balaena physalis Kerr, 1792 (synonym), Balaena physalus Linnaeus, 1758 (basionym), Balaena quoyi Fischer, 1829 (synonym), Balaena rostrata australis Desmoulins, 1822 (synonym), Balaena sulcata Neill, 1811 (synonym), Balaenoptera antarctica Gray, 1846 (synonym), Balaenoptera aragous Farines & Carcassonne, 1829 (synonym), Balaenoptera australis Gray, 1846 (synonym), Balaenoptera blythii Anderson, 1879 (synonym), Balaenoptera brasiliensis Gray, 1846 (synonym), Balaenoptera gibbar Lacépède, 1804 (synonym), Balaenoptera mediterraneensis Lesson, 1828 (synonym), Balaenoptera mediterraneensis Cabrera, 1961 (misspelling), Balaenoptera musculus Van Beneden & Gervais, 1880 (synonym), Balaenoptera patachonica Lahille, 1905 (synonym), Balaenoptera patachonicus Burmeister, 1865 (synonym), Balaenoptera patagonica Dabbene, 1902 (synonym), Balaenoptera quoyii Lonnberg, 1906 (synonym), Balaenoptera rorqual Lacépède, 1804 (synonym), Balaenoptera sulcata arctica Schlegel, 1841 (synonym), Balaenoptera swinhoii Gray, 1866 (synonym), Balaenoptera tenuirostris Sweeting, 1840 (synonym), Balaenoptera velifera Cope, 1869 (synonym), Balaenoptera velifera copei Elliot, 1901 (synonym), Balaenopteris guibusdam Tomilin, 1957 (synonym), Benedenia knoxii Gray, 1864 (synonym), Dubertus rhodinsulensis Tomilin, 1957 (synonym), Physalis vulgaris Fleming, 1828 (synonym), Physalus antarcticus Gray, 1850 (synonym), Physalus australis Gray, 1850 (synonym), Physalus brasiliensis Gray, 1850 (synonym), Physalus dugundii Heddle, 1856 (synonym), Physalus fasciatus Gray, 1850 (synonym), Physalus patachonicus Burmeister, 1866 (synonym), Physalus verus Billberg, 1828 (synonym), Pterobalaena communis Van Beneden, 1857 (synonym), Pterobalaena gigantea michrochira Barkos, 1862 (synonym), Rorqualus musculus F. Cuvier, 1836 (synonym), Sibbaldius tectirostris Cope, 1869 (synonym), Sibbaldius tuberosus Cope, 1869 (synonym), Swinhoia chinensis Gray, 1868 (synonym), fide Appeltans et al. (2010)

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Hickin, N. et al. (1979).

9. *Bos taurus* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Escaped.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007), Wolf, T. et al. (1892).

10. *Canis lupus familiaris* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Escaped.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Barnett, B.D. et al. (1986), Gingrich, E.N. et al. (2010), Heyerdahl, T. et al. (1956), Hickin, N. et al. (1979), Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007), Levy, J.K. et al. (2008), Tapia, W. et al. (2000).
11. *Capra hircus* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Escaped.
Galapagos Distribution: Española, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Black, J. et al. (1973), Campbell, K. et al. (2004), Hamann, O. et al. (1975), Heyerdahl, T. et al. (1956), Hickin, N. et al. (1979), Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007).
12. *Cavia porcellus* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007), Patry, M. et al. (2002).
13. *Delphinus delphis* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Migrant.
Galapagos Distribution: Española, Fernandina, Isabela, San Cristóbal, Santa Cruz.
References: Constant, P. et al. (2007), Hickin, N. et al. (1979), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).
14. *Equus asinus* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Escaped.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Carrión, V. et al. (2006), Coulter, J. et al. (1845), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007).
15. *Equus caballus* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Carrión, V. et al. (2006), Coulter, J. et al. (1845), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007).
16. *Felis catus* Schreber, 1775
Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Escaped.

Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007), Levy, J.K. et al. (2008), MacDonald, I. A. W. et al. (1987), Naveda, B. et al. (1949), Salvin, O. et al. (1876).

17. *Feresa attenuata* Gray, 1846

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).

18. *Globicephala macrorhynchus* Gray, 1846

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).

19. *Grampus griseus* Cuvier, 1812

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).

20. *Homo sapiens sapiens* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

21. *Hyperoodon planifrons* Flower, 1882

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Merlen, G. et al. (1995), Palacios, D.M. et al. (2002).

22. *Indopacetus pacificus* Longman, 1926

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Palacios, D.M. et al. (2002).

23. *Kogia breviceps* Blainville, 1838

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Cogia breviceps* Benham, 1901 (synonym), *Euphysetes pottsi* Tomilin, 1957 (misspelling), *Euphysetes grayii* Wall, 1851 (synonym), *Euphysetes macleayi* Gill, 1871 (synonym), *Euphysetes pottsi* Haast, 1874 (synonym), *Kogia brevirostris* Gray, 1865 (synonym), *Kogia floweri* Gill, 1871 (synonym), *Kogia goodei* True, 1884 (synonym), *Kogia grayi* Gill, 1871 (synonym), *Kogia greyi* Trouessart, 1898 (synonym), *Kogia macleayi* Gill, 1871 (synonym), *Physeter breviceps* de Blainville, 1838 (basionym), fide Appeltans et al. (2010)

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Constant, P. et al. (2007), Palacios, D.M. et al. (2002).

24. *Kogia sima* Owen, 1866

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002).

25. *Lagenodelphis hosei* Fraser, 1956

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).

26. *Lasiurus borealis brachyotis* (Müller, 1776)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Atalapha brachyotis* Peters, 1871, *Nycteris borealis* Borkhausen, 1797

Origin: Native, Endemic.

IUCN Red List: Least Concern.

Galapagos Distribution: Santa Cruz.

References: Allen, J.A. et al. (1892), Brosset, A. et al. (1963), Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Koopman, K. et al. (1998), MacCracken, G.F. et al. (1997), Niethammer, J. et al. (1964), Orr, R.J. et al. (1966), Peterson, R.L. et al. (1966), Sangoquiza, M. et al. (2006), Sangoquiza, M. et al. (2007), Steadman, D. et al. (1991).

27. *Lasiurus cinereus* (Beauvois, 1796)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Atalapha cinereus* Peters, 1871, *Nycteris cinereus* Borkhausen, 1797

Origin: Native, Indigenous.

IUCN Red List: Least Concern.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Koopman, K. et al. (1998), MacCracken, G.F. et al. (1997), Niethammer, J. et al. (1964), Orr, R.J. et al. (1966), Peterson, R.L. et al. (1966), Sangoquiza, M. et al. (2006), Sangoquiza, M. et al. (2007).

28. *Megaoryzomys curioi* Niethammer, 1964

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Extinct.

Galapagos Distribution: Santa Cruz.

References: Harris, D.B. et al. (2006), Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991).

29. *Megaoryzomys sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

IUCN Red List: Extinct.

Galapagos Distribution: Santa Cruz.

References: Harris, D.B. et al. (2006), Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991).

30. *Megaptera novaeangliae* Borowski, 1781

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Balaena allamack* Gray, 1846 (synonym), *Balaena atlanticus* Hurdis, 1897 (synonym), *Balaena boops* Fabricius, 1780 (synonym), *Balaena gibbosa* Gray, 1843 (synonym), *Balaena lalandii* Fischer, 1829 (synonym), *Balaena longimana* Rudolphi, 1832 (synonym), *Balaena nodosa* Bonnaterre, 1789 (synonym), *Balaena novaeangliae* Borowski, 1781 (basionym), *Balaena sulcata antarctica* Schlegel, 1841 (synonym), *Balaenoptera antarctica* Temminck, 1841 (p. 21, pl. 30) (synonym), *Balaenoptera astrolabe* Pucheran, 1843 (synonym), *Balaenoptera australis* Lesson, 1828 (synonym), *Balaenoptera capensis* A. Smith, 1834 (synonym), *Balaenoptera leucopteron* Lesson, 1842 (synonym), *Balaenoptera syncondylus* A. Mueller, 1863 (synonym), *Kyphobalaena keporkak* Van Beneden, 1868 (synonym), *Megaptera americana* Gray, 1846 (synonym), *Megaptera antarctica* Gray, 1846 (synonym), *Megaptera australis* Iredale & Troughton, 1934 (synonym), *Megaptera bellicosa* Cope, 1871 (synonym), *Megaptera boops* Van Beneden & Gervais, 1880 (synonym), *Megaptera brasiliensis* True, 1904 (synonym), *Megaptera braziliensis* Cope, 1867 (synonym), *Megaptera burmeisteri* Burmeister, 1866 (synonym), *Megaptera gigas* Cope, 1865 (synonym), *Megaptera indica* Gervais, 1883 (synonym), *Megaptera kusira* Trouessart, 1904 (misspelling), *Megaptera kuzira* Gray, 1850 (synonym), *Megaptera lalandii* Gray, 1864 (synonym), *Megaptera longimana* Gray, 1846 (synonym), *Megaptera longimana morei* Gray, 1866 (synonym), *Megaptera longipinna* Gray, 1846 (synonym), *Megaptera nodosa* Bonnaterre, 1789 (synonym), *Megaptera nodosa* Lahille, 1905 (synonym), *Megaptera nodosa bellicosa* Elliot, 1904 (synonym), *Megaptera nodosa lalandii* Tomilin, 1946 (synonym), *Megaptera nodosa nodosa* Tomilin, 1946 (synonym), *Megaptera nodosa novaezealandiae* Ivashin, 1958 (synonym), *Megaptera novaezealandiae* Gray, 1864 (synonym), *Megaptera osphya* Mead & Brownell, 2005 (misspelling), *Megaptera osphya* Cope, 1865 (synonym), *Megaptera poescop* Gray, 1846 (synonym), *Megaptera versabilis* Cope, 1869 (synonym), *Poescopia lalandii* Gray, 1866 (synonym), *Rorqualus antarcticus* F. Cuvier, 1836 (synonym), *Rorqualus australis* Hamilton, 1837 (synonym), fide Appeltans et al. (2010)

Origin: Native, Migrant.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Merlen, G. et al. (1995), Palacios, D.M. et al. (2002).

31. *Mesoplodon densirostris* Blainville, 1871

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Delphinus densirostris* Blainville, 1817 (basionym), *Nodus densirostris* Galbreath, 1963 (synonym),

Ziphius sechellensis Gray, 1846 (synonym), fide Appeltans et al. (2010)

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2002).

32. *Mesoplodon ginkgodens* Nishiwaki & Kamiya, 1958

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Mesoplodon hotaula* Deraniyagala, 1963

Origin: Native, Vagrant.

Galapagos Distribution: Genovesa, Santa Cruz.

References: Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1996).

33. *Mesoplodon peruvianus* Reyes, Mead & Van Helden, 1991

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Vagrant.

Galapagos Distribution: Santa Cruz.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2002).

34. *Mus musculus* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Harris, D.B. et al. (2006), Hickin, N. et al. (1979), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007), Patry, M. et al. (2002).

35. *Nesoryzomys darwini* Osgood, 1929

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Extinct.

Galapagos Distribution: Santa Cruz.

References: Dowler R.C. et al. (2000), Harris, D.B. et al. (2006), Harris, D.B. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Osgood, W.H. et al. (1929), Steadman, D. et al. (1991).

36. *Nesoryzomys fernandinae* Hutterer & Hirsch, 1979

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Fernandina.

References: Dowler R.C. et al. (2000), Harris, D.B. et al. (2006), Harris, D.B. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991).

37. *Nesoryzomys indefessus* (Thomas, 1899)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Extinct.

Galapagos Distribution: Santa Cruz.

References: Dowler R.C. et al. (2000), Harris, D.B. et al. (2006), Harris, D.B. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991).

38. *Nesoryzomys narboroughi* Heller, 1904

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Fernandina.

References: Dowler R.C. et al. (2000), Harris, D.B. et al. (2006), Harris, D.B. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991).

39. *Nesoryzomys sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

IUCN Red List: Extinct.

Galapagos Distribution: Santa Cruz.

References: Harris, D.B. et al. (2006), Harris, D.B. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991).

40. *Nesoryzomys sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

IUCN Red List: Extinct.

Galapagos Distribution: Santa Cruz.

References: Harris, D.B. et al. (2006), Harris, D.B. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991).

41. *Nesoryzomys sp. 3*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

IUCN Red List: Extinct.

Galapagos Distribution: Santa Cruz.

References: Harris, D.B. et al. (2006), Harris, D.B. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991).

42. *Nesoryzomys swarthi* Orr, 1938

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Santiago.

References: Dowler R.C. et al. (2000), Harris, D.B. et al. (2006), Harris, D.B. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991).

43. *Orcinus orca* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Migrant.
Galapagos Distribution: Santa Cruz.
References: Constant, P. et al. (2007), Hickin, N. et al. (1979), Merlen, G. et al. (1995), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).
44. *Oryctolagus cuniculus* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Cultivated.
Galapagos Distribution: San Cristóbal, Santa Cruz.
References: Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007).
45. *Otaria flavescens* Shaw, 1800
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Vagrant.
Galapagos Distribution: Genovesa, Pinta, Santa Cruz, Santiago.
References: Wellington, G.M. et al. (1976).
46. *Ovis ariens* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Cultivated.
Galapagos Distribution: Santa Cruz.
References: Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007), Patry, M. et al. (2002).
47. *Peponocephala electra* Gray, 1846
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Vagrant.
Galapagos Distribution: Santa Cruz.
References: Merlen, G. et al. (1995), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).
48. *Physeter macrocephalus* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Migrant.
Galapagos Distribution: Santa Cruz.
References: Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).
49. *Pseudorca crassidens* Gould, 1838
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Migrant.
Galapagos Distribution: Santa Cruz.
References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).

50. *Rattus norvegicus* Berkenhout, 1769
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Harris, D.B. et al. (2006), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007).
51. *Rattus rattus* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Harris, D.B. et al. (2006), Hickin, N. et al. (1979), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007).
52. *Saguinus oedipus* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Intercepted.
Galapagos Distribution: San Cristóbal.
References: Jiménez-Uzcátegui, G. et al. (2007).
53. *Stenella coeruleoalba* Meyen, 1833
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Migrant.
Galapagos Distribution: Marchena.
References: Constant, P. et al. (2007), Gelin, A. et al. (2002), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).
54. *Stenella longirostris* Gray, 1828
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Migrant.
Galapagos Distribution: Santa Cruz.
References: Constant, P. et al. (2007), Gelin, A. et al. (2002), Merlen, G. et al. (1995), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).
55. *Steno bredanensis* Cuvier, 1828
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Vagrant.
Galapagos Distribution: Isabela.
References: Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002), Palacios, D.M. et al. (1999).
56. *Sus scrofa* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Escaped.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Cruz, F. et al. (2005), Hickin, N. et al. (1979), Hoeck, H.N. et al. (1984), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007), Wolf, T. et al. (1892).

57. *Tursiops truncatus* Montagu, 1821

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

Galapagos Distribution: Española, Floreana, Isabela, Santa Cruz.

References: Constant, P. et al. (2007), Hickin, N. et al. (1979), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002).

58. *Zalophus wollebaeki* Sivertsen, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Zalophus californianus wollebaeki* Sivertsen, 1953

Origin: Native, Endemic.

IUCN Red List: Endangered.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Alava, J.J. et al. (2011), Alava, J.J. et al. (2011), Bataille, A. et al. (2009), Jiménez-Uzcátegui, G. et al. (2007), Merlen, G. et al. (1995), Salazar, S. et al. (2002), Sivertsen, E. et al. (1953), Wolf, J.B.W. et al. (2007).

59. *Ziphius cavirostris* Cuvier, 1823

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Aliama desmarestii* Gray, 1864 (synonym), *Aliama indica* Gray, 1865 (synonym), *Delphinorhynchus australis* Burmeister, 1865 (synonym), *Delphinus desmaresti* Risso, 1826 (synonym), *Delphinus philippii* Cocco, 1846 (synonym), *Epiodon australe* Burmeister, 1867 (synonym), *Epiodon australis* Gray, 1871 (synonym), *Epiodon chathamensis* Hector, 1873 (synonym), *Epiodon cryptodon* Gray, 1870 (synonym), *Epiodon desmarestii* Carus, 1893 (synonym), *Epiodon heraultii* Gray, 1872 (synonym), *Epiodon patachonicum* Burmeister, 1867 (synonym), *Hyperodon semijunctus* Cope, 1865 (synonym), *Hyperodon semijunctus* Hall & Kelson, 1959 (synonym), *Hyperoodon capensis* Gray, 1865 (synonym), *Hyperoodon desmarestii* Gray, 1850 (synonym), *Hyperoodon doumetii* Gray, 1850 (synonym), *Hyperoodon gervaisii* Duvernoy, 1851 (synonym), *Petrorhynchus capensis* Gray, 1865 (synonym), *Petrorhynchus indicus* Gray, 1865 (synonym), *Petrorhynchus mediterraneus* Gray, 1871 (synonym), *Ziphiorrhynchus cryptodon* Burmeister, 1865 (synonym), *Ziphius aresques* Gray, 1871 (synonym), *Ziphius australis* Trouessart, 1904 (synonym), *Ziphius cavirostris indicus* Deraniyagala, 1945 (synonym), *Ziphius chatamensis* Lahille, 1899 (synonym), *Ziphius chathamensis* Flower, 1885 (synonym), *Ziphius chathamensis* Iredale & Troughton, 1934 (synonym), *Ziphius cryptodon* Fischer, 1857 (synonym), *Ziphius decavirostris* Gray, 1871 (synonym), *Ziphius grebnitzkii* Stejneger, 1883 (synonym), *Ziphius indicus* Van Beneden, 1863 (synonym), *Ziphius novaezealandiae* Haast, 1876 (synonym), *Ziphius savii* Richiardi, 1873 (synonym), *Zyphius chathamensis* Moreno, 1895 (synonym), fide Appeltans et al. (2010)

Origin: Native, Migrant.

Galapagos Distribution: Isabela, Pinta, Santa Cruz.

References: Constant, P. et al. (2007), Merlen, G. et al. (1995), Palacios, D.M. et al. (2004), Palacios, D.M. et al. (2002).

Acknowledgements

We are grateful for the financial report received for this project. Please refer to the website (www.darwinfoundation.org/datazone/checklist/) for a detailed list of all our donors.

This checklist would not be possible without adjunct and collaborating scientists, and volunteers of the Charles Darwin Foundation. The following scientists and volunteers have contributed to the CDF Checklist of Galapagos Mammals: Paola Buitrón, Donna Harris, Brian Milstead, Elizabeth Pillaert, Sandie Salazar, Fritz Trillmich, David A. Wiedenfeld, Javier Zabala.

References

1. Alava, J.J., Salazar, S., Cruz, M., Jiménez-Uzcátegui, G., Villegas-Amtmann, S., Paez-Rosas, D., Costa D.P., Ross, P.S., Ikonomou, M.G., Gobas F.A.P.C. (2011) *DDT strikes back: Galapagos sea lions face increasing health*. *Ambio* DOI 10.1007/s13280-011-0136-6.
2. Alava, J.J., Ross, P.S., Ikonomou, M.G., Cruz, M., Jiménez-Uzcátegui, G., Dubetz, C., Salazar, S., Costa, D.P., Villegas-Amtmann, S., Howorth, P., Gobas, F.A.P.C. (2011) *DDT in endangered sea lions (Zalophus wollebaeki)*. *Marine Pollution Bulletin* xxx (2011): xxx-xxx.
3. Allen, J.A. (1892) *On a Small Collection of Mammals from the Galapagos Islands, collected by Dr. G. Baur*. *Bull. Am. Mus. Nat. His.* 4: 47-50.
4. Appeltans, W., Bouchet, P., Boxshall, G.A., Fauchald, K., Gordon, D.P., Hoeksema, B.W., Poore, G.C.B., van Soest, R.W.M., Stöhr, S., Walter, T.C., Costello, M.J. (eds.) (2010) *World Register of Marine Species (WoRMS)*. Available online at <http://www.marinespecies.org>.
5. Barnett, B.D. (1986) *Eradication and control of feral and free ranging dogs in the Galápagos Islands*. *Proc. Vertebr. Pest Conf.* 12: 358-368.
6. Bataille, A., Cunningham, A.A., Cedeño, V., Patiño, L., Constantinou, A., Kramer, L.D. & Goodman, S.J. (2009) *Natural colonization and adaptation of a mosquito species in Galápagos and its implications for disease threats to endemic wildlife*. *Proceedings of the National Academy of Sciences of the United States of America* 106(25): 10230-10235.
7. Black, J. (1973) *Galápagos. Archipiélago del Ecuador*. Imp. Europa (CDF & WWF), Quito, 1-138.
8. Brosset, A. (1963) *Mammifères des Isles Galápagos*. *Mammalia* 27: 323-338.
9. Campbell, K., Donlan, J., Cruz, F. & Carrión, V. (2004) *Eradication of Feral Goats Capra hircus from Pinta Island, Galápagos, Ecuador*. *Oryx* 38(3): 328-333.
10. Carrión, V., Donlan, J., Campbell, K., Lavoie, C. & Cruz, F. (2006) *Feral Donkey (Equus asinus) Eradications in the Galápagos*. *Biod. and Cons.* DOI 10.1007/s10531-005-5825-7.
11. Constant, P. (2007) *Marine Life of the Galapagos*. The Diver's guide to Fishes, Whales, Dolphins and marine Invertebrates, 307 pp.
12. Coulter, J. (1845) *Adventures in the Pacific; with observations on the natural productions, manners and customs of the natives of the various islands; together with remarks on missionaries, British and other residents, etc.* William Curry, Jun. and Co., Dublin, 290 pp.
13. Cruz, F., Donlan, C.J., Campbell, K., Lavoie, C. & V. Carrión (2005) *Conservation action in the Galapagos: feral pig Sus scrofa eradication from Santiago Island* *Biol. Conserv.* 121: 473-478.

14. Dowler R.C., Carroll, D.S. & Edwards, C.W. (2000) *Rediscovery of rodents (Genus Nesoryzomys) considered extinct in the Galapagos Island*. *Oryx* 34(2): 109-117.
15. Gelin, A., Gravez, V. (2002) *Lagunas costeras*. In: Danulat, E. & Edgar, G.J. (eds.) (2002): *Reserva Marina de Galápagos. Línea Base de la Biodiversidad*. Fundación Charles Darwin/Servicio Parque Nacional Galápagos, Santa Cruz, Galápagos, Ecuador, p. 119-145.
16. Gingrich, E.N., Scorza, A.V., Clifford, E.L., Olea-Popelka, F.J., & Lappin, M.R. (2010) *Intestinal parasites of dogs on the Galapagos Islands*. *Veterinary Parasitology*, 169(3-4): 404-407.
17. Hamann, O. (1975) *Vegetational changes in the Galapagos Islands during the period 1966-1973*. *Biol. Conserv.* 7(1): 37-59.
18. Harris, D.B. (2006) *Introduced black rats and endemic Galapagos rice rats: competition, coexistence and conservation*. A thesis submitted for the degree of Doctor of Philosophy. Linacre College, Oxford.
19. Harris, D.B., MacDonald, D.W. (2007) *Population ecology of the endemic rodent Nesoryzomys swarthi in the tropical desert of the Galapagos Islands*. *Journal of Mammalogy* 88 (1): 208-219.
20. Heyerdahl, T., Skolsvod, A. (1956) *Archeological evidence of pre-Spanish visit to the Galápagos Island*. *American Antq.* 22: 1-71.
21. Hickin, N. (1979) *Animal life of the Galapagos*. Ferundune Books, Faringdon, U.K., 236 pp.
22. Hoeck, H.N. (1984) *Introduced fauna*. In: Perry, R. (ed.): *Key environments: Galápagos*. Pergamon Press, Oxford, p. 233-246.
23. Jiménez-Uzcátegui, G., Milstead, B., Márquez, C., Zabala, J., Buitrón, P., Llerena, A., et al. (2007) *Galapagos vertebrates: endangered status and conservation actions*. Galapagos Report 2006–2007. Charles Darwin Foundation, Puerto Ayora, p. 104–110.
24. Jiménez-Uzcátegui, G., Carrión, V., Zabala, J., Buitrón, P. & Milstead, B. (2007) *Status of introduced vertebrates in Galapagos*. Galapagos Report 2006–2007. Charles Darwin Foundation, Puerto Ayora, p. 136–141.
25. Jiménez-Uzcátegui, G. (2007) *CS/EUCU/2006/168 Estudio biológico en Santa rosa y en El Camote, Isla Santa Cruz y en Isla Baltra, previo a la colocacion del Parque Eolico*. Informe técnico final para la Fundación Charles Darwin y Servicio Parque Nacional Galápagos, 43 pp.
26. Jácome, M. (1989) *Mamíferos introducidos en Galápagos*. Informe técnico para la Fundación Charles Darwin y Servicio Parque Nacional. Galápagos. Puerto Ayora, Ecuador. 33 pp.
27. Koopman, K., McCracken, G.F. (1998) *The taxonomic status of Lasiurus (Chiroptera: Vespertilionidae) in the Galapagos Islands*. *American Museum Novitiates* 3243: 1-6.
28. Lanteri, A.A. (2001) *Biogeografía de las Islas Galápagos: Principales aportes de los estudios filogenéticos*. Introducción a la Biogeografía en Latinoamérica: Conceptos, teorías, métodos y aplicaciones. Vol. I, Ciencias, UNAM, México Pp. 141-151.
29. Levy, J.K., Crawford, C., Lappin, M.R., Dubovi, E.J., Levy, M.G., Alleman, R., Tucker, S.J. & Clifford, E.L. (2008) *Infectious diseases of dogs and cats on Isabela island, Galapagos*. *Journal of Veterinary Internal Medicine* 22: 60-65.

30. MacCracken, G.F., Hayes, J.P., Cevallos, J., Guffey, S.Z. & Romero, F.C. (1997) *Observations on the distribution, ecology, and behaviour of bats on the Galapagos Islands*. J. Zool., Lond. 243: 757-770.
31. MacDonald, I. A. W. (1987) *Estrategias para limitar la invasión de organismos introducidos a las áreas protegidas* Memorias. Investigación Botánica y Manejo en Galápagos. Pg.210-223
32. Merlen, G. (1995) *A field guide to the marine mammals of Galapagos*. Charles Darwin Foundation.
33. Naveda, B. (1949) *Galápagos a la vista*. Ediciones Últimas Noticias, Quito, Ecuador.
34. Niethammer, J. (1964) *Contribution a la connaissance des mammiferes terrestres de l'île Idenfatigable (= Santa Cruz), Galápagos. Résultats de l'expédition Allemande aux Galapagos 1962/63*. Mammalia 28(4): 593-606.
35. Orr, R.J. (1966) *Evolutionary aspects of the mammalian fauna of the Galapagos*. In: Bowman, R.I. (ed.): *The Galapagos*. Proc. Symposia G.I.S.P., Univ. Calif. Press, Berkeley, p. 276-281.
36. Osgood, W.H. (1929) *A new rodent from the Galapagos Islands*. Field Museum of Natural History - Zoology 17: 21-24.
37. Palacios, D.M. (1996) *On the specimen of the Ginkgo-toothed beaked whale Mesoplodon ginkgodens from the Galapagos Islands*. Marine Mammal Science 12(3): 444-446.
38. Palacios, D.M. (1999) *Distribution of dolphins in Galapagos waters*. Marine Mammal Science 15(2): 550-555.
39. Palacios, D.M. (2000) *Blue whale (Balaenoptera musculus) occurrence off the Galapagos Islands, 1978-1995*. J. Cetacean res. Manage 1(1): 41-51.
40. Palacios, D.M., Salazar, S. (2002) *Cetaceos*. In: Danulat, E. & G.J. Edgar (eds.): *Reserva marina de Galápagos. Línea base de la biodiversidad*. Fundación Charles Darwin/Servicio Parque Nacional Galápagos, Santa Cruz, Galápagos, Ecuador. p. 291-302.
41. Palacios, D.M., Salazar, S.K. & Day, D. (2004) *Cetacean remains and strandings in the Galapagos Islands, 1923-2003*. Lajam 3(2): 127-150.
42. Patry, M. (2002) *Estatus de vertebrados introducidos en las islas mayores de Galápagos y estrategias de manejo*. En: Fundación Natura: Informe Galápagos 2001-2002. Quito, Ecuador.
43. Peterson, R.L. (1966) *Recent mammal records from the Galapagos Islands*. Mammalia 50: 441-445.
44. Salazar, S. (2002) *Lobo marino y lobo peletero*. In: Danulat, E. & Edgar, G.J. (eds.): *Reserva marina de Galápagos. Línea base de la biodiversidad*. Fundación Charles Darwin/Servicio Parque Nacional Galápagos, Santa Cruz, Galápagos, Ecuador, p. 267-285.
45. Salvin, O. (1876) *On the avifauna of the Galápagos Archipelago*. Transactions of the Zoological Society of London 9: 447-510.
46. Sangoquiza, M. (2006) *Aspectos Ecológicos de los Murciélagos Lasiurus boreales brachyotis y Lasiurus cinereus (Chiroptera: Vespertilionidae) Santa Cruz – Galápagos*. Tesis previa a la obtención de título como licenciado en Ciencias Biológicas. Universidad Central del Ecuador, Quito, Ecuador.

47. Sangoquiza, M., Jiménez-Uzcátegui, G. (2007) *Presencia y ausencia de las dos especies de murciélagos en Santa Cruz y Baltra*. En : Jiménez-Uzcátegui, G. 2007. (Ed). CS/EUCU/2006/168 Estudio biológico en Santa Cruz y Baltra. Informe técnico para la FCD, PNG y Proyecto ERGAL. Puerto Ayora, Ecuador, 41 pp.
48. Sivertsen, E. (1953) *A new species of sea lion Zalophus wolfebaeki from the Galapagos Islands*. Det Kongelige Norske Videnskabers Selskabs Forhandling 26(1): 1-3.
49. Steadman, D., Stafford, T.W., Donahue, D.J. & Jull, A.J.T. (1991) *Chronology of Holocene vertebrate extinction in the Galápagos Islands*. Quaternary Research 36(1): 126-133.
50. Tapia, W., Patry, M., Snell, H. & Carrión, V. (2000) *Estado actual de los vertebrados introducidos a las islas Galápagos*. Fundación Natura: Informe Galápagos 1999-2000. Quito, Ecuador.
51. Weksler, M., Reis Percequillo, A. & Voss, R.S. (2006) *Ten New Genera of Oryzomyine Rodents (Cricetidae: Sigmodontinae)*. American Museum Novitates 3537: 1-29.
52. Wellington, G.M., de Vries, T. (1976) *The South American sea lion, Otaria byronia, in the Galápagos Islands*. Journal Mammalogy 57(1): 166-167.
53. Wilson, D.E., Reeder, D.M. (2005) *Mammal species of the world*. Johns Hopkins University Press, Baltimore, 3rd ed., 142 pp.
54. Wolf, J.B.W., Tautz, D. & Trillmich, F. (2007) *Galapagos and Californian sea lions are separate species: Genetic analysis of the genus Zalophus and its implications for conservation management*. Frontiers in Zoology 4(20) doi: 10.1186/1742-9994-4-20
55. Wolf, T. (1892) *Geografía y Geología del Ecuador*. Publicada Orden Supremo Gobierno República. Leipzig, Quito, (Part 5, El Archipiélago de Galápagos) p. 469-493.

Disclaimer

The Charles Darwin Foundation Galapagos Species Checklist is a continuously updated list of all species currently known from the Galapagos Islands and reflects up-to-date knowledge compiled by scientists of the Charles Darwin Foundation (CDF) in collaboration with experts from around the world. CDF shares this data publicly and invites comments, corrections and additions.

Please do not hesitate to contact us; your input is very welcome. However, please understand that additions, changes, and corrections will be posted at periodic intervals after thorough cross-referencing of all new data. As an independent international scientific organization, the Charles Darwin Foundation relies on funding from donors who support our work. Please contact us at datazone@fcdarwin.org.ec if you would like to support the Charles Darwin Foundation Galapagos Species Checklist and help make knowledge of Galapagos biodiversity more widely available.