

# CDF Checklist of Galapagos Terrestrial and brackish water snails

Christine E. Parent, Sergio E. Miquel, Guy Coppo

**Last updated:** 28 Jan 2014

## Abstract

This Checklist of Galapagos Terrestrial and brackish water snails includes a total of all 135 taxa reported from the Galapagos Islands.

For each name, detailed information is provided: its Galapagos distribution in islands groups or bioregions generated from the specimen records, comments about the taxonomy (especially synonyms), the origin (native and introduced), taxon status (accepted vs. rejected records) and relevant literature references.

## Introduction

This publication lists all species of Galapagos Terrestrial and brackish water snails currently known.

**Gastropods**, more commonly known as snails and slugs, include marine snails and sea slugs, freshwater snails and freshwater limpets, and the terrestrial snails and slugs. The name comes from the Greek, meaning “stomach-foot”.

The class Gastropoda is the most diversified in the phylum Mollusca with 60,000 to 80,000 living species, and is second only to insects in its number of known species among animals.

Morphologically, gastropods are characterized by the torsion of their visceral mass and their mantle shell covering so that they are twisted 180 degrees in relation to head and foot. Most gastropods have also developed a unique coiled shell which was lost in slugs.

The Galapagos land snail fauna is rather poor, with relatively few indigenous and endemic species (see the species numbers below).

Since most land snails have restricted distribution ranges and are often small and dull-colored, it is conceivable that future fieldwork will add to this list. Interestingly, more than 75% of Galapagos endemic land snails are of the genus *Bulimulus*, forming the largest adaptive radiation known from these islands.

In 2009, on the occasion of the joint 50<sup>th</sup> anniversaries of the Galapagos National Park and the Charles Darwin Foundation, Tui De Roy and Jaqueline De Roy donated the most complete historic collection of terrestrial snails collected in Galapagos by André De Roy.

This important bequest is now housed at the Charles Darwin Foundation, named in honor of its collector: *The André De Roy Invertebrate Collection*.

This checklist only includes the terrestrial species, checkout the [marine mollusks](#) as well.

## Methods

This checklist of all known Galapagos Terrestrial and brackish water snails is automatically generated using the online database of the Charles Darwin Foundation Galapagos Species Checklist.

All CDF Galapagos Species Checklists represent the synthesis of many different records: literature citations, data from previously unpublished reports (grey literature), specimen records of natural history collections located in Galapagos and all over the world. To the best of their knowledge authors of the individual checklists revised all available data. When new information becomes available, the taxonomy of a group changes or new species are discovered, the CDF online database and thus this publication becomes updated.

For many poorly known species groups the higher taxonomic classification still regularly changes according to how our knowledge about species being related changes. In many well known groups the phylogeny is somewhat stable, but to avoid confusion, in particular for groups where taxonomic changes are frequent, all checklists presented here are sorted alphabetical according to genus name and specific epithet. Please refer to the website for the currently accepted taxonomic hierarchy of each group.

Please be aware that the distribution presented here is automatically generated from specimen records and does not always accurately reflect the known distribution for all species.

For marine species, the distribution generally refers to the five main bioregions of the archipelago (Far Northern, Northern, Western, South Eastern and the Elisabeth Bay Bioregion). For the terrestrial species more than 120 islands, islets and small rocks have been aggregated into Islands Groups, thus, for example, the island group "Santa Cruz" includes smaller islands like Santa Fé, Plaza Norte, Plaza Sur, Baltra, Daphne Mayor, Daphne Minor, and others.

IUCN red-list assessments presented here may deviate from the global IUCN list for the following reasons:

- for well known species groups like vascular plants or vertebrates updates proposed to the IUCN are shown instead of the outdated, but currently accepted status;
- for poorly known species groups (e.g., lichenized fungi) a general assessment is currently not possible and the list presented here is a regional red-list list for Galapagos archipelago.

Numbers of the species included in this list are auto-generated. Adding up the number of species in each category will not always equal the total number indicated. Some species have insufficient data to be categorized while others (e.g., category eradicated) will not be included in the total.

## Results

**Names of taxa included in this checklist:** 135 (128 accepted, 5 unidentified taxon, 1 doubtful, 1 problematic).

**Origin of the taxa included:** 10 accidental, 1 cultivated, 118 endemic, 3 indigenous.

### 1. *Achatina fulica* Bowdich, 1822

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Cultivated.

**Galapagos Distribution:** Santa Cruz.

**References:** Bequaert, J.C. et al. (1950), Correoso, M. et al. (2006), Cowie, R.H. et al. (1998), Raut, S. K. et al. (2002), Thiengo, S. C. et al. (2007).

### 2. *Bulimulus achatellinus* (Forbes, 1850)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Critically Endangered.

**Galapagos Distribution:** Santa Cruz.

3. *Bulimulus acutus* (Leach, 1814)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
4. *Bulimulus adelphus* Dall, 1917  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.
5. *Bulimulus adserseni* G. Coppo nom. nud.  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.
6. *Bulimulus akamatus* Dall, 1917  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Vulnerable.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Smith, A.G. et al. (1964).
7. *Bulimulus albemarlensis* Dall, 1917  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Data Deficient.  
**Galapagos Distribution:** Isabela.
8. *Bulimulus alethorhytidus* Dall, 1917  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Vulnerable.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Smith, A.G. et al. (1964).

9. *Bulimulus allynsmithi* G. Coppoio nom. nud.  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
10. *Bulimulus amastroides* Ancy, 1887  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus; Syn.: *Bulimulus jacobi* Stearns, *Bulimulus calvus* var. ? Stearns fide Dall 1896  
**Origin:** Native, Endemic.  
**IUCN Red List:** Vulnerable.  
**Galapagos Distribution:** Santa Cruz.
11. *Bulimulus approximatus* Dall, 1900  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Dall, W.H. et al. (1900).
12. *Bulimulus asperatus* (Albers, 1857)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus; Syn.: *Bulimulus incrassatus* var. *sulcatus* Reibisch fide Dall & Ochsner 1928  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
13. *Bulimulus bauri* Dall, 1893  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
14. *Bulimulus blombergi* Odhner, 1951  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus; Syn.: *Bulimulus deroyi* fide A.G. Smith 1974  
**Origin:** Native, Endemic.  
**IUCN Red List:** Vulnerable.  
**Galapagos Distribution:** Santa Cruz.
15. *Bulimulus calvus* (Sowerby, 1833)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Vulnerable.

**Galapagos Distribution:** Santa Cruz.

16. *Bulimulus calvus caryonis* Dall & Ochnser, 1928

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

17. *Bulimulus canaliferus* Reibisch, 1892

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

18. *Bulimulus cavagnaroi* (Smith, 1972)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Vulnerable.

**Galapagos Distribution:** Santa Cruz.

19. *Bulimulus chemnitzoides* (Forbes, 1850)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus; Syn.: *Bulimulus lima* fide R.E.C. Stearns 1893

**Origin:** Native, Endemic.

**IUCN Red List:** Critically Endangered.

**Galapagos Distribution:** Santa Cruz.

20. *Bulimulus cinerarius* Dall, 1917

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus; Syn.: *Bulimulus cinereus*, *vermiculatus* Dall fide Dall 1917

**Origin:** Native, Endemic.

**IUCN Red List:** Endangered.

**Galapagos Distribution:** Santa Cruz.

21. *Bulimulus cucullinus* Dall, 1917

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Endangered.

**Galapagos Distribution:** Santa Cruz.

22. *Bulimulus curtus* Reibisch, 1892

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus; Syn.: *Bulimulus amastroides* var. *anceyi* Dall fide Dall 1896

**Origin:** Native, Endemic.

**IUCN Red List:** Critically Endangered.

**Galapagos Distribution:** Santa Cruz.

**References:** Dall, W.H. et al. (1900).

23. *Bulimulus darwini* (Pfeiffer, 1846)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Vulnerable.

**Galapagos Distribution:** Santa Cruz.

24. *Bulimulus deridderi* G. Coppoio nom. nud.

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Critically Endangered.

**Galapagos Distribution:** Santa Cruz.

25. *Bulimulus duncanus* Dall, 1893

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Critically Endangered.

**Galapagos Distribution:** Santa Cruz.

**References:** Dall, W.H. et al. (1900).

26. *Bulimulus elaeodes* Dall, 1917

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Data Deficient.

**Galapagos Distribution:** Santa Cruz.

27. *Bulimulus eos* Odhner, 1951

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus; Syn.: *Bulimulus scalesiana* fide A.G. Smith fide 1974

**Origin:** Native, Endemic.

**IUCN Red List:** Critically Endangered.

**Galapagos Distribution:** Santa Cruz.

28. *Bulimulus eschariferus* (Sowerby, 1833)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus; Syn.: *Bulimulus rugulosus* Reeve (not Sowerby), *Bulimulus eschariferus bizonalis*, *Bulimulus eschariferus subconoidalis* fide Dall 1896  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Dall, W.H. et al. (1900), Smith, A.G. et al. (1964).
29. *Bulimulus eschariferus pileatus* Dall, 1896  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
30. *Bulimulus eschariferus ventrosus* Reibisch, 1892  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
31. *Bulimulus galapaganus* (Pfeiffer, 1855)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.
32. *Bulimulus gilderoyi* Van Mol, 1972  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
33. *Bulimulus habeli* Stearns, 1892  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus; Syn.: *Bulimulus* (*Pleuropyrgus*) *terebra* fide Stearns 1893  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.

34. *Bulimulus hemaerodes* Dall, 1917  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Data Deficient.  
**Galapagos Distribution:** Santa Cruz.
35. *Bulimulus hirsutus* (Vagvolgyi, 1977)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.
36. *Bulimulus hoodensis* Dall, 1900  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Vulnerable.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Dall, W.H. et al. (1900).
37. *Bulimulus indefatigabilis* Dall, 1900  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Dall, W.H. et al. (1900).
38. *Bulimulus invalidus* Reibisch, 1892  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
39. *Bulimulus jacobi* (Sowerby, 1833)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus; Syn.: *Bulimulus pallidus* Reibisch fide Dall 1896  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Coppoio, G. et al. (1987), Dall, W.H. et al. (1900).



40. *Bulimulus jacobi vermiculatus* Dall, 1893  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus; Syn.: *Bulimulus jacobi cinereus* fide Dall 1896  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
41. *Bulimulus jervisensis* Dall, 1917  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Vulnerable.  
**Galapagos Distribution:** Santa Cruz.
42. *Bulimulus josevillani* G. Coppo nom. nud.  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.
43. *Bulimulus krameri* G. Coppo nom. nud.  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.
44. *Bulimulus kublerensis* (Chambers, 1986)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
45. *Bulimulus lycodus* Dall, 1917  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.
46. *Bulimulus nesioticus* Dall, 1896  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Vulnerable.

**Galapagos Distribution:** Santa Cruz.

**References:** Smith, A.G. et al. (1964).

47. *Bulimulus nilsodhneri* G. Coppoio nom. nud.

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Critically Endangered.

**Galapagos Distribution:** Santa Cruz.

48. *Bulimulus nucula* (Pfeiffer, 1854)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus; Syn.: *Bulimulus nux* var. *Stearns* fide Dall 1896

**Origin:** Native, Endemic.

**IUCN Red List:** Data Deficient.

**Galapagos Distribution:** Santa Cruz.

49. *Bulimulus nux* (Broderip, 1832)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus; Syn.: *Bulimulus nuciformis*, *Bulimulus incrassatus*, *Bulimulus unifasciatus* Reibisch (non Sowerby) fide Dall 1896

**Origin:** Native, Endemic.

**IUCN Red List:** Endangered.

**Galapagos Distribution:** Santa Cruz.

**References:** Coppoio, G. et al. (1987), Dall, W.H. et al. (1900).

50. *Bulimulus nux asperatus* (Albers, 1857)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus; Syn.: *Bulimulus asperatus* Martens, *Bulimulus asperatus* Pfeiffer (not Reibisch) fide Dall 1896

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

51. *Bulimulus nux basiplicatus* Dall & Ochsner, 1928

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

52. *Bulimulus nux incrassatus* Pfeiffer, 1852

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

53. *Bulimulus nux monotoeniis* Dall & Ochsner, 1928

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

54. *Bulimulus nux nuciformis* Petit, 1853

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

55. *Bulimulus nux perchloris* Dall & Ochsner, 1928

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

56. *Bulimulus nux verrucosus* (Pfeiffer, 1854)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus; Syn.: *Bulimulus verrucosus*, *Bulimulus asperatus* Reibisch (non Pfeiffer) fide Dall 1896

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

57. *Bulimulus ochsneri* Dall, 1917

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Critically Endangered.

**Galapagos Distribution:** Santa Cruz.

58. *Bulimulus olla* Dall, 1893

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus; Syn.: *Bulimulus jacobi* Reeve, not Sowerby fide Dall 1893

**Origin:** Native, Endemic.

**IUCN Red List:** Endangered.

**Galapagos Distribution:** Santa Cruz.

59. *Bulimulus olla jacobinus* Dall & Ochnser, 1928

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

60. *Bulimulus perrus* Dall, 1917

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Vulnerable.

**Galapagos Distribution:** Santa Cruz.

61. *Bulimulus perspectivus* (Pfeiffer, 1846)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus; Syn.: *Bulimulus rugulosus* Reibisch fide Dall 1896

**Origin:** Native, Endemic.

**IUCN Red List:** Endangered.

**Galapagos Distribution:** Santa Cruz.

62. *Bulimulus pinzonensis* (Vagvolgyi, 1977)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

63. *Bulimulus pinzonopsis* (Vagvolgyi, 1977)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

64. *Bulimulus planospira* Ancey, 1887

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus; Syn.: *Bulimulus eschariferus* Reeve (text not fig), *Bulimulus rugulosus planospira* Ancey, *Bulimulus rugulosus* Reeve fide Dall 1896

**Origin:** Native, Endemic.

**IUCN Red List:** Endangered.

**Galapagos Distribution:** Santa Cruz.

65. *Bulimulus prepinguis* (Vagvolgyi, 1977)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
66. *Bulimulus rabidensis* Dall, 1917  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Vulnerable.  
**Galapagos Distribution:** Santa Cruz.
67. *Bulimulus reibischi* (Dall, 1895)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.
68. *Bulimulus rugatinus* Dall, 1917  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus; Syn.: *Bulimulus acutus* (Reibisch 1892) fide Dall 1917  
**Origin:** Native, Endemic.  
**IUCN Red List:** Data Deficient.  
**Galapagos Distribution:** Santa Cruz.
69. *Bulimulus rugiferus* (Sowerby, 1833)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Data Deficient.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Dall, W.H. et al. (1900).
70. *Bulimulus rugulosus* (Sowerby, 1839)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus; Syn.: *Bulimulus eschariferus* Reeve (non Sowerby) fig but not text, *Bulimulus rugulosus nudus* Reibisch fide Dall 1896  
**Origin:** Native, Endemic.  
**IUCN Red List:** Endangered.  
**Galapagos Distribution:** Santa Cruz.

71. *Bulimulus rugulosus infuscata* Ancey, 1887  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
72. *Bulimulus saeronius* Dall, 1917  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.
73. *Bulimulus sculpturatus* (Pfeiffer, 1846)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.
74. *Bulimulus simrothi* Reibisch, 1892  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Data Deficient.  
**Galapagos Distribution:** Isabela.
75. *Bulimulus snodgrassi* Dall, 1900  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Dall, W.H. et al. (1900).
76. *Bulimulus sp. 1*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Isabela.
77. *Bulimulus sp. 2*  
**Taxon status:** Taxon not identified to species, subspecies, form or variety.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Isabela.

78. *Bulimulus sp. 3*

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Isabela.

79. *Bulimulus sp. 4*

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Isabela.

80. *Bulimulus sp. 6*

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

81. *Bulimulus sp. 7*

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

82. *Bulimulus sp. 8*

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

83. *Bulimulus sp. 9*

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

84. *Bulimulus steadmani* (Chambers, 1986)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

85. *Bulimulus tanneri* (Dall, 1895)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Critically Endangered.

**Galapagos Distribution:** Santa Cruz.

**References:** Dall, W.H. et al. (1900).

86. *Bulimulus tanneri bartolomensis* (Vagvolgyi, 1977)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

87. *Bulimulus tanneri edenensis* (Vagvolgyi, 1977)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

88. *Bulimulus tortuganus* Dall, 1893

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Vulnerable.

**Galapagos Distribution:** Santa Cruz.

89. *Bulimulus trogonius* Dall, 1917

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Naesiotus

**Origin:** Native, Endemic.

**IUCN Red List:** Data Deficient.

**Galapagos Distribution:** Santa Cruz.



90. *Bulimulus tuideroi* G. Coppoio nom. nud.  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.
91. *Bulimulus unifasciatus* (Sowerby, 1833)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Vulnerable.  
**Galapagos Distribution:** Santa Cruz.
92. *Bulimulus ustulatus* (Sowerby, 1833)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus; Syn.: *Bulimulus venustus* fide Dall 1896  
**Origin:** Native, Endemic.  
**IUCN Red List:** Vulnerable.  
**Galapagos Distribution:** Santa Cruz.
93. *Bulimulus ustulatus pallescens* Dall & Ochsner, 1928  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
94. *Bulimulus ustulatus phlegonis* Dall & Ochsner, 1928  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
95. *Bulimulus ustulatus venustus* Reibisch, 1892  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
96. *Bulimulus vanmoli* Coppoio, 1985  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus

**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.

97. *Bulimulus ventrosus* Reibisch, 1892  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
98. *Bulimulus wolffi* Reibisch, 1892  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Subgenus: Naesiotus; Syn.: *Bulimulus cymatias* fide G. Coppois  
**Origin:** Native, Endemic.  
**IUCN Red List:** Critically Endangered.  
**Galapagos Distribution:** Santa Cruz.
99. *Cecilioides acicula* (Müller, 1774)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Miquel, S.E. et al. (2012), Pilsbry, H.A. et al. (1909-10).
100. *Cecilioides aperta* (Guilding in Swainson, 1840)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**Galapagos Distribution:** Santa Cruz.  
**References:** Pilsbry, H.A. et al. (1946).
101. *Cecilioides consobrina* (d'Orb., 1835)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Isabela, Santa Cruz.  
**References:** Pilsbry, H.A. et al. (1909-10).
102. *Deroceras laeve* (Müller, 1774)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
**Origin:** Introduced, Accidental.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Floreana, Isabela, Santa Cruz.

103. *Ellobium stagnalis* (d'Orbigny, 1835)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Syn.: *Ellobium granulinum stagnale*, *Auricula papillifera*, *A. granulina* fide Dall 1896; CDRS: 748, 845, 1329, 1330, 1504  
**Origin:** No Data.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Isabela, Santa Cruz, Santa Fé.  
**References:** Dall, W.H. et al. (1896), Finet, Y. et al. (2001), Hickman, C.P. Jr. et al. (1999), Keen, A.M. et al. (1958).
104. *Euconulus galapaganus* (Dall, 1893)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Syn.: *Conulus galapaganus* Dall 1893  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz.  
**References:** Dall, W. H. et al. (1928).
105. *Gastrocopta clausa* (Reibisch, 1892)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Syn.: *Pupilla clausa* (Reibisch, 1892)  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Santa Cruz.
106. *Gastrocopta duncana* Pilsbry, 1931  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Syn.: *Pupilla duncana* (Pilsbry, 1931)  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Pinzón.  
**References:** Pilsbry, H.A. et al. (1931).
107. *Gastrocopta reibischi* (Dall, 1917)  
**Taxon status:** Taxonomic status unresolved or unrevised.  
Syn.: *Pupilla reibischi* Dall, 1917; Miguel, S.e. (2013) probelematic taxon, possibly a synonym of *Gastrocopta munita* (Reibisch, 1893) as suggested by Pilsbry (1918).  
**Origin:** Native, Endemic.  
**IUCN Red List:** Not Evaluated.  
**Galapagos Distribution:** Isabela.
108. *Guppya bauri* (Dall, 1892)  
**Taxon status:** Accepted name; taxon occurs in Galapagos.  
Syn.: *Zonites (Hyalinia) bauri* Dall fide Dall 1896; *Trochomorpha bauri* Dall fide Dall & Ochnser 1928  
**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Isabela.

**References:** Dall, W.H. et al. (1900), Dall, W.H. et al. (1896).

109. *Guppya sp.*

**Taxon status:** Taxon not identified to species, subspecies, form or variety.

**Origin:** No Data.

**Galapagos Distribution:** Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

110. *Habroconus galapaganus* (Dall, 1893)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Conulus galapaganus* Dall 1893, *Euconulus galapaganus* (Dall, 1893), fide Dall & Ochsner, 1928; Miguel, S.E. (2013): included in the genus *Habroconus* with some hesitation.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Unknown.

**References:** Baker, H.B. et al. (1941).

111. *Helicina nesiotica* Dall, 1892

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Helicina wolfi* Reibisch 1893, fide Dall, 1896

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Isabela, San Cristóbal.

**References:** Dall, W.H. et al. (1900), Odhner, N. et al. (1951).

112. *Helicina ochsneri* Dall, 1917

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: *Idesa*

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

**References:** Dall, W. H. et al. (1928).

113. *Lamellaxis gracilis* (Hutton, 1834)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Allopeas gracile* (Hutton, 1834); *Opeas juncea* (Hutton, 1834), *Opeas gracile* (Hutton, 1834), fide Pilsbry 1906

**Origin:** Introduced, Accidental.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Floreana, Santa Cruz.

**References:** Pilsbry, H.A. et al. (1906).

114. *Lamellaxis micra* (d'Orb., 1835)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Floreana, Isabela, Santa Cruz.

**References:** Pilsbry, H.A. et al. (1946).

115. *Melampus trilineatus* Adams, 1852

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: Auricula trilineata fide Dall 1896

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

116. *Nesopupa galapagensis* Vagvolgyi, 1974

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: Infranesopupa

**Origin:** Native.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santiago.

**References:** Vagvolgyi, J. et al. (1974).

117. *Onchidella steindachneri* (Semper, 1882)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

CAS: several specimens (ex.: 185), FNRS-Belgian Expedition to the Galapagos, 1984, MHNG expedition to the Galapagos, 1993; Syn.: Onchidium steindachneri Semper, 1885

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Floreana, San Cristóbal, Santa Cruz.

**References:** Appeltans, W. et al. (2010), Constant, P. et al. (2007), Finet, Y. et al. (1991), Finet, Y. et al. (2001), Hickman, C.P. Jr. et al. (1999), Kay, E.A. et al. (1991), Keen, A.M. et al. (1958).

118. *Opeas pumilum* (Pfeiffer, 1840)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: Opeas goodali (Miller, 1822)

**Origin:** Introduced, Accidental.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Isabela, Santa Cruz.

119. *Pedipes angulatus* C.B. Adams, 1852

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: Pedipes liratus; CDRS: 730, 1212, 1226, 1497, 1248 (as Pedipes liratus), FNRS-Belgian expedition to the Galapagos, 1984

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Isabela, Santa Cruz.

**References:** Finet, Y. et al. (1991), Finet, Y. et al. (2001), Hickman, C.P. Jr. et al. (1999), Keen, A.M. et al. (1958).

120. *Pupisoma dioscoricola* (C.B. Adams, 1845)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Subgenus: (Ptychopatula)

**Origin:** Native, Indigenous.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Floreana, Isabela, Santa Cruz.

**References:** Hausdorf, B. et al. (2007).

121. *Pupisoma galapagorum* Pilsbry, 1934

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.?: *P. comicolense* H.B. Baker, 1928.

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** San Cristóbal.

**References:** Hausdorf, B. et al. (2007), Pilsbry, H.A. et al. (1934).

122. *Retinella actinophora* (Dall, 1900)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Vitrea actinophora* Dall, 1900, fide Cambers, 1991; Miguel, S.E. (2013): included in the genus *Retinella* with some hesitation.

**Origin:** Native, Endemic.

**Galapagos Distribution:** Unknown.

123. *Retinella chathamensis* (Dall, 1893)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Hyalinia chathamensis* Dall, fide Dall 1896, *Vitrea chathamensis* Dall, 1893; *Bulimulus (Pelecostoma) cymatoferus* Reibisch fide Dall 1896; Miguel, S.E. (2013): included in the genus *Retinella* with some hesitation.

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Pinta, San Cristóbal, Santa Cruz.

**References:** Dall, W.H. et al. (1900).

124. *Sarasinula plebeia* (Fischer, 1868)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Vaginulus plebeius* (Fischer, 1868)

**Origin:** Introduced, Accidental.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Floreana, Isabela, San Cristóbal, Santa Cruz.

125. *Siphonaria gigas* Sowerby, 1825

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Siphonaria characteristic*, Reeve, 1856, fide Dall 1896, type locality: Galapagos; CAS: 78, 79 (Stanford Univ. coll.), BMNH: 1982035 (2 syntypes of *Siphonaria characteristic* Reeve, 1856)

**Origin:** Native, Indigenous.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

**References:** Adams, C.B. et al. (1852), Dall, W.H. et al. (1896), Finet, Y. et al. (2001), Keen, A.M. et al. (1958), Reeve, L. et al. (1843-78).

126. *Strobilops helleri* (Dall, 1900)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Isabela.

127. *Subulina octona* (Bruguiere, 1792)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz.

**References:** Odhner, N. et al. (1951).

128. *Succinea bettii* Smith, 1877

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Succinea wolfi* fide Dall 1896

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Isabela, San Cristóbal, Santa Cruz.

**References:** Dall, W.H. et al. (1900), Smith, E.A. et al. (1877).

129. *Succinea brevior* E.A. Smith, 1877

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Succinea bettii* var *brevior* fide Dall 1896

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

**References:** Dall, W.H. et al. (1900).

130. *Succinea corbis* Dall, 1893

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Isabela, Santa Cruz.

**References:** Dall, W.H. et al. (1900).

131. *Succinea producta* (Reibisch, 1892)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: *Succinea wolfi* var. *producta* fide Dall 1896

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** San Cristóbal, Santa Cruz.

**References:** Dall, W.H. et al. (1900).

132. *Tornatellides chathamensis* (Dall, 1892)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: Tornatellina chathamensis (Dall, 1892); Syn.: Leptinaria chathamensis; Bulimulus (Pelecostoma) cymatoferus fide Dall 1896

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz.

**References:** Dall, W.H. et al. (1900), Odhner, N. et al. (1951).

133. *Tralia panamensis* Adams, 1852

**Taxon status:** The identification of this taxon or its occurrence in Galapagos is doubtful.

Syn.: Auricula panamensis fide Dall 1896; Finet (2001): One lot identified (by A.M. Strong) as “Melampus panamensis C.B. Adams” is recorded from the Galapagos in the collections of the CAS (n° 27221); but the specimens were misidentified and have been reidentified recently as *Tralia vanderbilti* Schwengel. The citations by Wimmer (1880) and Stearns (1893) were also probably based on misidentifications.

**Origin:** Native, Endemic.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Santa Cruz.

**References:** Stearns, R.E.C. et al. (1893), Wimmer, A. et al. (1880).

134. *Williamia peltoides* (Carpenter, 1864)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

Syn.: Nacella peltoides, N. subspiralis, Siphonaria peltoides fide Dall, 1896, Williamia galapagana Dall, 1917 (nomen nudum as of Dall, 1909); AMNH: 117922, CDRS: 741, 1267, USNM: 60416 (“Holotype” and “Paratype” of W. galapagana Dall, nomen novum for Nacella subspiralis Wimmer, 1879, non Carpenter, 1866), 102365 (“Paratypes” of W. galapagana Dall). Finet (2001): The Holotype of Williamia peltoides (Carpenter) is not from the Galapagos, but from Cape San Lucas, Baja California.

**Origin:** Native, Indigenous.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Española, Fernandina, Santa Cruz, Santa Fé.

**References:** Dall, W.H. et al. (1896), Dall, W.H. et al. (1917), Dall, W.H. et al. (1909), Finet, Y. et al. (1991), Finet, Y. et al. (2001), Hickman, C.P. Jr. et al. (1999), Keen, A.M. et al. (1958).

135. *Zonitoides arboreus* (Say, 1816)

**Taxon status:** Accepted name; taxon occurs in Galapagos.

**Origin:** Introduced, Accidental.

**IUCN Red List:** Not Evaluated.

**Galapagos Distribution:** Isabela, San Cristóbal.

**References:** Baker, H.B. et al. (1941).



## Acknowledgements

We are grateful for the financial report received for this project. Please refer to the website ([www.darwinfoundation.org/datazone/checklist/](http://www.darwinfoundation.org/datazone/checklist/)) for a detailed list of all our donors.

This checklist would not be possible without adjunct and collaborating scientists, and volunteers of the Charles Darwin Foundation. The following scientists and volunteers have contributed to the CDF Checklist of Galapagos Terrestrial and brackish water snails: Sandra Abedrabbo, León L. Baert, Fabián Bersosa, Ruth Boada, Carolina Calderon, Charlotte Causton, David Clarck, André De Roy, Tui De Roy, Germania Estévez, Lilian Guzmán, John M. Heraty, Henri W. Herrera, María T. Lasso, Maria Piedad Lincango, Yale Lubin, Alejandro Mieles, Renato Oquendo, Stewart B. Peck, Helmut W. Rogg, Lázaro Roque-Álbelo.

## References

1. Adams, C.B. (1852) *Catalogue of shells collected at Panama, with notes on their synonymy, station, and geographical distribution*. Annals of Lyceum of Natural History of New York 5: 229-549.
2. Appeltans, W., Bouchet, P., Boxshall, G.A., Fauchald, K., Gordon, D.P., Hoeksema, B.W., Poore, G.C.B., van Soest, R.W.M., Stöhr, S., Walter, T.C., Costello, M.J. (eds.) (2010) *World Register of Marine Species (WoRMS)*. Available online at <http://www.marinespecies.org>.
3. Baker, H.B. (1941) *Zonitid snails from Pacific Islands. Parts 3-4* Bulletin Bernice P. Bishop Museum 166: 205-370
4. Bequaert, J.C. (1950) *Studies in the Achatinidae, a Group of African land snails*. Bulletin of the Museum of Comparative Zoology 105 (1): 1-216
5. Constant, P. (2007) *Marine Life of the Galapagos*. The Diver's guide to Fishes, Whales, Dolphins and marine Invertebrates, 307 pp.
6. Coppois, G., Wells, S. (1987) *Threatened Galápagos Snails*. Oryx 21(4): 236-241.
7. Correoso, M. (2006) *Estrategia preliminar para evaluar y erradicar Achatina fulica (Gastropoda: Achatinaceae) en Ecuador*. Boletín Técnico 6, Serie Zoológica 2: 45-52.
8. Cowie, R.H. (1998) *Patterns of introduction of non-indigenous non-marine snails and slugs in the Hawaiian Islands*. Biodiversity and Conservation 7: 349-368.
9. Dall, W. H., W. H. Ochsner (1928) *Landshells of the Galápagos Islands* Proceedings of the California Academy of Sciences, 4<sup>o</sup> Series, 17 (5): 141-185, pls. 8-9
10. Dall, W.H. (1896) *Diagnosis of new species of mollusks from the west coast of America*. Proceedings of the United States National Museum 18 (1034): 7-20.
11. Dall, W.H. (1900) *Additions to the Insular land-shell faunas of the pacific coast, especially of the Galapagos and Cocos Islands*. Proceedings of the Academy of Natural Sciences of Philadelphia: 88-103.
12. Dall, W.H. (1909) *Report on a collection of shells from Peru, with a summary of the littoral marine Mollusca of the Peruvian zoological Province*. Proc. United States Natl. Mus. 37 (1704): 147-294, pls. 20-28.
13. Dall, W.H. (1917) *Preliminary descriptions of new species of Pulmonata of the Galapagos Islands*. Proceedings of the California Academy of Sciences, 4th series, 2 (pt. 1, no. 11): 375-382.

14. Finet, Y. (1991) *The Marine Mollusks of the Galapagos Islands. In: Galápagos Marine Invertebrate. Taxonomy, Biogeography, and Evolution in Darwin's Islands.* Plenum Press. New York and London, p. 253-280.
15. Finet, Y. (2001) *The marine mollusks of the Galapagos Islands: a documented faunal list.* Editions du Muséum d' Histoire naturelle, Genève, 237 pp.
16. Hausdorf, B. (2007) *Revision of the American Papisoma species (Gastropoda: Pupilloidea)* Journal of Natural History 41 (21-24): 1481-1511
17. Hickman, C.P. Jr., Finet, Y. (1999) *A Field Guide to the Marine Molluscs of Galápagos.* Sugar Spring Press, Lexington, Virginia, 150 pp.
18. Kay, E.A. (1991) *The Marine Mollusks of the Galapagos. Determinants of insular marine Faunas. In: James, M.J. (ed.): Galápagos Marine Invertebrate. Taxonomy, Biogeography, and Evolution in Darwin's Islands.* Plenum Press. New York and London, p. 235-252.
19. Keen, A.M. (1958) *Sea Shells of Tropical West America.* Stanford University Press, Palo Alto, 1st edition, 624 pp.
20. Miquel, S.E., Comparación de especímenes mediante fotografías (2012) CAS-IZ 81526.
21. Odhner, N. (1951) *Studies on Galápagos bulimulids* Journal de Conchyliologie 90 (4): 253-268
22. Pilsbry, H.A. (1906) *Achatinidae: Stenogyrinae and Coeliaxinae.* Manual of Conchology (2) 18: 1-357, 51 pls. The Academy of Natural Sciences of Philadelphia, Philadelphia.
23. Pilsbry, H.A. (1909-10) *Cecilioides, Glessula and Partulidae* Manual of Conchology (2) 20: 1-336, 43 pls. The Academy of Natural Sciences of Philadelphia, ed. Philadelphia
24. Pilsbry, H.A. (1931) *Appendix to Pupillidae* Manual of Conchology (2) 28 (110): 49-96, pls. 9-15
25. Pilsbry, H.A. (1934) *Appendix to Pupillidae* Manual of Conchology (2) 28 (114): 97-160, pls.16-23
26. Pilsbry, H.A. (1946) *Land Mollusca of North America (north of Mexico)* 2 (1): 1- 520 pp. The Academy of Natural Sciences of Philadelphia. Monographs, ed. Philadelphia
27. Raut, S. K., Barker, G. M. (2002) *Achatina fulica Bowdich and Other Achatinidae as Pests in Tropical Agriculture.* In: Barker, G. M. (ed.) Molluscs as Crop Pests. Hamilton, New Zealand. CABI Publishing.
28. Reeve, L. (1843-78) *Conchologia Iconica: or, illustrations of the shells of molluscous animals, vol. 1-20.* London.
29. Smith, A.G. (1964) *Land snails of the Galápagos. In: Bowman, R.I. (ed.): The Galápagos.* Proc. Symposia G.I.S.P., Univ. Calif. Press, Berkeley: 240-251.
30. Smith, E.A. (1877) *Mollusca. In: Günther, A.: Account of the zoological collections made during the visit of H.M.S. "Petrel" to the Galapagos Islands.* Proceedings of the Zoological Society of London (1877): 69-73, 91-93.
31. Stearns, R.E.C. (1893) *Scientific results of explorations by the U.S. Fish Commission steamer "Albatross". No. XXV - Report on the mollusk-fauna of the Galapagos Islands, with descriptions of new species.*

Proceedings of the United States National Museum 16: 353-450.

32. Thiengo, S. C., Faraco, F. A., Salgado, N. C., Cowie, R. H., & Fernandez, M. A. (2007) *Rapid spread of an invasive snail in South America: the giant African snail, Achatina fulica, in Brasil*. *Biological Invasions*, 9(6), 693-702.
33. Vagvolgyi, J. (1974) *Nesopupa galapagensis, a New Indo-Pacific element in the land snail fauna of the Galapagos Islands (Pulmonata: Vertiginidae)*. *The Nautilus* 88(3): 86-89.
34. Wimmer, A. (1880) *Zur Conchylien-Fauna der Galapagos-Inseln*. *Sitzungsberichte der Kaiserlichen Akademie der Wissenschaften in Wien, Mathemat.-naturwissenschaftl. Kl.*, vol. 80, Abt. 1, no. 10 (1879): 465-514.

---

#### **Disclaimer**

The Charles Darwin Foundation Galapagos Species Checklist is a continuously updated list of all species currently known from the Galapagos Islands and reflects up-to-date knowledge compiled by scientists of the Charles Darwin Foundation (CDF) in collaboration with experts from around the world. CDF shares this data publicly and invites comments, corrections and additions.

Please do not hesitate to contact us; your input is very welcome. However, please understand that additions, changes, and corrections will be posted at periodic intervals after thorough cross-referencing of all new data. As an independent international scientific organization, the Charles Darwin Foundation relies on funding from donors who support our work. Please contact us at [datazone@fcdarwin.org.ec](mailto:datazone@fcdarwin.org.ec) if you would like to support the Charles Darwin Foundation Galapagos Species Checklist and help make knowledge of Galapagos biodiversity more widely available.