

CDF Checklist of Galapagos Marine Annelids

Nathalia Tirado-Sanchez, Angel Chiriboga, Diego Ruiz, Stuart Banks

Last updated: 24 Sep 2014

Abstract

This Checklist of Galapagos Marine Annelids includes a total of all 66 taxa reported from the Galapagos Islands.

For each name, detailed information is provided: its Galapagos distribution in islands groups or bioregions generated from the specimen records, comments about the taxonomy (especially synonyms), the origin (native and introduced), taxon status (accepted vs. rejected records) and relevant literature references.

Introduction

This publication lists all species of Galapagos Marine Annelids currently known.

Marine annelids have a wormlike appearance. Their bodies are thin, hollow tubes subdivided into several individual ring-like compartments. Apart from the head, each compartment is organized identically to the next one, i.e., each one has the same set of organs.

This phylum includes the well known terrestrial earthworms, but also leeches and a large diversity of marine worms.

Polychaetes have a general preference for aquatic environments and are especially common in the sea, but they also inhabit freshwater environments. Only a few inhabit terrestrial environments. Not all worms are annelids, and many other animals have a worm-like structure. Large groups of worms that are not annelids include the nematodes and the flatworms.

Most of these marine annelids of Galapagos have been recorded in plankton samples, only in their larval stages and most records are from the intertidal zone.

Methods

This checklist of all known Galapagos Marine Annelids is automatically generated using the online database of the Charles Darwin Foundation Galapagos Species Checklist.

All CDF Galapagos Species Checklists represent the synthesis of many different records: literature citations, data from previously unpublished reports (grey literature), specimen records of natural history collections located in Galapagos and all over the world. To the best of their knowledge authors of the individual checklists revised all available data. When new information becomes available, the taxonomy of a group changes or new species are discovered, the CDF online database and thus this publication becomes updated.

For many poorly known species groups the higher taxonomic classification still regularly changes according to how our knowledge about species being related changes. In many well known groups the phylogeny is somewhat stable, but to avoid confusion, in particular for groups where taxonomic changes are frequent, all checklists presented here are sorted alphabetical according to genus name and specific epithet. Please refer to the website for the currently accepted taxonomic hierarchy of each group.

Please be aware that the distribution presented here is automatically generated from specimen records and does not always accurately reflect the known distribution for all species.

For marine species, the distribution generally refers to the five main bioregions of the archipelago (Far Northern, Northern, Western, South Eastern and the Elisabeth Bay Bioregion). For the terrestrial species more than 120 islands, islets and small rocks have been aggregated into Islands Groups, thus, for example, the island group "Santa Cruz" includes smaller islands like Santa Fé, Plaza Norte, Plaza Sur, Baltra, Daphne Mayor, Daphne Minor, and others.

IUCN red-list assessments presented here may deviate from the global IUCN list for the following reasons:

- for well known species groups like vascular plants or vertebrates updates proposed to the IUCN are shown instead of the outdated, but currently accepted status;
- for poorly known species groups (e.g., lichenized fungi) a general assessment is currently not possible and the list presented here is a regional red-list list for Galapagos archipelago.

Numbers of the species included in this list are auto-generated. Adding up the number of species in each category will not always equal the total number indicated. Some species have insufficient data to be categorized while others (e.g., category eradicated) will not be included in the total.

Results

Names of taxa included in this checklist: 66 (55 accepted, 10 unidentified taxon, 1 doubtful).

Origin of the taxa included: 25 indigenous.

1. *Aeolosoma maritimum dubiosum* Westheide & Schmidt, 1974

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Española, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz.

References: Westheide, W. et al. (1974).

2. *Amphisamytha galapagensis* Zottoli, 1983

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Zottoli, R.A. et al. (1983).

3. *Anoplosyllis edentula* Claparède, 1868

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Syllides edentula* (Claparède, 1868) (new combination), fide Appeltans et al. (2010)

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

4. *Boccardia galapagense* Blake, 1986

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Blake, J.A. et al. (1986).

5. *Branchiosyllis exilis* (Gravier, 1900)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Branchiosyllis uncinigera* (Hartmann-Schröder, 1960), *Syllis* (*Typosyllis*) *cirropunctata* Michel, 1909, *Syllis* (*Typosyllis*) *exilis* Gravier, 1900, *Syllis cirropunctata* Michel, 1909, *Syllis exilis* Gravier, 1900, *Syllis solida* Grube, 1878 (subjective synonym), *Trypanosyllis uncinigera* Hartmann-Schröder, 1960, *Typosyllis cirropunctata* (Michel, 1909), *Typosyllis exilis* (Gravier, 1900), fide Appeltans et al. (2010)

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

6. *Brania arminii* (Langerhans, 1881)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Brania oculata* (Hartmann-Schröder, 1960), *Grubea arminii* Langerhans, 1881, *Pionosyllis oculata* Hartmann-Schröder, 1960, fide Appeltans et al. (2010)

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010).

7. *Brania heterocirra* Rioja, 1941

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

8. *Brania mediodentata* Westheide, 1974

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

9. *Caulleriella alata* (Southern, 1914)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Caulleriella viridis pacifica* Berkeley, 1929 (subjective synonym), *Heterocirrus alatus* (Junior Synonym), fide Appeltans et al. (2010)

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

10. *Ceratonereis monronis* Westheide, 1977

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype (P-13673) in ZMUH; Acc. name: *Ceratonereis* (*Compositia*) *monronis* (Westheide, 1977), fide Appeltans et al. (2010)

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1977), Westheide, W. et al. (1991).

11. *Chaetopterus aduncus* Nishi, Hickman & Bailey-Brock, 2009

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Fernandina.

References: Nishi, E. et al. (2009).

12. *Chaetopterus charlesdarwinii* Nishi, Hickman & Bailey-Brock, 2009

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinzón, Santa Cruz, Santiago.

References: Nishi, E. et al. (2009).

13. *Chaetopterus galapagensis* Nishi, Hickman & Bailey-Brock, 2009

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Floreana, Isabela, Santa Cruz.

References: Nishi, E. et al. (2009).

14. *Chloeia viridis* Schmarda, 1861

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Chloeia candida* Kinberg, 1857 (subjective synonym), *Chloeia euglochis* Ehlers, 1887 (subjective synonym), *Chloeia modesta* Ehlers, 1887 (subjective synonym), *Chloenea candida* (Kinberg, 1967) (objective synonym), fide Appeltans et al. (2010)

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz, Santa Fé, Santiago.

References: Appeltans, W. et al. (2010), Constant, P. et al. (2007).

15. *Dinophilus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Schmidt, P. et al. (1977).

16. *Diurodrilus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Schmidt, P. et al. (1977).

17. *Ehlersia rosea magna* Westheide, 1974

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

18. *Eunice sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Westheide, W. et al. (1977).

19. *Eurythoe complanata* (Pallas, 1766)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

IUCN Red List: Not Evaluated.

Galapagos Distribution: Floreana, Santa Cruz.

References: Constant, P. et al. (2007).

20. *Eusyllis homocirrata* Hartmann-Schröder, 1958

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

21. *Exogone longicornis* Westheide, 1974

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

22. *Exogone microtentaculata* Westheide, 1974

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

23. *Exogone naidinoides* Westheide, 1974

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

24. *Exogone occidentalis* Westheide, 1974

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

25. *Galapagomystides aristata* Blake, 1985
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: No Data.
Galapagos Distribution: Santa Cruz.
References: Appeltans, W. et al. (2010), Blake, J.A. et al. (1985).
26. *Galeolaria* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: No Data.
Galapagos Distribution: Santa Cruz.
References: Appeltans, W. et al. (2010), Bustamante, R.H. et al. (2002).
27. *Gorgoniapolynoe galapagensis* Pettibone, 1991
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: No Data.
Galapagos Distribution: Santa Cruz.
References: Appeltans, W. et al. (2010), Pettibone, M.H. et al. (1991).
28. *Halosydna galapaginas* Hartman, 1938
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: No Data.
Galapagos Distribution: Santa Cruz.
References: Appeltans, W. et al. (2010), Hartman, O. et al. (1938).
29. *Halosydnella galapagensis* (Monro, 1928)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Halosydna galapagensis* Monro, 1928, fide Hartman (1938)
Origin: No Data.
Galapagos Distribution: Santa Cruz.
References: Appeltans, W. et al. (2010), Hartman, O. et al. (1938), Monro, C.C.A. et al. (1928).
30. *Haplosyllis spongicola* (Grube, 1855)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).
31. *Hesionides unilamellata* Westheide, 1974
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).
32. *Lanicides taboguillae* (Chamberlin, 1919)
Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Nicolea galapagensis* Chamberlin, 1919 and *N. taboguillae* Chamberlin, 1919, fide Monro (1933)

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Chamberlin, R.V. et al. (1919), Monro, C.C.A. et al. (1933).

33. *Lysidice ninetta* Audouin & Milne-Edwards, 1833

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1977).

34. *Macellicephalo galapagensis* Pettibone, 1985

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Pettibone, M.H. et al. (1985).

35. *Marphysa furcellata* Crossland, 1903

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1977).

36. *Megalomma mushaensis* Gill, 1862

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

IUCN Red List: Not Evaluated.

Galapagos Distribution: Santa Cruz.

37. *Mesochaetopterus ecuadorica* Nishi, Hickaman & Baily-Brock, 2009

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Fernandina, Floreana, Isabela, Santiago.

References: Nishi, E. et al. (2009).

38. *Microphthalmus indefatigatus* Westheide, 1974

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

39. *Nematonereis hebes* Verrill, 1900

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Nematonereis unicornis* Schmarda, 1861, fide Appeltans et al. (2010)

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Schmarda, L.K. et al. (1861), Westheide, W. et al. (1977).

40. *Ophryotrocha sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Westheide, W. et al. (1977).

41. *Opisthosyllis corallicola* Hartmann-Schröder, 1965

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

42. *Palolo siciliensis* (Grube, 1840)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1977).

43. *Parasphaerosyllis indica* Monro, 1937

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

44. *Pisione galapagoensis* Westheide, 1974

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1974), Westheide, W. et al. (1991).

45. *Protodorvillea sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Westheide, W. et al. (1977).

46. *Protodrilus pierantonii* Aiyar & Alikuhni, 1944

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española.

References: Appeltans, W. et al. (2010), Schmidt, P. et al. (1977), Westheide, W. et al. (1991).

47. *Protodrilus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Schmidt, P. et al. (1977).

48. *Pseudonereis gallapagensis* Kinberg, 1865

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Kinberg, J.G.H. et al. (1866).

49. *Pseudonereis variegata* (Grube, 1857)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1977).

50. *Sabellastarte sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Bustamante, R.H. et al. (2002).

51. *Saccocirrus sonomacus* Martin, 1977

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Santa Cruz, Santiago.

References: Appeltans, W. et al. (2010), Schmidt, P. et al. (1977), Westheide, W. et al. (1991).

52. *Saccocirrus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Schmidt, P. et al. (1977).

53. *Salmacina sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Bustamante, R.H. et al. (2002).

54. *Salmacina tribranchiata* (Moore, 1923)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

IUCN Red List: Not Evaluated.

Galapagos Distribution: Santa Cruz.

55. *Salvatoria neapolitana* (Goodrich, 1930)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Brania subterranea* (Hartmann-Schröder, 1956), *Grubeosyllis neapolitana* (Goodrich, 1930), *Pionosyllis neapolitana* Goodrich, 1930, *Pionosyllis subterranea* Hartmann-Schröder, 1956, *Pseudobrania subterranea* (Hartmann-Schröder, 1956), fide Appeltans et al. (2010)

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010).

56. *Schistomeringos pacifica* Westheide, 1977

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype (P-13674) in ZMUH

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1977).

57. *Sphaerosyllis hystrix* Claparède, 1863

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

58. *Sphaerosyllis pumila* Westheide, 1974

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

59. *Spirobranchus giganteus* (Pallas, 1766)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

IUCN Red List: Not Evaluated.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Banks, S. et al. (2009), Bustamante, R.H. et al. (2002).

60. *Syllides edentatus* Westheide, 1974

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Syllides japonica edentata* Westheide, 1974, *Syllis edentatus* Westheide, 1974, fide Appeltans et al. (2010)

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010).

61. *Syllis hyalina* Grube, 1863

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pionosyllis hyalina* (Grube, 1863), *Syllis* (*Typosyllis*) *hyalina* Grube, 1863, *Syllis* (*Typosyllis*) *hyalina* *juanensis* Augener, 1922 (subjective synonym), *Syllis* (*Typosyllis*) *melanopharyngea* Augener, 1918 (objective synonym), *Syllis* (*Typosyllis*) *tristanensis* (Day, 1954), *Syllis borealis* Malmgren, 1867, *Syllis hyalina* Grube, 1863, *Syllis macrocola* Marenzeller, 1874, *Syllis pellucida* Ehlers, 1864, *Syllis simillima* Claparède, 1864, *Syllis velox* Bobretzky, 1870, *Typosyllis* (*Syllis*) *hyalina* (Grube, 1863), *Typosyllis* (*Syllis*) *velox* (Bobretzky, 1870), *Typosyllis* (*Typosyllis*) *hyalina* (Grube, 1863), *Typosyllis aciculata orientalis* Imajima, 1966, *Typosyllis hyalina* (Grube, 1863), *Typosyllis melanopharyngea* (Augener, 1918), *Typosyllis orientalis* Imajima & Hartman, 1964, *Typosyllis tristanensis* Day, 1954, fide Appeltans et al. (2010)

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

62. *Syllis variegata* Grube, 1860

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Isosyllis armoricana* (Claparède, 1863), *Syllis* (*Typosyllis*) *variegata* Grube, 1860, *Syllis* (*Typosyllis*) *variegata variegata* Cognetti, 1954, *Syllis armoricana* Claparède, 1863, *Syllis aurantiaca* Claparède, 1868, *Syllis hexagonifera* Claparède, 1864, *Syllis nigropunctata* Haswell, 1886, *Syllis oblonga* Keferstein, 1862, *Syllis schmardiana* Haswell, 1886, *Syllis variegata profunda* Cognetti, 1954, *Syllis variegata variegata* Cognetti, 1954, *Syllis variegata* Grube, 1860 (*lapsus calami*), *Thoe fusiformis* Kinberg, 1866 (subjective synonym), *Typosyllis* (*Syllis*) *aurantiaca* (Claparède, 1868), *Typosyllis* (*Syllis*) *variegata* (Grube, 1860), *Typosyllis* (*Typosyllis*) *variegata* (Grube, 1860), *Typosyllis armoricana* (Claparède, 1863), *Typosyllis aurantiaca* (Claparède, 1868), *Typosyllis cirromaculata* Hartmann-Schröder, 1960, *Typosyllis variegata* (Grube, 1860), *Typosyllis variegata profunda* (Cognetti, 1954), fide Appeltans et al. (2010)

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010).

63. *Synelmis albini* (Langerhans, 1881)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Ancistrosyllis albini* Langerhans, 1881, *Ancistrosyllis gorgonensis* Monro, 1933, fide Appeltans et al. (2010)

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

64. *Tomopteris cf. pacifica* Eschscholtz, 1825

Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

65. *Trypanosyllis taeniaeformis* (Haswell, 1886)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Trypanosyllis richardi* Gravier, 1900 (subjective synonym), fide Appeltans et al. (2010)

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

66. *Typosyllis glarearia* Westheide, 1974

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Westheide, W. et al. (1991).

Acknowledgements

We are grateful for the financial report received for this project. Please refer to the website (www.darwinfoundation.org/datazone/checklist/) for a detailed list of all our donors.

This checklist would not be possible without adjunct and collaborating scientists, and volunteers of the Charles Darwin Foundation. The following scientists and volunteers have contributed to the CDF Checklist of Galapagos Marine Annelids: Margarita Brandt, Rodrigo Bustamante, Graham Edgar, José Miguel Fariña, Cleveland Hickman, Paul Kingston, Fernando Pinillos, Fernando Rivera, Franz Smith, Mariana Vera, Luis Vinueza.

References

1. Appeltans, W., Bouchet, P., Boxshall, G.A., Fauchald, K., Gordon, D.P., Hoeksema, B.W., Poore, G.C.B., van Soest, R.W.M., Stöhr, S., Walter, T.C., Costello, M.J. (eds.) (2010) *World Register of Marine Species (WoRMS)*. Available online at <http://www.marinespecies.org>.
2. Banks, S., Vera, M. & Chiriboga, A. (2009) *Establishing Reference Points to Assess Long-Term Change in Zooxanthellate Coral Communities of the Northern Galapagos Coral Reefs*. J. Sci. Conserv. in the Galapagos Islands, p. 43-64.
3. Blake, J.A. (1985) *Polychaeta from the Vicinity of Deep-Sea Geothermal Vents in the eastern Pacific. I: Euprosinidae, Phyllocoridae, Hesionidae, Nereididae, Glyceridae, Dorvilleidae, Orbiniidae and Maldanidae*. Bull. Biol. Soc. Washington 6: 67-101.
4. Blake, J.A. (1986) *A New Species of Boccardia (Polychaeta: Spionidae) from the Galapagos Islands and a Redescription of Boccardia basilaria Hartman from Southern California*. Bull. Southern Calif. Acad. Sci. 85(1): 16-21.
5. Bustamante, R.H., Vinueza, L.R., Smith, F., Banks, S., Calvopiña, M., Francisco, V., Chiriboga, A., Harris, J. (2002) *Comunidades submareales rocosas I: Organismos sésiles y mesoinvertebrados móviles*. In: Danulat, E. & Edgar, G.J. (eds.) (2002): *Reserva Marina de Galápagos. Línea Base de la Biodiversidad*. Fundación Charles Darwin/Servicio Parque Nacional Galápagos, Santa Cruz, Galápagos, Ecuador, p. 38-67.
6. Chamberlin, R.V. (1919) *The Annelida Polychaeta*. Memoirs of the Museum of Comparative Zoology at Harvard College, 48: 1-514.
7. Constant, P. (2007) *Marine Life of the Galapagos*. The Diver's guide to Fishes, Whales, Dolphins and marine Invertebrates, 307 pp.

8. Hartman, O. (1938) *The types of the polychaete worms of the families Polynoidae and Polyodontidae in the United States National Museum and the description of a new genus*. Proceedings of the United States National Museum, 86(3046): 107-134.
9. Kinberg, J.G.H. (1866) *Annulata nova*. Öfversigt af Königlich Vetenskapsakademiens förhandlingar, Stockholm, 23(4): 97-103.
10. Monro, C.C.A. (1928) *Polychaeta of the families Polynoidae and Acoetidae from the vicinity of the Panama Canal, collected by Dr. C. Crossland and Dr. Th. Mortensen*. Zoological Journal of the Linnean Society, London, 36: 553-576.
11. Monro, C.C.A. (1933) *The Polychaeta sedentaria collected by Dr. C. Crossland at Colón, in the Panama region, and the Galapagos Islands during the expedition of the S.Y. 'St. George'*. Proceedings of the Zoological Society of London, 1933: 1039-1092.
12. Nishi, E., Hickman, C.P., Jr. & Bailey-Brock, J.H. (2009) *Chaetopterus and Mesochaetopterus (Polychaeta: Chaetopteridae) from the Galapagos Islands, with Descriptions of Four New Species*. Proceedings of the Academy of Natural Sciences of Philadelphia 158(1):239-259.
13. Pettibone, M.H. (1985) *New genera and species of deep-sea Macellicephalinae and Harmothoinae (Polychaeta: Polynoidae) from the hydrothermal rift areas off the Galapagos and western Mexico at 21 N and from Santa Catalina Channel*. Proceedings of the Biological Society of Washington 98(3): 740-757.
14. Pettibone, M.H. (1991) *Polynoids commensal with gorgonian and stylasterid corals, with new genus, new combinations and new species (Polychaeta: Polynoidae: Polynoinae)*. Proceedings of the Biological Society of Washington, 104(4): 688-713.
15. Schmarda, L.K. (1861) *Neue wirbellose Thiere beobachtet und gesammelt auf einer Reise um die Erde 1853 bis 1857. Erster Band (zweite Hälfte) Turbellarian, Rotatorien und Anneliden*. Wilhelm Engelmann, Leipzig, 164 pp.
16. Schmidt, P., Westheide, W. (1977) *Intersitielle Fauna von Galapagos XVII. Polygordiidae, Saccocirridae, Protodrilidae, Nerillidae, Dinophilidae (Polychaeta)*. Mikrofauna des Meeresbodens 62: 1-38.
17. Westheide, W., Schmidt, P. (1974) *Interstitielle Fauna von Galapagos VI. Aelosoma maritimum dubiosum nov. ssp. (Annelida, Oligochaeta)*. Mikrofauna des Meeresbodens 28: 1-11.
18. Westheide, W. (1974) *Interstitielle Fauna von Galapagos XI. Pisionidae, Hesionidae, Pilargidae, Syllidae (Polychaeta)*. Mikrofauna des Meeresbodens 44: 1-146.
19. Westheide, W. (1977) *Interstitielle Fauna von Galapagos XVIII. Nereidae, Eunicidae, Dorvilleidae (Polychaeta)*. Mikrofauna des Meeresbodens 63: 1-40.
20. Westheide, W. (1991) *The meiofauna of the Galápagos: a review*. In: M.J. James (ed.): *Galápagos marine invertebrates. Taxonomy, biogeography, and evolution in Darwin's islands*. Plenum Press, New York and London, p. 37-73.
21. Zottoli, R.A. (1983) *Amphisamytha galapagensis, a new species of ampharetid polychaete from the vicinity of abyssal hydrothermal vents in the Galapagos Rift, and the role of this species in rift ecosystems*. Proceedings of the Biological Society of Washington 96(3): 379-391.

Disclaimer

The Charles Darwin Foundation Galapagos Species Checklist is a continuously updated list of all species currently known from the Galapagos Islands and reflects up-to-date knowledge compiled by scientists of the Charles Darwin Foundation (CDF) in collaboration with experts from around the world. CDF shares this data publicly and invites comments, corrections and additions.

Please do not hesitate to contact us; your input is very welcome. However, please understand that additions, changes, and corrections will be posted at periodic intervals after thorough cross-referencing of all new data. As an independent international scientific organization, the Charles Darwin Foundation relies on funding from donors who support our work. Please contact us at datazone@fcdarwin.org.ec if you would like to support the Charles Darwin Foundation Galapagos Species Checklist and help make knowledge of Galapagos biodiversity more widely available.