

CDF Checklist of Galapagos Introduced Vertebrates

Gustavo Jiménez-Uzcátegui, Javier Zabala, Brian Milstead, Howard L. Snell

Last updated: 24 Sep 2015

Abstract

This Checklist of Galapagos Introduced Vertebrates includes a total of all 42 taxa reported from the Galapagos Islands.

For each name, detailed information is provided: its Galapagos distribution in islands groups or bioregions generated from the specimen records, comments about the taxonomy (especially synonyms), the origin (native and introduced), taxon status (accepted vs. rejected records) and relevant literature references.

Introduction

This publication lists all species of Galapagos Introduced Vertebrates currently known.

Relatively few vertebrate species are known to be introduced to Galapagos. The large majority of vertebrates were brought to Galapagos on purpose. They were introduced for human benefit, such as horses, donkeys, goats, pigs, cattle, dogs and cats. Others, like mice and rats, arrived unintentionally as soon as the first humans explored this archipelago.

Although the checklist of introduced vertebrates is quite short and relatively few species were introduced, vertebrates continue to be among the most damaging invaders of the Galapagos natural ecosystems.

Among the worst species are the Norwegian Rat (*Rattus norvegicus*) and the House or Black Rat (*Rattus rattus*); both not only cause economic damage, but they are also effective predators of native species. On many islands introduced rats have caused the extinction of endemic rice rat species.

The damage caused by invasive vertebrate species is especially great on the inhabited islands. Cats (*Felis catus*) continue to represent a huge threat to native and endemic bird populations. Feral pigs (*Sus scrofa*) and donkeys (*Equus asinus*) disturb regeneration of natural vegetation, and for many years goats (*Capra hircus*) completely devastated the natural vegetation on most Galapagos Islands.

Introduced already by whalers and pirates, the first human visitors to the Galapagos, the eradication of goats began relatively late. Between 1954 and 1959 goats were first successfully eradicated from Pinta and subsequently on a few of the smaller islands.

In 1998, a large-scale eradication project began on the islands of Isabela (Volcán Alcedo) and Santiago. During this Isabela Project, the Charles Darwin Foundation and the Galapagos National Park jointly targeted feral goats with an array of different hunting techniques: using specially trained dogs, small teams of park rangers hunting on foot, tracing sterilized “Judas” goats equipped with radio collars, helped by helicopter hunts and aerial surveys.

Eight years later, in 2006 the project concluded successfully, reporting that all goats had been eradicated from

two islands of unprecedented size.

This success clearly demonstrates that eradication of vertebrate species is feasible. Unlike invertebrates, which are very difficult to target because of their enormous quantities and effective reproduction strategies and unlike plants, which survive most eradication efforts because of their seed banks, the eradication of vertebrates does not represent such a huge challenge.

Larger animals can be hunted successfully and smaller ones are typically targeted quite effectively with venom. Large scale application of poisoned bait, however, is not without risk for non target species and in 2010/2011 trial eradications of the two introduced rat species are under way for the smaller islands Bartolomé and Rabida.

Methods

This checklist of all known Galapagos Introduced Vertebrates is automatically generated using the online database of the Charles Darwin Foundation Galapagos Species Checklist.

All CDF Galapagos Species Checklists represent the synthesis of many different records: literature citations, data from previously unpublished reports (grey literature), specimen records of natural history collections located in Galapagos and all over the world. To the best of their knowledge authors of the individual checklists revised all available data. When new information becomes available, the taxonomy of a group changes or new species are discovered, the CDF online database and thus this publication becomes updated.

For many poorly known species groups the higher taxonomic classification still regularly changes according to how our knowledge about species being related changes. In many well known groups the phylogeny is somewhat stable, but to avoid confusion, in particular for groups where taxonomic changes are frequent, all checklists presented here are sorted alphabetical according to genus name and specific epithet. Please refer to the website for the currently accepted taxonomic hierarchy of each group.

Please be aware that the distribution presented here is automatically generated from specimen records and does not always accurately reflect the known distribution for all species.

For marine species, the distribution generally refers to the five main bioregions of the archipelago (Far Northern, Northern, Western, South Eastern and the Elisabeth Bay Bioregion). For the terrestrial species more than 120 islands, islets and small rocks have been aggregated into Islands Groups, thus, for example, the island group "Santa Cruz" includes smaller islands like Santa Fé, Plaza Norte, Plaza Sur, Baltra, Daphne Mayor, Daphne Minor, and others.

IUCN red-list assessments presented here may deviate from the global IUCN list for the following reasons:

- for well known species groups like vascular plants or vertebrates updates proposed to the IUCN are shown instead of the outdated, but currently accepted status;
- for poorly known species groups (e.g., lichenized fungi) a general assessment is currently not possible and the list presented here is a regional red-list list for Galapagos archipelago.

Numbers of the species included in this list are auto-generated. Adding up the number of species in each category will not always equal the total number indicated. Some species have insufficient data to be categorized while others (e.g., category eradicated) will not be included in the total.

Results

Names of taxa included in this checklist: 42 (41 accepted), 1 rejected.

Origin of the taxa included: 19 accidental, 7 cultivated, 1 eradicated, 8 escaped, 7 intercepted.

1. *Anas platyrhynchos* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007), Meyer De Schauensee, R.M. et al. (1966).

2. *Anser anser* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007).

3. *Aratinga erythrogenys* Lesson, 1844

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal.

References: Jiménez-Uzcátegui, G. et al. (2007), Vargas, H. et al. (1996), Wiedenfeld, D.A. et al. (2006).

4. *Bos taurus* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Escaped.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007), Wolf, T. et al. (1892).

5. *Bubulcus ibis* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Hickin, N. et al. (1979), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Lévêque, R. et al. (1966), Pérez, S. et al. (1987), Swash, A. et al. (2000), Wiedenfeld, D.A. et al. (2006).

6. *Canis lupus familiaris* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Two Syn. *Canis familiaris*, Linnaeus 1758 and *Canis familiaris domesticus*, Linnaeus 1758

Origin: Introduced, Escaped.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: ANONYMOUS et al. (1976), Barnett, B.D. et al. (1986), Barnett, B.D. et al. (1983), Gingrich, E.N. et al. (2010), Heyerdahl, T. et al. (1956), Hickin, N. et al. (1979), Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007), Kaiser, J. et al. (2001), Kruuk, H. et al. (1979), Levy, J.K. et al. (2008), McIlroy, J. C et al. (1981), Meek, P.D. et al. (1999), Mietje G. et al. (2009), Nowak, R.M. et al. (1991), Rammell, C. G. et al. (1978), Snell. H et al. (1981), Tapia, W. et al. (2000).

7. *Capra hircus* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

The common goat, *Capra hircus*, is a domesticated species that is closely related to the wild goat species *Capra aegagrus*.

Origin: Introduced, Escaped.

Galapagos Distribution: Española, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Black, J. et al. (1973), Calvopiña, L. et al. (1985), Calvopiña, L. et al. (1980), Calvopiña, L. et al.

(1977), Campbell, K. et al. (2004), Campbell, K. et al. (2006), Coblenz, B.E et al. (1978), Hamann, O. et al. (1975), Heyerdahl, T. et al. (1956), Hickin, N. et al. (1979), Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007), Merlen, G. et al. (1999), Parkes, J. et al. (1996).

8. *Cavia porcellus* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007), Patry, M. et al. (2002).

9. *Columba livia* Gmelin, 1789

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Eradicated.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Abbott, I. et al. (1973), Andrade, G. et al. (1998), Bennet, G.W et al. (1996), Harmon, W.M. et al. (1987), Jiménez-Uzcátegui, G. et al. (2007), Johnston, R.F. et al. (1992), Long, J.L. et al. (1981), Padilla, L.R. et al. (2004), Parker, P.G. et al. (2006), Phillips, R. B. et al. (2012), Phillips, R. B. et al. (2012), Phillips, R. B. et al. (2003), Phillips, R. B. et al. (2003), Ranney, J. et al. (2009), Sol, D. et al. (1992), Wiedenfeld, D.A. et al. (2006).

10. *Coturnix coturnix* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007).

11. *Crotophaga ani* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Escaped.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Ballesteros, N. et al. (1984), BirdLife International et al. (2012), Fessler, B. et al. (2002), Harris, M.P. et al. (1973), Jiménez-Uzcátegui, G. et al. (2008), Jiménez-Uzcátegui, G. et al. (2007), Patry, M. et al. (2002), Quinn, J. S. et al. (2000), Rosenberg, D.K et al. (1990), Soria, M. et al. (2006), Tapia, W. et al. (2000), Wiedenfeld, D.A. et al. (2006).

12. *Didelphis marsupialis* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Quezada, G. et al. (2014).

13. *Equus asinus* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Escaped.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Álvarez-Romero, J. et al. (2005), Beever, E.A. et al. (2000), Carrión, V. et al. (2006), Coulter, J. et al. (1845), Department of the Environment and Heritage et al. (2004), Don E. Wilson et al. (2005), Huggins, B. et al. (2002), IUCN/SSC Invasive Species Specialist Group (ISSG) et al. (2010), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007), McDonnell, S. M. et al. (1998), Reid, S.W. J et al. (1997), Royo, A. R. et al. (), Rudman, R. et al. (1998).

14. *Equus caballus* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Carrión, V. et al. (2006), Coulter, J. et al. (1845), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007).

15. *Felis catus* (Schreber, 1775)

Taxon status: Accepted name; taxon occurs in Galapagos.

Synonyms: *Felis catus domestica*, Erxleben 1777 and *Felis sylvestris* Schreber 1777. There is some confusion as to the correct species name. Schreber (1775) illustrated a plate as '*Felis Catus ferus*', and in 1777 the text listed '*Felis (Catus) sylvestris*' and '*Felis Catus (domestica)*.' Opinion 465 of the International Commission on Zoological Nomenclature (1957f) declared *silvestris* as the specific name for the European wild cat (with the understanding that *F. catus* and *F. sylvestris* are usually considered conspecific). Wilson & Reeder (eds., 2005) note that some consider *catus* and *sylvestris* (and *lybica/libyca*) to be conspecific. If this view were followed, there would be a problem with the continued use of the name *Felis sylvestri*.

Origin: Introduced, Escaped.

Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Balseca, M.A et al. (2002), Borroto-Paez, R. et al. (2013), Brickner, I. et al. (2003), Dexter, N et al. (2004), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007), Levy, J.K. et al. (2008), MacDonald, I. A. W. et al. (1987), Naveda, B. et al. (1949), Salvin, O. et al. (1876).

16. *Gallus gallus* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn: *Gallus domesticus*

Origin: Introduced, Cultivated.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Dubey, J. P et al. (2009), Fassbinder-Orth et al. (2009), Gottdenker, N.L. et al. (2005), Jiménez-Uzcátegui, G. et al. (2007), Miller, E. et al. (2003), Parker, P.G. et al. (2006), Permin, A. et al. (undated), Soos, C. et al. (2008), Thiel, T. et al. (2005), Wiedenfeld, D.A. et al. (2006), Wikelski, M. et al. (2004).

17. *Gonatodes caudiscutatus* Günther, 1859

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Gonatodes collaris* Garman, 1892.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007), Olmedo, L.J. et al. (1994), Olmedo, L.J. et al. (1994), Van Denburgh, J. et al. (1912), Vanzolini, P.E. et al. (1965).

18. *Hemidactylus frenatus* Schlegel, 1836

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Torres-Carvajal, O. et al. (2011).

19. *Homo sapiens sapiens* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

20. *Iguana iguana* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Intercepted.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007).

21. *Lampropeltis micropholis* Cope, 1860

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Unknown.

References: Sevilla, C. et al. (2014).

22. *Lampropeltis triangulum sinaloae* Williams, 1978

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Intercepted.

Galapagos Distribution: Unknown.

23. *Lepidodactylus lugubris* Duméril & Bibron, 1836

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, Marchena, San Cristóbal, Santa Cruz.

References: Carrillo, E. et al. (2005), Jiménez-Uzcátegui, G. et al. (2007), Olmedo, L.J. et al. (1994), Olmedo, L.J. et al. (1994), Wright, J.W. et al. (1983).

24. *Meleagris gallopavo* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: Isabela, Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007).

25. *Mus musculus* (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn: *Mus abbotti* Waterhouse, 1837, *Mus domesticus* Rutt, 1772. Includes *domesticus* as a subspecies (Wilson and Reeder 2005). All Philippine populations of *Mus* are now placed in the species *M. musculus* (subspecies *castaneus*) and the species is considered to be non-native (Marshall 1977).

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Atkinson, I. A. E. et al. (2000), Bell, B.D. et al. (2002), Harris, D.B. et al. (2006), Hickin, N. et al. (1979), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007), MacKay, J.W.B. et al. (2007), Mills, K. L. et al. (2002), Moors, P. J. et al. (1992), O'Connor, et al. (2000), Patry, M. et al. (2002), Veitch, C. R. et al. (2002), Witmer, G.W et al. (2007).

26. *Numida meleagris* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007).

27. *Oreochromis niloticus* (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Appeltans, W. et al. (2010), Jiménez-Uzcátegui, G. et al. (2007), Toral, V. et al. (2006).

28. *Oryctolagus cuniculus* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007).

29. *Ovis aries* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: Santa Cruz.

References: Hoeck, H.N. et al. (1984), Jiménez-Uzcátegui, G. et al. (2007), Patry, M. et al. (2002).

30. *Pavo muticus* Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007).

31. *Phyllodactylus reissii* Peters, 1862

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Escaped.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Carrillo, E. et al. (2005), Garman, S. et al. (1892), Jiménez-Uzcátegui, G. et al. (2007), Olmedo, L.J. et al. (1994), Olmedo, L.J. et al. (1994), Peters, W.C.H. et al. (1862), Slevin, J.R. et al. (1935), Torres-Carvajal, O. et al. (2011), Uetz, P. et al. (2013).

32. *Plestiodon inexpectatus* (Taylor, 1932)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Eumeces inexpectatus* Taylor, 1932 fide Uetz & Hošek (2013)

Origin: Introduced, Intercepted.

Galapagos Distribution: Unknown.

References: Jiménez-Uzcátegui, G. et al. (2007), Uetz, P. et al. (2013).

33. *Podocnemis unifilis* Troschel, 1848

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Intercepted.

IUCN Red List: Vulnerable.

Galapagos Distribution: San Cristóbal.

References: Jiménez-Uzcátegui, G. et al. (2007).

34. *Rattus norvegicus* Berkenhout, 1769

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn: *Epimys norvegicus* Miller, 1912, *Mus decumanus* Pallas, 1778, *Mus hibernicus* Thompson, 1837, *Mus norvegicus* Berkenhout, 1769

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Atkinson, I. A. E. et al. (2000), Bertram D. F. et al. (1995), Bourne, John B. et al. (2006), Buitrón, P. et al. (2007), Cromarty, P. L. et al. (2002), Harris, D.B. et al. (2006), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007), Lattanzio, R. M. et al. (1980), Lovegrove, T. G. et al. (2002), Merton., D. G. et al. (2002), Moors P. M. et al. (1985), Moors, P. J. et al. (1992), O'Connor, et al. (2000), Russell, James C. et al. (2005), Silver, J. et al. (1927), Thorsen, M. et al. (2000), Tompkins J. et al. (2001).

35. *Rattus rattus* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Angel, A. et al. (2009), Atkinson, I. A. E. et al. (2000), Bertram D. F. et al. (1995), Buitrón, P. et al. (2007), Cayot, L.J. et al. (1994), Cayot, L.J. et al. (1996), Cayot, L.J. et al. (2007), Clark, D. B. et al. (1978), Clark, D.B. et al. (1984), Clark, D.B. et al. (1980), Cruz, F. et al. (1987), Cruz, J.B. et al. (1987), Empson, R. A. et al. (1999), Harper G. A. et al. (2011), Harris, D.B. et al. (2006), Hickin, N. et al. (1979), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007), Key, G. E. et al. (1994), Lattanzio, R. M. et al. (1980), Lovegrove, T. G. et al. (2002), Merton., D. G. et al. (2002), Moors P. M. et al. (1985), Moors, P. J. et al. (1992), Muñoz, E. et al. (1990), O'Connor, et al. (2000), Patton, J.L. et al. (1975), Russell, James C. et al. (2005), Silver, J. et al. (1927), Snell, H.L. et al. (1994), Thorsen, M. et al. (2000), Tompkins J. et al. (2001), Towns, D. R. et al. (2006).

36. *Rhinella marina* (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Bufo sp.; Rana marina, Linnaeus, 1758; Bufo marinus (Linnaeus, 1758), Rhinella marinus (Linnaeus, 1758); Bufo brasiliensis Laurenti, 1768; Bufo horridus Daudin, 1803; Bombinator maculatus Merrem, 1820; Bufo albicans Spix, 1824; Bufo lazarus Spix, 1824; Bufo horribilis Wiegmann, 1833; Bufo pithecodactylus Werner, 1899; Bufo angustipes Taylor & Smith, 1945; Bufo pythecodactylus Werner, 1961

Origin: Introduced, Intercepted.

Galapagos Distribution: San Cristóbal.

References: Jiménez-Uzcátegui, G. et al. (2007).

37. *Saguinus oedipus* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Intercepted.

Galapagos Distribution: San Cristóbal.

References: Jiménez-Uzcátegui, G. et al. (2007).

38. *Scinax quinquefasciatus* Fowler, 1913

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007), Patry, M. et al. (2002), Snell, H.L. et al. (1999), Tapia, W. et al. (2000), Vintimilla, J.E. et al. (2005).

39. *Sicalis flaveola* Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

IUCN Red List: Least Concern.

Galapagos Distribution: Unknown.

References: Quezada, G. et al. (2014).

40. *Sus scrofa* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn. No valid, Sus domesticus, Erxleben, 1777

Origin: Introduced, Escaped.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Carrión, V. et al. (2014), Challies, C.N. et al. (1975), Chimer, C. et al. (1995), Coblentz, B. E. et al. (1987), Coblentz, B.E et al. (1978), Cruz, F. et al. (2005), Hickin, N. et al. (1979), Hoeck, H.N. et al. (1984), Jácome, M. et al. (1989), Jiménez-Uzcátegui, G. et al. (2007), Wolf, T. et al. (1892).

41. *Trachemys scripta* (Schoepff, 1792)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Chrysemys scripta (Schoepff, 1792), Trachemys scripta Schoepff, 1792

Origin: Introduced, Intercepted.

IUCN Red List: Least Concern.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007).

Rejected taxa

1. *Phyllodactylus tuberculatus* Wiegmann, 1835

Two specimens collected from San Cristobal in 1888 by J.R. Slevin (see Van Denburgh, 1912), and it had a mistake in the identification (see Taylor 1942). Also, J. Olmedo collected on the same Island a juvenile specimen (?) in 1992, but it was a bad identification (Olmedo's thesis did't present this record).

Acknowledgements

We are grateful for the financial report received for this project. Please refer to the website (www.darwinfoundation.org/datazone/checklist/) for a detailed list of all our donors.

This checklist would not be possible without adjunct and collaborating scientists, and volunteers of the Charles Darwin Foundation. The following scientists and volunteers have contributed to the CDF Checklist of Galapagos Introduced Vertebrates: Paola Buitrón, Jose Calvopiña, Karl Campbell, Victor Carrion, Linda Cayot, Brian Cooke, Felipe Cruz, Mark Gardener, Sandra Landázuri, Alizon Llerena, Cruz Márquez, Brand Phillips, F. Hernán Vargas, David A. Wiedenfeld.

References

1. ANONYMOUS (1976) *Tortoises, iguanas and the menace of feral dogs*. Noticias de Galapagos 25:1-2.
2. Abbott, I., Abbott, L.K. (1973) *New distribution records of 65 plant species within the Galapagos Archipelago*. Charles Darwin Research Station (CDRS), unpublished.
3. Andrade, G. (1998) *Efecto de las especies introducidas y transplantadas sobre la biota local*. p. 93-95. En: Chaves, M.E.; Arango, N. (eds.) *Causas de pérdida de biodiversidad Instituto de Investigación de Recursos Biológicos Alexander von Humboldt*. Informe Nacional sobre el Estado de la Biodiversidad 1997 – Colombia. Instituto Humboldt, PNUMA, Ministerio del Medio Ambiente. p.93-95.
4. Angel, A., Wanless, R. M. and Cooper, J. (2009) *Review of the impact of the introduced house mouse on islands in the Southern Ocean: are mice equivalent to rats?* Biological Invasions 11: 1743-1754.
5. Appeltans, W., Bouchet, P., Boxshall, G.A., Fauchald, K., Gordon, D.P., Hoeksema, B.W., Poore, G.C.B., van Soest, R.W.M., Stöhr, S., Walter, T.C., Costello, M.J. (eds.) (2010) *World Register of Marine Species (WoRMS)*. Available online at <http://www.marinespecies.org>.
6. Atkinson, I. A. E., Atkinson, T. J. (2000) *Land vertebrates as invasive species on islands served by the South Pacific Regional Environment Programme*. In: *Invasive Species in the Pacific: A Technical Review and Draft Regional Strategy*. South Pacific Regional Environment Programme, Samoa: 19-84.
7. Ballesteros, N. (1984) *Los garrapateros en la parte alta de la Isla Santa Cruz*. High school thesis, Galapagos. Charles Darwin Research Station Library.
8. Balseca, M.A (2002) *Respuesta de la lagartija de lava (Microlophus albermalensis) a la erradicacion de gatos ferales (Felis catus) en la isla Baltra, Galápagos*. Tesis, Universidad del Azuay. Tesis, Universidad del Azuay.

9. Barnett, B.D., R. L. Rudd (1983) *Feral dogs of the Galapagos Islands: Impact and control*. Int. J. Stud. An. Prob. 4:44-58.
10. Barnett, B.D. (1986) *Eradication and control of feral and free ranking dogs in the Galápagos Islands*. Proc. Vertebr. Pest Conf. 12: 358-368.
11. Beever, E.A., Brussard, P.F. (2000) *Examining ecological consequences of feral horse grazing using exclosures*. Western North American Naturalist.
12. Bell, B.D. (2002) *The eradication of alien mammals from five offshore islands, Mauritius, Indian Ocean*. In: Turning the tide: the eradication of invasive species: 40-45. IUCN SSC Invasive Species Specialist Group. IUCN. Gland. Switzerland and Cambridge. UK.
13. Bennet, G.W, J.M. Owens; R.M. Corrigan (1996) *Guía científica de Truman para operaciones de control de plagas*. Advanstar Communications. Cleveland, pp. 343-362.
14. Bertram D. F., Nagorsen D. W. (1995) *Introduced rats on Queen Charlotte Island: Implications for seabird conservation*. Canadian Field-Naturalist 109: 6 – 10
15. BirdLife International (2012) *Crotophaga ani*. *The IUCN Red List of Threatened Species*. Version 2014.2. . Downloaded on 18 September 2014.
16. Black, J. (1973) *Galápagos. Archipiélago del Ecuador*. Imp. Europa (CDF & WWF), Quito, 1-138.
17. Borroto-Paez, R., et.al. (2013) *Valoración rápida de gatos ferales y otros mamíferos invasores en cayo Santa María, norte de Villa Clara, Cuba*. Solenodon 11. Pp 120-130.
18. Bourne, John B. (2006) *Norway Rat Exclusion in Alberta*. Alberta Agriculture and Food.
19. Brickner, I. (2003) *The impact of domestic cat (Felis catus) on wildlife welfare and conservation: a literature review*. Web: <http://www.tau.ac.il/lifesci/zoology/members/yom-tov/inbal/cats.pdf>
20. Buitrón, P., J. Zavala (2007) *Revisión, compilación y evaluación de datos sobre Rattus sp. en el archipiélago de Galápagos. Informe sobre la base de datos de roedores introducidos y análisis de los datos en ella contenidos*. Fundación Charles Darwin. Informe Técnico. Pp. 1-24.
21. Calvopiña, L. (1977) *Estructura y Dinámica de la Población de chivos Salvajes (Capra hircus) y los efectos en la Vegetación de la isla San Salvador, Galápagos*. Tesis Universidad Católica del Ecuador.
22. Calvopiña, L., Calvopiña, F. (1980) *Ecología de las cabras salvajes (Capra hircus), de la isla Santiago, Galápagos*. Resumen VIII Congreso Latinoamericano de Zoología. Pp. 81-82.
23. Calvopiña, L. (1985) *Biología, Estructura Poblacional y Control de Chivos Salvajes en la isla Santiago*. Estación Científica Charles Darwin, Informe Técnico.
24. Campbell, K., Donlan, J., Cruz, F. & Carrión, V. (2004) *Eradication of Feral Goats Capra hircus from Pinta Island, Galápagos, Ecuador*. Oryx 38(3): 328-333.
25. Campbell, K. (2006) *Manipulation of the reproductive system of feral goats (Capra hircus) to increase the efficacy of judas goats: field methods utilizing tubal sterilization, abortion, hormone, implants and epididymectomy*. University of Queensland, Thesis PhD.

26. Carrillo, E., Aldás, S., Altamirano, M.A., Ayala-Varela, F., Cisneros-Heredia, D.F., Endara, A., Márquez, C., Morales, M., Nogales-Sornosa, F., Salvador, P., Torres, M.L., Valencia, J., Villamarín-Jurado, F., Yáñez-Muñoz, M.H. & Zárate, P. (2005) *Lista Roja de los Reptiles del Ecuador*. Fundación Novum Milenium, UICN-Sur, UICN-Comité Ecuatoriano, Ministerio de Educación y Cultura, Serie Proyecto PEEPE. Quito, 46 pp.
27. Carrión, V., Donlan, J., Campbell, K., Lavoie, C. & Cruz, F. (2006) *Feral Donkey (Equus asinus) Eradications in the Galápagos*. Biod. and Cons. DOI 10.1007/s10531-005-5825-7.
28. Carrión, V. (2014) *Conversaciones personales*
29. Cayot, L.J, Rassman, K. and Trillmilch, F. (1994) *Are marine iguanas endangered on islands with introduced predators*. Noticias de Galapagos 53: 13-15.
30. Cayot, L.J., Muñoz, E. and Murillo, G. (1996) *Conservation of the tortoises of Pinzón Island*. Charles Darwin Research Station Annual Report 1988-1989: 29-35.
31. Cayot, L.J. (2007) *Project Pinzon: Ecosystem restoration of the Galapagos Islands through introduced rodent removal*. Charles Darwin Foundation and Galapagos National Park Service, Puerto Ayora, Galapagos. 54 pp.
32. Challies, C.N. (1975) *Feral pigs (Sus scrofa) on Auckland Island: status, and effects on vegetation and nesting sea birds*. New Zealand Journal of Zoology Vol 2: 479 - 490.
33. Chimer, C., Coleman, M.C., Parkes, J.P. (1995) *Diet of feral coat and feral pogs on Auckland Island, New Zealand*. New Zealand Journal of Ecology Vol. 19 No. 2. Pp 203-207
34. Clark, D. B. (1978) *Population biology of two rodents of the Galapagos Islands*. Ph. D. Thesis. The University of Wisconsin, Madison. U. S. A.
35. Clark, D.B. (1980) *Population ecology of Rattus rattus across a desert-montane forest gradient in the Galapagos islands*. Ecology 61: 1422-1433.
36. Clark, D.B. (1984) *Native land mammals*. In: Perry, R. (ed.). Key environments: Galápagos, pp. 225-231. Pergamon Press, Oxford.
37. Coblenz, B. E., Baber, D. W. (1987) *Biology and Contro of Feral Pigs on Isla Santiago, Galapagos, Ecuador*. Journal of Applied Ecology: 24, 403-41 8
38. Coblenz, B.E (1978) *The Effects of Feral Goats (Capra hircus) on island Ecosystems*. Biol. Conserv. Applied Science Publishers Ltd. England. Pp 279 -286.
39. Coulter, J. (1845) *Adventures in the Pacific; with observations on the natural productions, manners and customs of the natives of the various islands; together with remarks on missionaries, British and other residents, etc*. William Curry, Jun. and Co., Dublin, 290 pp.
40. Cromarty, P. L., K. G Broome, A. Cox, R. A. Empson, W. M. Hutchinson, and I. McFadden. (2002) *Eradication planning for invasive alien animal species on islands- the approach developed by the New Zealand Department of Conservation*. In Turning the tide: the eradication of invasive species: 85-91. Veitch, C.R. and Clout, M.N.(eds). IUCN SSC Invasive Species Specialist Group. IUCN. Gland. Switzerland and Cambridge. UK.

41. Cruz, F., Cruz, J.B. (1987) *Control of black rats (Rattus rattus) and its effect on nesting dark-rumped petrels in the Galápagos islands*. Vida Silvestre Neotropical 1: 3-13.
42. Cruz, F., Donlan, C.J., Campbell, K., Lavoie, C. & V. Carrión (2005) *Conservation action in the Galapagos: feral pig Sus scrofa eradication from Santiago Island* Biol. Conserv. 121: 473-478.
43. Cruz, J.B., Cruz, F. (1987) *Conservation of the dark-rumped petrel Pterodroma phaeopygia in the Galapagos Islands, Ecuador*. Biological Conservation 42: 303-311.
44. Department of the Environment and Heritage (2004) *Feral horse (Equus caballus) and feral donkey (Equus asinus)*. Invasive Species. Department of the Environment and Heritage
45. Dexter, N, Dowler, C., Flanagan, J.P., Hart, S., Revelez, M.A. & Lee, T.E. (2004) *The influence of feral cats Felis catus on the distribution and abundance of introduced and endemic Galápagos rodents*. Pacific Conservation Biology. Volume 10, Number 4. Pp. 209- 215.
46. Don E. Wilson, DeeAnn M. Reeder (2005) *Equus asinus. Mammal Species of the World. A Taxonomic and Geographic Reference (3ª edición)*. Johns Hopkins University Press. (<http://www.bucknell.edu/msw3/browse.asp?s=y&id=14100004>)
47. Dubey, J. P (2009) *Toxoplasma gondii Infections in Chickens (Gallus domesticus): Prevalence, Clinical Disease, Diagnosis and Public Health Significance*. Zoonoses and Public Health Volume 57 Issue 1, Pages 60 – 73
48. Empson, R. A., Miskelly, C. M. (1999) *The risks, costs and benefits of using brodifacoum to eradicate rats from Kapiti Island, New Zealand*. New Zealand Journal of Ecology 23: 241-254.
49. Fassbinder-Orth, Carol A. Hofmeister, Erik K.; Weeks-Levy, Carolyn; Karasov, William H (2009) *Oral and Parenteral Immunization of Chickens (Gallus gallus) Against West Nile Virus with Recombinant Envelope Protein*. Avian Diseases. 53(4). DEC 2009. 502-509
50. Fessl, B., Tebbich, S. (2002) *Philornis downsi - a recently discovered parasite on the Galápagos archipelago - a threat to Darwin's finches?* Ibis 144: 445-451.
51. Garman, S. (1892) *The reptiles of the Galapagos Islands. From the collections of Dr. George Baur*. Bulletin Essex Inst. 24: 73-87.
52. Gingrich, E.N., Scorza, A.V., Clifford, E.L., Olea-Popelka, F.J., & Lappin, M.R. (2010) *Intestinal parasites of dogs on the Galapagos Islands*. Veterinary Parasitology, 169(3-4): 404-407.
53. Gottdenker, N.L., Walsh, T., Vargas, H., Merkel, J., Jiménez-Uzcátegui, G., J., Miller, R.E., Dailey, M. & Parker, P. (2005) *Assessing the risks of introduced chickens and their pathogens to native birds in the Galápagos Archipelago*. Biological Conservation 126: 429–439.
54. Hamann, O. (1975) *Vegetational changes in the Galapagos Islands during the period 1966-1973*. Biol. Conserv. 7(1): 37-59.
55. Harmon, W.M., Clark, W.A., Hawbecker, A.C. & Stafford, M. (1987) *Trichomonas gallinae in columbiform birds from the Galápagos Islands*. Journal of Wildlife Diseases 23(3): 492-494.
56. Harper G. A., Carrion, V. (2011) *Introduced rodents in the Galápagos: colonisation, removal and the future*. Island invasives: eradication and management. Pages 63-66 In: Veitch, C. R.; Clout, M. N. and Towns, D. R.

(eds.). 2011. *Island invasives: eradication and management*. IUCN, Gland, Switzerland.

57. Harris, D.B. (2006) *Introduced black rats and endemic Galapagos rice rats: competition, coexistence and conservation*. A thesis submitted for the degree of Doctor of Philosophy. Linacre College, Oxford.
58. Harris, M.P. (1973) *The Galápagos avifauna*. *Condor* 75(3): 265-278.
59. Heyerdahl, T., Skolsvold, A. (1956) *Archeological evidence of pre-Spanish visit to the Galápagos Island*. *American Antq.* 22: 1-71.
60. Hickin, N. (1979) *Animal life of the Galapagos*. Ferundune Books, Faringdon, U.K., 236 pp.
61. Hoeck, H.N. (1984) *Introduced fauna*. In: Perry, R. (ed.): *Key environments: Galápagos*. Pergamon Press, Oxford, p. 233-246.
62. Huggins, B. (2002) *Equus asinus*. Animal Diversity Web.
63. IUCN/SSC Invasive Species Specialist Group (ISSG) (2010) *A Compilation of Information Sources for Conservation Managers*.
64. Jiménez-Uzcátegui, G., Carrión, V., Zabala, J., Buitrón, P. & Milstead, B. (2007) *Status of introduced vertebrates in Galapagos*. Galapagos Report 2006–2007. Charles Darwin Foundation, Puerto Ayora, p. 136–141.
65. Jiménez-Uzcátegui, G., Milstead, B., Márquez, C., Zabala, J., Buitrón, P., Llerena, A., et al. (2007) *Galapagos vertebrates: endangered status and conservation actions*. Galapagos Report 2006–2007. Charles Darwin Foundation, Puerto Ayora, p. 104–110.
66. Jiménez-Uzcátegui, G., Betancourt, F. (2008) *Avifauna vs automotores*. Informe Galápagos 2007-2008. FCD, PNG & INGALA. Puerto Ayora, Ecuador. p. 111–114.
67. Johnston, R.F. (1992) “*Rock Pigeon (Columba livia)*”, en *The Birds of North America Online* (A. Poole, ed.). Cornell Lab of Ornithology, Ithaca, <http://bna.birds.cornell.edu/bna/species/013> .
68. Jácome, M. (1989) *Mamíferos introducidos en Galápagos*. Informe técnico para la Fundación Charles Darwin y Servicio Parque Nacional. Galápagos. Puerto Ayora, Ecuador. 33 pp.
69. Kaiser, J. (2001) *Galapagos Takes Aim at Alien Invaders*. *New Focus*. Vol 293. Pp 590-592.
70. Key, G. E., Muñoz, E. (1994) *Distribution and current status of rodents in the Galápagos Islands*. *Noticias de Galápagos* 53: 21-25.
71. Kruuk, H. (1979) *Ecology and control of feral dogs in the Galapagos*. Unpublished report, Institute of Terrestrial Ecology, Banchory, Scotland.
72. Lattanzio, R. M., Chapman, J. A. (1980) *Reproductive and physiological cycles in an island population of Norway rats*. *Bulletin of the Chicago Academy of Sciences* 12: 1-68.
73. Levy, J.K., Crawford, C., Lappin, M.R., Dubovi, E.J., Levy, M.G., Alleman, R., Tucker, S.J. & Clifford, E.L. (2008) *Infectious diseases of dogs and cats on Isabela island, Galapagos*. *Journal of Veterinary Internal Medicine* 22: 60-65.

74. Long, J.L. (1981) *Introduced birds of the world: the worldwide history, distribution and influence of birds introduced to new environments*. A.H. & A.W. Reed. Sydney, Australia.
75. Lovegrove, T. G., C. H. Zeiler, B. S. Greene, B. W. Green, R. Gaastra, and A. D. MacArthur. (2002) *Alien plant and animal control and aspects of ecological restoration in a small 'mainland island': Wenderholm Regional Park, New Zealand*. In *Turning the tide: the eradication of invasive species*: 155-163. Veitch, C.R. and Clout, M.N.(eds). IUCN SSC Invasive Species Specialist Group. IUCN. Gland. Switzerland and Cambridge. UK.
76. Lévêque, R., Bowman, R.I. & Billeb, S.L.. (1966) *Migrants in the Galapagos area*. Condor 68(1): 81-101.
77. MacDonald, I. A. W. (1987) *Estrategias para limitar la invasión de organismos introducidos a las áreas protegidas* Memorias. Investigación Botánica y Manejo en Galápagos. Pg.210-223
78. MacKay, J.W.B., Russell, J.C. & Murphy, E.C (2007) *Eradicating house mice from islands: successes, failures and the way forward*. In: *Managing vertebrate invasive species: an international symposium* (eds K.A. Fagerstone and G.W. Witmer). USDA, National Wildlife Research Center, Fort Collins, CO., Fort Collins, Colorado, USA.
79. McDonnell, S. M. (1998) *Reproductive behavior of donkeys (Equus asinus)*. Applied Animal Behavior Science 60: 277-282.
80. McIlroy, J. C (1981) *The sensitivity of Australian animals to 1080 poison I: Intraspecific variation and factors affecting acute toxicity*. Aust. Wildl. Res. 8:369-383.
81. Meek, P.D. (1999) *The movement, roaming behaviour and home ranges of free-roaming dogs, Canis lupus familiaris, in coastal New South Wales*. Wildlife Research. 26. Wildlife Research. 26.
82. Merlen, G. (1999) *El Reino del Galápagos volviendo a su edad de oro*. Fundación Charles Darwin Texto. Pp. 1-5.
83. Merton., D, G., Climo, V. Laboudallon, S. Robert, and C. Mander. (2002) *Alien mammal eradication and quarantine on inhabited islands in the Seychelles*. In *Turning the tide: the eradication of invasive species*: 182-198. Veitch, C.R. and Clout, M.N.(eds). IUCN SSC Invasive Species Specialist Group. IUCN. Gland. Switzerland and Cambridge. UK.
84. Meyer De Schauensee, R.M. (1966) *The Species of Birds of South America and their Distribution*. Academy of Natural Sciences of Philadelphia. Pennsylvania.
85. Mietje G. (2009) *Fossil dogs and wolves from Palaeolithic sites in Belgium, the Ukraine and Russia: osteometry, ancient DNA and stable isotopes*. Journal of Archaeological Science Volume 36, Issue 2, February 2009, Pages 473–490. Web: <http://www.sciencedirect.com/science/article/pii/S0305440308002380> (Acceso abril 2014)
86. Miller, E., Parker P., Duncan M., Merkel J., Padi l la L., Vargas H., Snel l H (2003) *Developing an 'Early Warning System' to Monitor Avian Health in the Gallapagos Islands*. Verh.ber. Erkrq. Zootiere (2003) 41.
87. Mills, K. L, P. Pyle, W. J. Sydeman, J. Buffa, and M. J. Rauzon. (2002) *Direct and indirect effects of house mice on declining populations of a small seabird, the ashy storm-petrel (Oceanodroma homochroa), on Southeast Farallon Island, California, USA*. In *Turning the tide: the eradication of invasive species*: 406 - 414 IUCN SSC Invasive Species Specialist Group. IUCN. Gland. Switzerland and Cambridge. UK.

88. Moors P. M. (1985) *Norway Rats (Rattus norvegicus) on the Noises and Motukawao Islands, Hauraki Gulf, New Zaland*. New Zealand Journal of Ecology 8: 37 - 54.
89. Moors, P. J., Atkinson, I. A. E. and Sherley, G. H. (1992) *Reducing the rat threat to island birds*. Bird Conservation International 2: 93–114.
90. Muñoz, E. (1990) *Seguimiento de la campaña de erradicación de ratas en la Isla Pinzón*. Carta Informata 30 (Estacion científica Charles Darwin, Servicio Parque Nacional Galápagos): 2.
91. Naveda, B. (1949) *Galápagos a la vista*. Ediciones Últimas Noticias, Quito, Ecuador.
92. Nowak, R.M. (1991) *Walker's mammals of the world*. The Johns Hopkins University Press. Baltimore, Maryland, EUA.
93. O'Connor, Cheryl E. and Charles, T. Eason (2000) *Rodent baits and delivery systems for island protection*. SCIENCE FOR CONSERVATION 150
94. Olmedo, L.J., Cayot, L.J. (1994) *Introduced geckos in the towns of Santa Cruz, San Cristobal and Isabela*. Noticias de Galapagos 53: 7-12.
95. Olmedo, L.J. (1994) *Salamanquesas endémicas e introducidas en las islas pobladas de Galápagos*. Tesis de grado previa a la obtención del título de Biología. Facultad de Filosofía Letras y Ciencias de la Educación. Universidad Central del Ecuador. Quito, Ecuador, 110 pp.
96. Padilla, L.R., Santiago-Alarcon, D., Merkel, J., Miller, R.E. & Parker, P.G. (2004) *Survey for Haemoproteus spp., Trichomonas gallinae, Chlamydophila psittaci, and Salmonella spp. in Galapagos Islands Columbiformes*. Journal of Zoo and Wildlife Medicine 35(1): 60–64.
97. Parker, P.G., Whiteman, N.K., & Miller, R.E. (2006) *Conservation medicine on the Galápagos Islands: partnerships among behavioral, population, and veterinarian scientists*. The Auk 123(3): 625-638.
98. Parkes, J., Henzell, R., Pickles, G. (1996) *Managing Vertebrate Pests: Feral Goats* Bureau of Rural Sciences, Canberra
99. Patry, M. (2002) *Estatus de vertebrados introducidos en las islas mayores de Galápagos y estrategias de manejo*. En: Fundación Natura: Informe Galápagos 2001-2002. Quito, Ecuador.
100. Patton, J.L., Yang, S. Y. and Myers, P. (1975) *Genetic and morphologic divergence among introduced rat populations (Rattus rattus) of the Galápagos Archipelago, Ecuador*. Systematic Zoology 24: 296-310
101. Permin, A., G. Pedersen (undated) *The need for a holistic view on disease problems in free-range chickens*. Network for Smallholder Poultry Development The Royal Veterinary and Agricultural University Frederiksberg, Denmark.
102. Peters, W.C.H. (1862) *Über einen neuen Phyllocladus aus Guayaquil* Monatsber. königl. Akad. Wiss. Berlin. 1862 (November): 626-627
103. Phillips, R. B., H.L. Snell and H. Vargas (2003) *Feral Rock Doves in the Galapagos Islands: Biological and Economic Threats*” Noticias de Galápagos 62: 6-10.
104. Phillips, R. B., H. L. Snell and H. Vargas (2003) *Feral rock doves in the Galápagos Islands: Biological and economic threats*. Noticias de Galápagos 62: 6–11

105. Phillips, R. B., D.A. Wiedenfeld and H.L. Snell (2012) *Current status of alien vertebrates in the Galápagos Islands: invasion history, distribution, and potential impacts*. Biol Invasions (2012) 14:461–480 DOI 10.1007/s10530-011-0090-z
106. Phillips, R. B., B. Cooke and H.L. Snell (2012) *Eradication of rock pigeons (Columbia livia), from the Galapagos Islands*. Biological Conservation (Impact Factor: 3.79). 03/2012; 147(1):264–269. DOI: 10.1016/j.biocon.2012.01.013
107. Pérez, S., Nowak, J.B. (1987) *¿Por primera vez anida la Garza Bueyera en Galápagos?* Carta Informativa CDRS 20: 4.
108. Quezada, G. (2014) *Captura de una zarigüeya viva en una barcaza de carga proveniente del buque Floreana*. Informe Técnico de la DPNG. Puerto Ayora, Ecuador. 4 pp.
109. Quezada, G. (2014) *Recepción de un ave terrestre capturada en un avión comercial (aerogal) en Tababela*. Informe Técnico de la DPNG. Puerto Ayora, Ecuador. 5 pp.
110. Quinn, J. S., Startek-Foote, J.M. (2000) *Smooth-billed Ani (Crotophaga ani)*, *The Birds of North America Online* (A. Poole, Ed.). Ithaca: Cornell Lab of Ornithology; Retrieved from the Birds of North America Online: <http://bna.birds.cornell.edu/bna/species/539> Accessed: 20 Jul 2014.
111. Rammell, C. G., P. A. Fleming (1978) *Compound 1080: Properties and use of sodium monofluoroacetate in New Zealand*. Animal Health Division, Ministry of Agriculture and Fisheries, Wellington, New Zealand.
112. Ranney, J. (2009) *What is the impact of introducing an invasive species into an ecosystem?* Wilson High School. Modeling Dynamic Systems. Oregon, EUA. 25p.
113. Reid, S.W. J, Godley, B. J; Henderson, S.M.; Lawrie, G. J.; Lloyd, D; Small, K; Swannie, N; and Thomas, R. L. (1997) *Ecology and behaviour of the feral donkey, Equus asinus, population of the Karpas peninsula, northern Cyprus*. Zoology in the Middle East. 14(0). 27-36.
114. Rosenberg, D.K, Wilson, M.H., Cruz, F. (1990) *The Distribution and Abundance of the Smooth-Billed Ani Crotophaga ani (L.) in the Galapagos Islands, Ecuador*. Biological Conservation 51: 113-123.
115. Royo, A. R., UNDATED. () *Wild Burro, Equus asinus*. DesertUSA.com.
116. Rudman, R. (1998) *The social organization of feral donkeys (Equus asinus) on a small Caribbean island St. John, US Virgin Islands*. Applied Animal Behavior Science 60: 211-228.
117. Russell, James C., David R. Towns, Sandra H. Anderson and Mick N. Clout. (2005) *Intercepting the first rat ashore*. Brief communications Nature 437, 1107 (20 October 2005)
118. Salvin, O. (1876) *On the avifauna of the Galápagos Archipelago*. Transactions of the Zoological Society of London 9: 447-510.
119. Sevilla, C., Rueda, D. (2014) *Registro e identificación de una nueva especie introducida: Culebra Falsa Coral* Informe Técnico de la DPNG. Puerto Ayora, Ecuador. 7 pp.
120. Silver, J. (1927) *The Introduction and Spread of House Rats in the United States*. Journal of Mammalogy, 8/1: 58-60.

121. Slevin, J.R. (1935) *An account of the reptiles inhabiting the Galápagos Islands*. Bulletin New York Zoological Society 38: 1-24.
122. Snell, H.L., Snell, H.M. and Stone, P. (1994) *Accelerated mortality of Opuntia on Isla Plaza Sur: Another threat from an introduced vertebrate?* Noticias de Galapagos 53: 19-20.
123. Snell, H.L., Márquez, C. (1999) *A new class of vertebrates established in Galápagos*. Distributed by e-mail and through the internet.
124. Snell, H., et al (1981) *Prey selection by feral dogs from a population of marine iguanas (Amblyrhynchus cristatus)*. J. Appl. Ecol. 18:197-204.
125. Sol, D., Senar, J.C. (1992) *Comparison between two censuses of feral pigeon Columba livia var. From Barcelona: an evaluation of seven years of control by killing*. Bull. GCA 9:29-32.
126. Soos, C., Padilla, L., Iglesias, A., Gottdenker, N., Cruz Bedon, M., Rios, A. & Parker, P.G. (2008) *Comparison of pathogens in broiler and backyard chickens on the Galapagos Islands: implications for transmission to wildlife*. The Auk 125(2): 445-455.
127. Soria, M. (2006) *Avian seed dispersers of the invasive Rubus niveus (Rosaceae) in Santa Cruz Island, Galapagos, Ecuador*. Masters Thesis, University of Missouri- St Louis.
128. Swash, A., Still, R. (2000) *Birds, mammals, and reptiles of the Galapagos Islands, an identification guide*. Yale University Press, New Haven, Connecticut, USA, 168 pp.
129. Tapia, W., Patry, M., Snell, H. & Carrión, V. (2000) *Estado actual de los vertebrados introducidos a las islas Galápagos*. Fundación Natura: Informe Galápagos 1999-2000. Quito, Ecuador.
130. Thiel, T., Whiteman, N.K., Tirapé, A., Baquero, M. I., Cedeño, V., Walsh, T., Jiménez-Uzcátegui, G. & Parker, P.G. (2005) *Characterization of canary pox-like viruses infecting endemic birds in the Galapagos Islands*. Journal of Wildlife Diseases 41(2): 342-353.
131. Thorsen, M., R. Shorten, R. Lucking and V. Lucking. (2000) *Norway rats (Rattus norvegicus) on Frigate Island, Seychelles: the invasion; subsequent eradication attempts and implications for the island's fauna*. Biological Conservation Volume 96, Issue 2, December 2000, Pages 133-138
132. Tompkins J. (2001) *Eradication of Rattus norvegicus from Seabird habitat in Canada*. CWS, British Columbia, Canada.
133. Toral, V., Poulson, T. (2006) *La tilapia Oreochromis niloticus en la Laguna de El Junco, San Cristóbal*. Informe técnico para la Fundación Charles Darwin y Servicio Parque Nacional Galápagos. Puerto Ayora, Ecuador. 5 pp.
134. Torres-Carvajal, O., Tapia, W. (2011) *First record of the common house gecko Hemidactylus frenatus Schlegel, 1836 and distribution extension of Phyllodactylus reissii Peters, 1862 in the Galápagos* Check List 7(4):470-472
135. Towns, D. R., Atkinson, I. A. E. and Daugherty, C. H. (2006) *Have the harmful effects of introduced rats on islands been exaggerated?* Biological Invasions 8: 863-891.
136. Uetz, P., Hošek, J. (eds.) (2013) *The Reptile Database* available from <http://www.reptile-database.org>

137. Van Denburgh, J. (1912) *The geckos of the Galapagos Archipelago. Expedition of the California Academy Sciences to the Galapagos Island 1905-1906*. Proceedings of the California Academy Sciences, fourth series 1: 405-430.
138. Vanzolini, P.E. (1965) *On the gonatodes of the Galapagos Islands (Sauria, Gekkonidae)*. Papéis Avulsos de Zoologia 17(2): 17-19.
139. Vargas, H. (1996) *What is happening with the avifauna of San Cristóbal?* Noticias Galápagos 57: 23-24.
140. Veitch, C. R. (2002) *Eradication of Norway rats (Rattus norvegicus) and house mouse (Mus musculus) from Motuihe Island, New Zealand* In Turning the tide: the eradication of invasive species: 381-388. Veitch, C.R. and Clout, M.N.(eds). IUCN SSC Invasive Species Specialist Group. IUCN. Gland. Switzerland and Cambridge. UK.
141. Vintimilla, J.E. (2005) *Estudios para el control y disminución de ranas Scinax quinquiefasciatus, con impactos mínimos en los Humedales de Isabela Sur (Islas Galapagos)*. Tesis previa la obtención del título de Ingeniero Agrónomo. Universidad de Cuenca. Cuenca, Ecuador, 71pp.
142. Wiedenfeld, D.A. (2006) *Aves, the Galapagos Islands, Ecuador*. Check List 2(2): 1-27.
143. Wikelski, M., Foufopoulos, J., Vargas, H., Snell, H. (2004) *Galápagos birds and diseases: invasive pathogens as threats for island species*. Ecology and Society 9 (5) Available from: <http://www.ecologyandsociety.org/vol9/iss1/art5>
144. Witmer, G.W, Boyd, F. & Hillis-Starr, Z. (2007) *The successful eradication of introduced roof rats (Rattus rattus) from Buck Island using diphacinone, followed by an irruption of house mice (Mus musculus)*. Wildlife Research 34, 108-115.
145. Wolf, T. (1892) *Geografía y Geología del Ecuador*. Publicada Orden Supremo Gobierno República. Leipzig, Quito, (Part 5, El Archipiélago de Galápagos) p. 469-493.
146. Wright, J.W. (1983) *The distribution and status of Gonatodes collaris in the Galápagos Archipelago*. Herpetological Review 14(1): 32.
147. Álvarez-Romero, J., R. A. Medellín. (2005) *Equus asinus. Vertebrados superiores exóticos en México: diversidad, distribución y efectos potenciales*. Instituto de Ecología, Universidad Nacional Autónoma de México. Bases de datos SNIB-CONABIO. Proyecto U020. México. D.F.

Disclaimer

The Charles Darwin Foundation Galapagos Species Checklist is a continuously updated list of all species currently known from the Galapagos Islands and reflects up-to-date knowledge compiled by scientists of the Charles Darwin Foundation (CDF) in collaboration with experts from around the world. CDF shares this data publicly and invites comments, corrections and additions.

Please do not hesitate to contact us; your input is very welcome. However, please understand that additions, changes, and corrections will be posted at periodic intervals after thorough cross-referencing of all new data. As an independent international scientific organization, the Charles Darwin Foundation relies on funding from donors who support our work. Please contact us at datazone@fcdarwin.org.ec if you would like to support the Charles Darwin Foundation Galapagos Species Checklist and help make knowledge of Galapagos biodiversity more widely available.