

CDF Checklist of Galapagos Butterflies and Moths

Lázaro Roque-Álbelo, Bernard Landry

Last updated: 29 Sep 2016

Abstract

This Checklist of Galapagos Butterflies and Moths includes a total of all 347 taxa reported from the Galapagos Islands.

For each name, detailed information is provided: its Galapagos distribution in islands groups or bioregions generated from the specimen records, comments about the taxonomy (especially synonyms), the origin (native and introduced), taxon status (accepted vs. rejected records) and relevant literature references.

Introduction

This publication lists all species of Galapagos Butterflies and Moths currently known.

The **Lepidoptera** include two large groups of insects: moths and butterflies. They are undoubtedly one of the most popular insect orders, especially the large and colorful butterflies.

Many species are of economic interest, a famous example is the silk moth. Its larvae feed on mulberry leaves and build cocoons of some of the finest fibre known to man.

Lepidoptera are important pollinators, with many night blooming flowers requiring pollination by moths

All Lepidoptera have a body and wings covered with microscopic scales, a characteristic unique to this insect group.

In Galapagos the large, conspicuous Macro-Lepidoptera are best known.

Although Charles Darwin was the first collector of insects in the Islands, he curiously never mentioned any butterflies.

Today the Lepidoptera belong to the best studied group of Galapagos insects and new species continue to be discovered.

Methods

This checklist of all known Galapagos Butterflies and Moths is automatically generated using the online database of the Charles Darwin Foundation Galapagos Species Checklist.

All CDF Galapagos Species Checklists represent the synthesis of many different records: literature citations, data from previously unpublished reports (grey literature), specimen records of natural history collections located in Galapagos and all over the world. To the best of their knowledge authors of the individual checklists revised all available data. When new information becomes available, the taxonomy of a group changes or new species are discovered, the CDF online database and thus this publication becomes updated.

For many poorly known species groups the higher taxonomic classification still regularly changes according to how our knowledge about species being related changes. In many well known groups the phylogeny is somewhat stable, but to avoid confusion, in

particular for groups where taxonomic changes are frequent, all checklists presented here are sorted alphabetical according to genus name and specific epithet. Please refer to the website for the currently accepted taxonomic hierarchy of each group.

Please be aware that the distribution presented here is automatically generated from specimen records and does not always accurately reflect the known distribution for all species.

For marine species, the distribution generally refers to the five main bioregions of the archipelago (Far Northern, Northern, Western, South Eastern and the Elisabeth Bay Bioregion). For the terrestrial species more than 120 islands, islets and small rocks have been aggregated into Islands Groups, thus, for example, the island group "Santa Cruz" includes smaller islands like Santa Fé, Plaza Norte, Plaza Sur, Baltra, Daphne Mayor, Daphne Minor, and others.

IUCN red-list assessments presented here may deviate from the global IUCN list for the following reasons:

- for well known species groups like vascular plants or vertebrates updates proposed to the IUCN are shown instead of the outdated, but currently accepted status;
- for poorly known species groups (e.g., lichenized fungi) a general assessment is currently not possible and the list presented here is a regional red-list list for Galapagos archipelago.

Numbers of the species included in this list are auto-generated. Adding up the number of species in each category will not always equal the total number indicated. Some species have insufficient data to be categorized while others (e.g., category eradicated) will not be included in the total.

Results

Names of taxa included in this checklist: 347 (311 accepted, 30 unidentified taxon, 3 doubtful, 2 problematic), 1 rejected.

Origin of the taxa included: 69 accidental, 1 questionable native, 162 endemic, 93 indigenous, 3 questionable endemic.

1. *Achyra eneanalis* (Schaus, 1923)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: g et al. (g), Landry, B. et al. (2015), Roque-Albelo, L. et al. (2006).

2. *Acrocercops serrigera galapagosensis* B. Landry, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 1.IV.1992. B. Landry; in Roque-Albelo & Landry (2006) as *Acrocercops* sp.

Origin: Native, Endemic.

Galapagos Distribution: Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

3. *Acrolepiopsis jaspidata* (Meyrick, 1919)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

4. *Adaina scalesiae* B. Landry, Roque & Matthews, 2004

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Santa Cruz.

References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).

5. *Aetole galapagoensis* (Heppner & B. Landry, 1994)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Genovesa, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Roque-Albelo, L. et al. (2006).

6. *Agathodes designalis* Guenée, 1854

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

7. *Agathodes sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Roque-Albelo, L. et al. (2006).

8. *Agnippe omphalopa* (Meyrick, 1917)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Tholerostola omphalopa* Meyrick, 1917, fide Landry & Roque-Albelo (2010).
Syn.: *Evippe omphalopa* (Meyrick), fide Landry & Roque-Albelo (2010).

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, Pinta, Pinzón, Santa Cruz.

References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).

9. *Agraulis vanillae galapagensis* Holland, 1889

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Hickin, N. et al. (1979), Linsley, E.G. et al. (1966), Michener, C.D. et al. (1942), Roque-Albelo, L. et al. (2006), Van Duzee, E.P. et al. (1933).

10. *Agrius cingulata* (Fabricius, 1775)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago, Wolf.

References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

11. *Agrotis consternans* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
12. *Agrotis ipsilon* (Hufnagel, 1766)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006).
13. *Agrotisia williamsi* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Isabela, Pinta, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
14. *Amyna insularum* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923), Silberglied, R.E. et al. (1978).
15. *Anacamptis primigenia* Meyrick, 1918
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago, Wolf.
References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).
16. *Ancylostomia stercorea* (Zeller, 1848)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Floreana, Genovesa, Isabela, Pinta, Santa Cruz, Santiago.
References: Landry, B. et al. (1998), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
17. *Anicla infecta* (Ochsenheimer, 1816)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

18. *Anicla oceanica* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
19. *Anomis editrix* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
20. *Anomis erosa* Hübner, [1821]1816
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Floreana, Isabela, Marchena, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977).
21. *Anomis illita* Guenée, 1852
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
22. *Anomis luridula professorum* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
23. *Anticarsia gemmatalis* Hübner, 1818
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
24. *Argyria lacteella* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).

25. *Argyrogramma verruca* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
26. *Aristotelia naxia* Meyrick, 1926
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Landry, B. et al. (2010), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Meyrick, E. et al. (1926), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006).
27. *Aristotelia sarcodes* Walsingham, 1910
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: No Data.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2010).
28. *Aristotelia sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
29. *Ascalapha odorata* (Linnaeus, 1758)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
30. *Asciodes gordialis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Darwin, Fernandina, Isabela, Marchena, Pinta, Santa Cruz, Santiago, Wolf.
References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
31. *Asciodes quietalis* Walker 1859
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.

32. *Astrotischeria alcedoensis* B. Landry, 2003
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
33. *Astrotischeria scalesiaella* B. Landry, 2003
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Santa Cruz, Wolf.
References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
34. *Atteva hysginiella* (Wallengren, 1861)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Meyrick, E. et al. (1926), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
35. *Autoplusia egena galapagensis* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
36. *Bactra philoherda* Diakonoff, 1964
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Razowski, J. et al. (2008), Roque-Albelo, L. et al. (2006).
37. *Bagisara repanda* (Fabricius, 1793)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Fernandina, Floreana, Isabela, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
38. *Beebea guglielmi* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et

al. (1923).

39. *Bipunctiphorus nigroapicalis* (B. Landry & Gielis, 1992)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz.

References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).

40. *Blastobasis normalis* (Meyrick, 1918)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Adamski, D. et al. (1997), Roque-Albelo, L. et al. (2006).

41. *Bucculatrix cordiaella* Davis & B. Landry, 2002

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Genovesa, Isabela, Santa Cruz, Santiago.

References: Davis, D.R. et al. (2002), Roque-Albelo, L. et al. (2006).

42. *Cadra cautella* (Walker, 1863)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

43. *Callopistria floridensis* (Guenée, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

44. *Caloptilia cruzorum* B. Landry, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 12.II.2005. B. Landry & P. Schmitz

Origin: Native, Endemic.

Galapagos Distribution: Fernandina.

References: Landry, B. et al. (2006).

45. *Caloptilia dondavisii* B. Landry, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 15.V.1992. B. Landry; in Roque-Albelo & Landry (2006) as *Caloptilia* sp. 1

Origin: Native, Endemic.

Galapagos Distribution: Española, Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santa Fé, Santiago.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

46. *Caloptilia galacotra* B. Landry, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 6.IV.1992. B. Landry; in Roque-Albelo & Landry (2006) as *Caloptilia* sp. 2

Origin: Native, Endemic.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

47. *Calosima darwini* Adamski & B. Landry, 1997

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz, Santiago.

References: Adamski, D. et al. (1997), Roque-Albelo, L. et al. (2006).

48. *Calpodes ethlius* (Stoll, 1782)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, Santa Cruz.

References: Onore, G. et al. (1988), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

49. *Catabenoides seorsa* (Todd, 1972)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Roque-Albelo, L. et al. (2006).

50. *Caudellia galapagosensis* B. Landry & Neunzig, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

51. *Celiptera remigioides* (Guenée, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Genovesa, Isabela, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

52. *Characoma nilotica* (Rogenhofer, 1881)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo,

L. et al. (2006), Schaus, W. et al. (1923).

53. *Cheverella galapagensis* B. Landry, 2011

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced.

Galapagos Distribution: Unknown.

References: Landry, B. et al. (2011).

54. *Chionodes stefaniae* Schmitz & B. Landry, 2007

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 17.V.1992. leg. B. Landry; in Roque-Albelo & Landry (2006) as *Chionodes* sp.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006), Schmitz, P. et al. (2007).

55. *Cobubatha numa* (Druce, 1889)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Isabela, Santiago.

References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

56. *Cocytius antaeus* (Drury, 1773)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (1999).

57. *Coleophora darwini* J.-F. Landry, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Pinta, Pinzón.

References: Roque-Albelo, L. et al. (2006).

58. *Compsolechia cf. salebrosa* Meyrick, 1918

Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé.

References: Roque-Albelo, L. et al. (2006).

59. *Compsolechia salebrosa* Meyrick, 1918

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2010).

60. *Condica concisa* (Walker, 1856)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Floreana, Isabela, Santa Fé.
References: Roque-Albelo, L. et al. (2006).
61. *Condica mobilis* (Walker, [1857]1856)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
62. *Condica ruthae* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
63. *Condica sutor* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
64. *Coniostola isabelae* Razowski & B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: CNC. male. 5.III.1989. B. Landry
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Razowski, J. et al. (2008).
65. *Coptarthria dasypyga* (Zeller, 1881)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, Pinta, Santa Cruz, Santiago.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
66. *Corcyra cephalonica* (Stainton, 1886)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).

67. *Cosmopterix attenuatella* (Walker, 1864)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).

68. *Cosmopterix galapagosensis* B. Landry, 2001

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).

69. *Cosmopterix madeleinae* B. Landry, 2001

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz.

References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).

70. *Cosmopterix yvani* B. Landry, 2001

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Marchena, Pinta.

References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).

71. *Crambus sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Isabela.

References: Roque-Albelo, L. et al. (2006).

72. *Crambus sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

73. *Crociosema plebejana* Zeller, 1847

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1977), Parkin, P. et al. (1972), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

74. *Crociosema synneurota* Meyrick, 1926

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Meyrick, E. et al. (1926), Razowski, J. et al. (2008).

75. *Cropia infusa* (Walker, [1858]1857)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

76. *Cryptolectica lazaroï* B. Landry, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: CNC. male. 8.II.1989. B.Landry; in Roque-Albelo & Landry (2006) as *Cryptolectica* sp.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

77. *Ctenoplusia oxygramma* (Geyer, 1832)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: San Cristóbal.

References: Roque-Albelo, L. et al. (2006).

78. *Cyclophora impudens* (Warren, 1904)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Herbulot, C. et al. (1970), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).

79. *Cyclophora* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Questionable Endemic.

Galapagos Distribution: Floreana, Isabela, Pinta, Santa Cruz, Santiago.

References: Roque-Albelo, L. et al. (2006).

80. *Danaus gillippus thersippus* (Bates, 1863)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

81. *Danaus plexippus megalippe* (Hübner, [1819-1826])
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz.
References: Hickin, N. et al. (1979), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
82. *Desmia sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
83. *Dialectica galapagosensis* B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 9.IV.1992. leg. B. Landry; in Roque-Albelo & Landry (2006) as *Dialectica* sp.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
84. *Dialectica sanctaecrucis darwini* Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 5.IV.1992. leg. B. Landry; in Roque-Albelo & Landry (2006) as *Dialectica* sp. 2
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Marchena, Santa Cruz, Santa Fé, Santiago.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
85. *Diaphania glauculalis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: No Data.
Galapagos Distribution: Isabela, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
86. *Diaphania hyalinata* (Linnaeus, 1767)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, Marchena, Pinta, Santa Cruz.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
87. *Diaphania indica* (Saunders, 1851)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

88. *Diaphania nitidalis* (Cramer, 1781)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
89. *Diatraea saccharalis* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: San Cristóbal.
References: Roque-Albelo, L. et al. (2006).
90. *Dichomeris acuminatus* (Staudinger, 1876)
Taxon status: Accepted name; taxon occurs in Galapagos.
possible Syn.: *Mesophleps acuminatus* Staudinger, 1876, fide Landry & Roque-Albelo (2010).
Origin: Native, Indigenous.
Galapagos Distribution: Española, Isabela, Marchena, Pinta, Santa Cruz, Santiago.
References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).
91. *Dichrorampha galapagana* Razowski & B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 15.V.1992. B. Landry
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Razowski, J. et al. (2008).
92. *Disclisioprocta stellata* Guenée, 1858
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Herbulot, C. et al. (1970), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), McMullen, C.K. et al. (2010), Peck, S.B. et al. (1998), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).
93. *Eccopsis floreana* Razowski & B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 30.IV.1992. B. Landry
Origin: Native, Endemic.
Galapagos Distribution: Española.
References: Razowski, J. et al. (2008).
94. *Eccopsis galapagana* Razowski & B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: CDRS. male. 12.IX.2001. L. Roque, Type locality: Ecuador, Galapagos, Santa Cruz, Barranco,

Charles Darwin Research Station

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Razowski, J. et al. (2008).

95. *Elaphria encantada* Hayes, 1975

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

96. *Endothenia eidolon* Razowski & Pelz, 2002

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Razowski, J. et al. (2008).

97. *Enyo lugubris delanoi* Kernbach, 1962

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

98. *Ephysteris scimitarella* Landry, 2010

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2010).

99. *Ephysteris sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Roque-Albelo, L. et al. (2006).

100. *Ephysteris sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Marchena, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

101. *Ephysteris sporobolella* Landry, 2010
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: No Data.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2010).
102. *Ephysteris subdiminutella* (Stainton, 1867)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: Phthorimaea subdiminutella Stainton, 1867, fide Landry & Roque-Albelo (2010).
Syn.: Gelechia jamaicensis Walsingham, 1897, fide Landry & Roque-Albelo (2010).
Syn.: Phthorimaea jamaicensis (Walsingham), fide Landry & Roque-Albelo (2010).
Origin: No Data.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2010).
103. *Epidromia zephyritis* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), McMullen, C.K. et al. (2011), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
104. *Epidromia zetophora* Guenée, 1852
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
105. *Epinotia lantana* (Busck, 1910)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Razowski, J. et al. (2008).
106. *Epinotia microscyphos* Razowski & B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: CDRS. female. 15.I.2002. L. Roque & C. Causton
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Razowski, J. et al. (2008).
107. *Epiptema becki* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Fernandina, Isabela.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

108. *Episimus alcedanus* Razowski & B. Landry, 2008

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 15.V.1992. B. Landry

Origin: Native, Endemic.

Galapagos Distribution: Isabela.

References: Razowski, J. et al. (2008).

109. *Episimus transferranus* (Walker, 1863)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela.

References: Peck, S.B. et al. (1998), Razowski, J. et al. (2008).

110. *Episimus utilis* Zimmerman, 1978

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

111. *Epitausa prona* (Möschler, 1880)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

112. *Ercta vittata* (Fabricius, 1794)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Genovesa, Marchena, Pinta, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

113. *Erechtias minuscula* (Walsingham, 1897)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Marchena, Santa Cruz.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

114. *Erinnyis alope dispersa* Kernbach, 1962

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

115. *Erinnyis ello encantada* Kernbach, 1962

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), McMullen, C.K. et al. (2011), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

116. *Erinnyis obscura conformis* Kernbach, 1962

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

117. *Etiella zinckenella* (Treitschke, 1832)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Genovesa, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

118. *Eublemma recta* (Guenée, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

119. *Euchromius galapagosalis* Capps, 1966

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé.

References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

120. *Eumorpha fasciata tupaci* (Kernbach, 1962)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006),

Roque-Albelo, L. et al. (2001).

121. *Eumorpha labruscae yupanquii* (Kernbach, 1962)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001), Silberglied, R.E. et al. (1978).

122. *Eupithecia galapagosata* B. Landry & Rindge, 1995

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Isabela, San Cristóbal, Santiago.

References: Landry, B. et al. (1995).

123. *Eupithecia perryvriesi* Herbulot, 1971

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).

124. *Exelastis montischristi* (Walsingham, 1897)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Roque-Albelo, L. et al. (2006).

125. *Exelastis pumilio* (Zeller, 1873)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, San Cristóbal, Santiago.

References: Landry, B. et al. (1993), Landry, B. et al. (2004), Peck, S.B. et al. (1998), Peck, S.B. et al. (1994), Roque-Albelo, L. et al. (2006).

126. *Feltia williamsi* (Schaus, 1923)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Roque-Albelo, L. et al. (2006).

127. *Fulrada carpasella* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
128. *Fundella argentina* Dyar, 1919
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.
References: Landry, B. et al. (1998), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
129. *Galagete cinerea* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
130. *Galagete consimilis* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
131. *Galagete cristobalensis* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
132. *Galagete darwini* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santiago, Wolf.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
133. *Galagete gnathodoxa* Meyrick, 1926
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinzón, Santiago.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
134. *Galagete griseonana* Schmitz & B. Landry, 2005
Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006), Schmitz, P. et al. (2005).

135. *Galagete krameri* B. Landry & Schmitz, 2008

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 25.II.2005. leg. B. Landry.

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal.

References: Landry, B. et al. (2008), Schmitz, P. et al. (2008).

136. *Galagete levequei* B. Landry, 2002

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).

137. *Galagete pecki flavofasciata* Schmitz & B. Landry, 2005

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Roque-Albelo, L. et al. (2006), Schmitz, P. et al. (2005).

138. *Galagete pecki pecki* B. Landry, 2002

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela.

References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).

139. *Galagete protozona* Meyrick, 1926

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, Santa Cruz, Santa Fé.

References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).

140. *Galagete seymourensis* B. Landry, 2002

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. gen. slide no. BL 1133. 29.III.1992. B. Landry

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2002).

141. *Galagete turritella españolaensis* B. Landry, 2002

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Not Evaluated.

Galapagos Distribution: Española.

References: Roque-Albelo, L. et al. (2006).

142. *Galagete turritella turritella* B. Landry, 2002

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Santa Cruz, Santiago.

References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).

143. *Gen. Crambinae indet. sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Marchena, Santa Fé.

References: Roque-Albelo, L. et al. (2006).

144. *Gen. Crambinae indet. sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

145. *Gen. Crambinae indet. sp. 3*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

146. *Gen. Phycitinae indet. sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

Galapagos Distribution: Santa Fé.

References: Roque-Albelo, L. et al. (2006).

147. *Gen. Scythridinae indet. sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz, Santa Fé.

References: Roque-Albelo, L. et al. (2006).

148. *Gen. Scythridinae indet. sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

149. *Gen. Scythridinae indet. sp. 3*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
150. *Gen. Scythridinae indet. sp. 4*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
151. *Gen. Scythridinae indet. sp. 5*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
152. *Gonodonta biarmata evadens* Walker, [1858]
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Questionable Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
153. *Gonodonta fulvangula* Geyer, 1832
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
154. *Gonodonta pyrgo* (Cramer, 1777)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
155. *Gonodonta sicheas* (Cramer, 1777)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
156. *Haplochrois galapagosalis* B. Landry, 2001
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.

Galapagos Distribution: Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago, Wolf.

References: Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).

157. *Hedya brunneograptia* Razowski & B. Landry, 2008

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: CDRS. male. 14.IV.2002. L. Roque & B. Landry, Type locality: Ecuador, Galapagos, Alcedo I Isabela, North east side, 200 m

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Razowski, J. et al. (2008).

158. *Heliocheilus cystiphora* (Wallengren, 1860)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Roque-Albelo, L. et al. (2006).

159. *Heliodines galapagoensis* Heppner & B. Landry, 1994

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Pinta.

References: Heppner, J.B. et al. (1994).

160. *Heliothis virescens* (Fabricius, 1777)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

161. *Hellinsia cristobalis* (B. Landry & Gielis, 1992)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Isabela, Pinta, San Cristóbal, Santiago.

References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).

162. *Hellinsia devriesi* (B. Landry & Gielis, 1992)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Isabela, Santa Cruz.

References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).

163. *Hellinsia nephogenes* (Meyrick, 1926)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, Santa Cruz.
References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
164. *Hellula galapagensis* B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
B. Landry (2012): in Roque-Albelo & Landry (2006) as *Hellula* sp.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2008), Roque-Albelo, L. et al. (2006).
165. *Hellula phidilealis* (Walker, 1859)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2008), Roque-Albelo, L. et al. (2006).
166. *Hemeroplanis toddi* (Hayes, 1975)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé.
References: Roque-Albelo, L. et al. (2006).
167. *Hemiargus ramon* (Dognin, 1887)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2007), Roque-Albelo, L. et al. (2006).
168. *Herpetogramma bipunctalis* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Genovesa, Isabela, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
169. *Herpetogramma chathamalis* Schaus, 1923
Taxon status: Taxonomic status unresolved or unrevised.
Origin: No Data.
Galapagos Distribution: Unknown.
References: Linsley, E.G. et al. (1966).

170. *Herpetogramma phaeopteralis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
171. *Holococera gozmanyi* Adamski & B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina.
References: Roque-Albelo, L. et al. (2006).
172. *Hyles lineata* (Fabricius, 1775)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
173. *Hymenia perspectalis* (Hübner, 1796)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Fernandina, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Linsley, E.G. et al. (1977), Parkin, P. et al. (1972), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
174. *Hypena fuliginea* (Hayes, 1975)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
175. *Hypena lividalis* (Hübner, 1796)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
176. *Hypena microfuliginea* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Fé, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
177. *Hypena minualis constans* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Roque-Albelo, L. et al. (2006).

178. *Hypena vetustalis* Guenée, 1854

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

179. *Hypocala andremona* (Stoll, 1781)*

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

180. *Hypsipyla grandella* (Zeller, 1848)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Causton, C.E. et al. (2008), Landry, B. et al. (1998), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Roque-Albelo, L. et al. (2006).

181. *Ithome volcanica* B. Landry, 2001

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz.

References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).

182. *Lantanophaga minima* (B. Landry & Gielis, 1992)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Pinta, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

183. *Lantanophaga pusillidactyla* (Walker, 1864)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Genovesa, Isabela, Marchena, Santa Cruz.

References: Landry, B. et al. (1992), Landry, B. et al. (1993), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

184. *Leptotes parrhasioides* (Wallengren, 1860)
Taxon status: Accepted name; taxon occurs in Galapagos.
B. Landry (2012): erroneously spelled "Leptodes" in Fitter et al. (2000) Wildlife of the Galapagos. Safari Field Guides. Collins. 254 pp.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Hickin, N. et al. (1979), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Van Duzee, E.P. et al. (1933).
185. *Lepyrotica acantha* Davis, 1994
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
186. *Lesmone formularis* (Geyer, 1837)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Fernandina, Floreana, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
187. *Letis mycerina* (Cramer, 1777)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
188. *Leucania cooperi* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
189. *Leucania humidicola* Guenée, 1852
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Genovesa, Isabela, San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
190. *Leucania subpuncta* (Harvey, 1875)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

191. *Lineodes fontella* Walsingham, 1913

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, Santiago.

References: Roque-Albelo, L. et al. (2006).

192. *Lineodes integra* (Zeller, 1873)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, Pinta, Santiago.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

193. *Lineodes sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Roque-Albelo, L. et al. (2006).

194. *Loxomorpha cf. cambogialis* (Guenée, 1854)

Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.

Origin: Native, Indigenous.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

195. *Macaria cruciata cruciata* (Herbulot, 1970)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Endangered.

Galapagos Distribution: Santa Cruz, Santiago.

References: Roque-Albelo, L. et al. (2006).

196. *Macaria cruciata isabellae* (Rindge, 1973)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Endangered.

Galapagos Distribution: Isabela.

References: Roque-Albelo, L. et al. (2006).

197. *Macrorrhinia pinta* B. Landry & Neunzig, 1997

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago, Wolf.

References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).

198. *Magusa erema* Hayes, 1975

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

199. *Magusa orbifera* (Walker, 1857)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Isabela.

References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

200. *Manduca rustica galapagensis* (Holland, 1889)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

201. *Manduca sexta leucoptera* (Rothschild & Jordan, 1903)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

202. *Marasmia trapezalis* (Guenée, 1854)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

203. *Maruca vitrata* (Fabricius, 1787)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela.

References: Roque-Albelo, L. et al. (2006).

204. *Megalorhipida leucodactyla* (Fabricius, 1794)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San

Cristóbal, Santa Cruz, Santiago.

References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).

205. *Megalota johni* Razowski & B. Landry, 2008

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: CDRS. male. 12.X.1998. L. Roque, Type locality: Ecuador, Galapagos, Isabela, Volcan Alcedo, 850 m

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Razowski, J. et al. (2008).

206. *Melipotis acontioides producta* Hayes, 1975

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

207. *Melipotis harrisoni* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), McMullen, C.K. et al. (2010), McMullen, C.K. et al. (2011), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923), Silberglied, R.E. et al. (1978).

208. *Melipotis indomita* (Walker, [1858]1857)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1994), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923), Silberglied, R.E. et al. (1978).

209. *Mesolia* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

Galapagos Distribution: Isabela, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

210. *Mesophleps adustipennis* (Walsingham, 1897)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Lathontogenus adustipennis Walsingham, 1897, fide Landry & Roque-Albelo (2010).
Syn.: Brachyacma palpigera (Walsingham, 1891), fide Landry & Roque-Albelo (2010).
Syn.: ? Lipatia crotalariella Busck, 1910, fide Landry & Roque-Albelo (2010).

Origin: Native, Indigenous.

Galapagos Distribution: Española, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.

References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).

211. *Metalectra praecisalis* Hübner, 1823

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

212. *Metallata absumens contiguata* Hayes, 1975

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

213. *Microthyris anormalis* (Guenée, 1854)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

214. *Mocis incurvalis* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

215. *Mocis latipes* (Guenée, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Floreana, San Cristóbal, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1994), Roque-Albelo, L. et al. (2006).

216. *Mouralia tinctoides* (Guenée, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

217. *Neogalea sunia longfieldae* Hayes, 1975

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

218. *Neohelvitotys hoecki* B. Landry, 2015

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

219. *Neoleucinodes elegantalis* (Guenée, 1854)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

220. *Neoleucinodes sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Pinta, Santiago.

References: Roque-Albelo, L. et al. (2006).

221. *Neurostrota brunnea* B. Landry, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 22.II.2005. leg. B. Landry

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal.

References: Landry, B. et al. (2006).

222. *Neurostrota magnifica* B. Landry, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 17.III.2004. leg. B. Landry; in Roque-Albelo & Landry (2006) as *Neurostrota sp.*

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

223. *Nicetiodes apianellus* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Jaramillo, P. et al. (2005), Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

224. *Notiplusia illustrata* (Guenée, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.
Galapagos Distribution: Floreana.
References: Roque-Albelo, L. et al. (2006).

225. *Ocrasa nostralis* (Guenée, 1854)

Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).

226. *Oecia oecophila* (Staudinger, 1876)

Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).

227. *Oidaematophorus cristobalis* B. Landry & Gielis, 1992

Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal.
References: Landry, B. et al. (1992).

228. *Omiodes indicata* (Fabricius, 1775)

Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Fernandina, Isabela, Pinta, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

229. *Ommatochila mundula* (Zeller, 1872)

Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Marchena, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).

230. *Oryctometopia fossulatella* Ragonot, 1888

Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).

231. *Oxydia lignata* (Warren, 1905)

Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Landry, B. et al. (1995), Linsley, E.G. et al.

(1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).

232. *Ozarba consternans* Hayes, 1975

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

233. *Paectes arcigera* (Guenée, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006), Silberglied, R.E. et al. (1978).

234. *Palpita flegia* (Cramer, 1777)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

235. *Parapoynx fluctuosalis* (Zeller, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

236. *Penestola bufalis* (Guenée, 1854)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Isabela, Santa Cruz, Santiago.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

237. *Peridroma saucia* Hübner, 1808

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Floreana.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

238. *Perigonia lusca* (Fabricius, 1777)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, Pinzón, Santa Cruz.

References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

239. *Periploca darwini* B. Landry, 2001

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela.

References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).

240. *Periploca longipenis* B. Landry, 2001

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Marchena, Pinzón, Santa Cruz.

References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).

241. *Perizoma cf. perryi* Rindge, 1973

Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).

242. *Phereoeca allutella* (Rebel, 1892)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal.

References: Roque-Albelo, L. et al. (2006).

243. *Phidotricha erigens* Ragonot, 1888

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Isabela, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

244. *Phoebis sennae marcellina* (Cramer, 1779)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Hickin, N. et al. (1979), Roque-Albelo, L. et al. (2006).

245. *Phthorimaea absoluta* Meyrick, 1917

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Gnorimoschema absoluta* (Meyrick), fide Landry & Roque-Albelo (2010).
Syn.: *Scrobipalpula absoluta* (Meyrick), fide Landry & Roque-Albelo (2010).
Syn.: *Scrobipalpuloides absoluta* (Meyrick),

fide Landry & Roque-Albelo (2010).
Syn.: Tuta absoluta (Meyrick), fide Landry & Roque-Albelo (2010).

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2010).

246. *Phthorimaea perfidiosa* Meyrick, 1917

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Gnorimoschema perfidiosa (Meyrick), fide Landry & Roque-Albelo (2010).

Origin: Native, Indigenous.

Galapagos Distribution: Genovesa, Isabela, Pinta.

References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).

247. *Phyllocnistis citrella* Stainton, 1856

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Causton, C.E. et al. (2008), Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

248. *Pilocrocis chathamalis* Schaus, 1923

Taxon status: Taxonomic status unresolved or unrevised.

Origin: No Data.

Galapagos Distribution: Unknown.

References: Schaus, W. et al. (1923).

249. *Pilocrocis ramentalis* Lederer, 1863

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

250. *Platynota colobota* Meyrick, 1926

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Meyrick, E. et al. (1926), Razowski, J. et al. (2008), Roque-Albelo, L. et al. (2006).

251. *Platyptilia vilema* B. Landry, 1993

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Fernandina, Isabela, Pinta.

References: Landry, B. et al. (1993), Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2003).

252. *Pleuroprucha insulsaria* Guenée, 1858

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Genovesa, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Landry, B. et al. (1995), Roque-Albelo, L. et al. (2006).

253. *Pleuroptya silicalis* (Guenée, 1854)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Isabela, Marchena, Pinta, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

254. *Plusiodonta clavifera* (Walker, 1869)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, Pinta, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

255. *Plutella xylostella* (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

256. *Ponometia exigua* (Fabricius, 1793)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Roque-Albelo, L. et al. (2006).

257. *Postplatyptilia huigraica* B. Landry & Gielis, 1992

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, Santa Cruz.

References: Landry, B. et al. (1992), Landry, B. et al. (1993), Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).

258. *Powondrella cingillaria* Geyer, 1837

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

259. *Praeacedes atomosella* (Walker, 1863)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
260. *Prays galapagosella* B. Landry & J.-F. Landry, 1998
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
261. *Proteoteras atromacula* Razowski & B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: CNC. male. 8.III.1989. B. Landry
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Razowski, J. et al. (2008).
262. *Psaphara conwayi* (Richards, 1941)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Pinta, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
263. *Psaphara interclusa* Walker, 1857
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, San Cristóbal.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
264. *Psara chathamalis* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santa Fé.
References: Roque-Albelo, L. et al. (2006).
265. *Pseudaletia sequax* Franclemont, 1951
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

266. *Pseudoplusia includens* (Walker, [1858])

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1994), Roque-Albelo, L. et al. (2006).

267. *Pseudopostega galapagosae* Davis & Stonis, 2007

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Isabela, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

268. *Psorya hadesia* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

269. *Pyralis manihotalis* Guenée, 1854

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

270. *Pyrausta galapagensis* B. Landry, 2015

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Unknown.

References: Landry, B. et al. (2015).

271. *Pyrausta insolata* B. Landry, 2015

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Questionable Endemic.

Galapagos Distribution: Unknown.

References: Landry, B. et al. (2015).

272. *Pyrausta panopealis* (Walker, 1859)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Landry, B. et al. (2015), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

273. *Pyroderces rileyi* (Walsingham, 1882)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, Santa Cruz.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
274. *Rhectocraspeda periusalis* (Walker, 1859)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, Pinta, Santiago.
References: Roque-Albelo, L. et al. (2006).
275. *Rivula asteria* (Druce, 1898)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Isabela, Santa Cruz.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
276. *Samea ecclesialis* Guenée, 1854
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
277. *Samea castellalis* Guenée, 1854
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
278. *Samea sp. 1*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
279. *Samea sp. 2*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
280. *Scopula sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Introduced, Questionable Native.
Galapagos Distribution: Isabela.

References: Roque-Albelo, L. et al. (2006).

281. *Scrobipalpula caustoniae* Landry, 2010

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2010).

282. *Scrobipalpula densata* (Meyrick, 1917)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Phthorimaea densata Meyrick, 1917, fide Landry & Roque-Albelo (2010).
Syn.: ? Scrobipalpula densata (Meyrick), fide Landry & Roque-Albelo (2010).
Syn.: Gnorimoschema densata (Meyrick), fide Landry & Roque-Albelo (2010).
Syn.: Scrobipalpula densata (Meyrick), fide Landry & Roque-Albelo (2010).

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2010).

283. *Scrobipalpula equatoriella* Landry, 2010

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2010).

284. *Scrobipalpula inornata* Landry, 2010

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2010).

285. *Semiothisa cerussata* Herbulot, 1970

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Hayes, A.H. et al. (1975), Herbulot, C. et al. (1970), Landry, B. et al. (1995), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2003).

286. *Setomorpha rutella* Zeller, 1852

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

287. *Shafferiessa galapagoensis* B. Landry & Neunzig, 1997
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago, Wolf.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
288. *Shafferiessa pumila* B. Landry & Neunzig, 1997
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
289. *Shranki* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Roque-Albelo, L. et al. (2006).
290. *Sisyrcera inabsconsalis* (Möschler, 1890)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Fernandina, Genovesa, Isabela, Marchena, Pinta, Pinzón, Santa Cruz, Santa Fé, Santiago.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
291. *Sitotroga cerealella* (Olivier, 1789)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Alucita cerealella* Olivier, 1789, fide Landry & Roque-Albelo (2010).
Syn.: *Sitotroga cerealella* (Olivier), fide Landry & Roque-Albelo (2010).
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).
292. *Sorygaza variata* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Pinta, Santa Cruz, Santiago.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
293. *Sphacelodes vulneraria* (Hübner, 1823)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.

References: Hayes, A.H. et al. (1975), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).

294. *Spodoptera cosmioides* Walker

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

295. *Spodoptera dolichos* (Fabricius, 1794)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

296. *Spodoptera eridania* (Stoll, 1782)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

297. *Spodoptera frugiperda* (Smith, 1797)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

298. *Spodoptera roseae* (Schaus, 1923)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

299. *Spoladea recurvalis* (Fabricius, 1775)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Española, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

300. *Spragueia creton* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923), Todd, E.L. et al. (1972).

301. *Spragueia margana* (Fabricius, 1794)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Roque-Albelo, L. et al. (2006).

302. *Stegasta francisci* Landry, 2010

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2010).

303. *Stegasta zygotoma* Meyrick, 1917

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Isabela, Santa Cruz.

References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).

304. *Stenoma catenifer* Walsingham, 1912

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Causton, C.E. et al. (2008), Roque-Albelo, L. et al. (2006).

305. *Stenoptilodes brevipennis* (Zeller, 1874)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, Marchena, Santa Cruz.

References: Landry, B. et al. (1992), Landry, B. et al. (1993), Landry, B. et al. (2004), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

306. *Stenoptilodes gielisi* B. Landry, 1993

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela.

References: Landry, B. et al. (1993), Roque-Albelo, L. et al. (2006).

307. *Stenoptilodes juanfernandicus* Gielis, 1991

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela.

References: Landry, B. et al. (1992), Roque-Albelo, L. et al. (2006).

308. *Stilbosis schmitzi* B. Landry, 2008

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 20.II.2005. leg. B. Landry; in Roque-Albelo & Landry (2006) as *Stilbosis* sp.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2008), Roque-Albelo, L. et al. (2006).

309. *Strepsicrates smithiana* Walsingham, 1892

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Razowski, J. et al. (2008), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

310. *Symmetrischema escondidella* Landry, 2010

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Landry, B. et al. (2010).

311. *Symmetrischema* sp. 1

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Española, Pinzón, Santa Cruz, Santa Fé, Santiago.

References: Roque-Albelo, L. et al. (2006).

312. *Symmetrischema* sp. 5

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Pinzón.

References: Roque-Albelo, L. et al. (2006).

313. *Synclera jarbusalis* (Walker, 1859)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

314. *Syngamia florella* (Cramer, 1781)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

315. *Taygete sphecophila* (Meyrick, 1936)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

316. *Tebenna galapagoensis* Heppner & B. Landry, 1994

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Fernandina, Isabela, Pinta, Santa Cruz, Santiago.

References: Heppner, J.B. et al. (1994), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2003).

317. *Terastia meticulosalis* Guenée, 1854

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, Pinta, Santa Cruz, Wolf.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

318. *Thyrinteina infans* Herbulot, 1970

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Herbulot, C. et al. (1970), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).

319. *Thyrinteina umbrosa* Herbulot, 1971

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Fernandina, Floreana, Isabela, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).

320. *Thysania zenobia* (Cramer, 1777)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Santa Cruz.

References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (1999).

321. *Tota galdinella* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

322. *Trachea cavagnaroi* Hayes, 1975

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Isabela, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

323. *Trichophaga mormopis* Meyrick, 1935

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Isabela, Pinzón, Santa Cruz, Santa Fé.

References: Roque-Albelo, L. et al. (2006).

324. *Triphosa affirmata* Guenée, 1858

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Roque-Albelo, L. et al. (2006).

325. *Tuta absoluta* (Meyrick, 1917)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal.

References: Roque-Albelo, L. et al. (2006).

326. *Udea sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Roque-Albelo, L. et al. (2006).

327. *Udea sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Roque-Albelo, L. et al. (2006).

328. *Unadilla maturella* (Zeller, 1881)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
329. *Undulambia lindbladi* B. Landry & Roque-Albelo, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 9.IV.1992. leg. B. Landry; in Roque-Albelo & Landry (2006) as *Undulambia* sp.
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal, Santa Cruz.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
330. *Untomia lunatella* Landry, 2010
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: No Data.
Galapagos Distribution: Santa Cruz.
References: Landry, B. et al. (2010).
331. *Untomia* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2006).
332. *Urbanus galapagensis* (Williams, 1911)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Urbanus dorantes galapagensis* Williams, 1911
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.
References: Roque-Albelo, L. et al. (2006).
333. *Utetheisa connerorum* Roque-Albelo & B. Landry, 2009
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santa Fé, Santiago.
References: Roque-Albelo, L. et al. (2009).
334. *Utetheisa devriesi* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.

Galapagos Distribution: Fernandina, Isabela, Pinta, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2009).

335. *Utetheisa galapagensis* (Wallengren, 1860)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Forbes, W.T.M. et al. (1941), Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), McMullen, C.K. et al. (2011), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2009), Schaus, W. et al. (1923), Silberglied, R.E. et al. (1978).

336. *Utetheisa henrii* Roque-Albelo & B. Landry, 2009

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal.

References: Roque-Albelo, L. et al. (2009).

337. *Utetheisa ornatix* (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2009), Schaus, W. et al. (1923).

338. *Utetheisa perryi* Hayes, 1975

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2009).

339. *Vanessa carye* (Hübner, 1812)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, San Cristóbal.

References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

340. *Vanessa virginiensis* (Drury, 1773)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

341. *Xylesthia pruniramiella* Clemens, 1859

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Meyrick, E. et al. (1926), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Roque-Albelo, L. et al. (2006).

342. *Xylophanes norfolki* Kernbach, 1962

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Fernandina, Isabela, Santa Cruz.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

343. *Xylophanes pluto* (Fabricius, 1777)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

344. *Xylophanes tersa tersa* (Linnaeus, 1771)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Isabela, Santa Cruz, Santiago.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

345. *Zale obsita* (Guenée, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

346. *Zeuctostyla vidrierata* (Dognin, 1893)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Roque-Albelo, L. et al. (2006).

Rejected taxa

1. *Gelechia bosquella* Chambers, 1875

Acknowledgements

We are grateful for the financial report received for this project. Please refer to the website (www.darwinfoundation.org/datazone/checklist/) for a detailed list of all our donors.

This checklist would not be possible without adjunct and collaborating scientists, and volunteers of the Charles Darwin Foundation. The following scientists and volunteers have contributed to the CDF Checklist of Galapagos Butterflies and Moths: Sandra Abedrabbo, Fabián Bersosa, Ruth Boada, Omar Cartillo, Germania Estévez, Lilian Guzmán, Henri W. Herrera, María T. Lasso, Maria Piedad Lincango, E. G. Linsley, Edison Lomas, Yale Lubin, Alejandro Mieles, Renato Oquendo, Christine E. Parent, Stewart B. Peck, Patrick Schmitz, Leslie Usinger.

References

1. Adamski, D., Landry, B. (1997) *Review of the Blastobasinae (Lepidoptera: Gelechioidea: Coleophoridae) of the Galápagos Islands*. Proc. Entomol. Soc. Wash. 99(2): 348-358.
2. Causton, C.E., Sevilla, C. (2008) *Latest Records of Introduced Invertebrates in Galapagos and Measures to control them*. Galapagos Report 2006-2007, CDF, GNP and INGALA, Puerto Ayora, Galapagos, Ecuador, p. 142-145.
3. Davis, D.R., Landry, B. & Roque-Albelo, L. (2002) *Two new Neotropical species of Bucculatrix leaf miners (Lepidoptera: Bucculatricidae) reared from Cordia (Boraginaceae)*. Rev. Suisse Zool. 109(2): 277-294.
4. Forbes, W.T.M. (1941) *The position of Utetheisa galapagensis (Lepidoptera, Arctiidae)*. J. N.Y. Entom. Soc. 49: 101-110.
5. Hayes, A.H. (1975) *The larger moths of the Galápagos Islands (Geometroidea: Sphingoidea & Noctuoidea)*. Proc. Calif. Acad. Sc., 4th series, 40(7): 145-208.
6. Heppner, J.B., Landry, B. (1994) *A new sun moth from the Galápagos Islands (Lepidoptera: Heliodinidae)*. Tropical Lepidoptera 5(2): 126-128.
7. Heppner, J.B., Landry, B. (1994) *A new Tebenna species from the Galápagos Islands (Lepidoptera: Choreutidae)*. Tropical Lepidoptera 5(2): 123-125.
8. Herbulot, C. (1970) *Lepidopteres Geometridae des îles Galápagos recueillis par M. et Mme. N. Leleup*. Lambillionea 69(7-12): 17-25.
9. Hickin, N. (1979) *Animal life of the Galapagos*. Ferundune Books, Faringdon, U.K., 236 pp.
10. Jaramillo, P., Reyes, D. & Yáñez, P. (2005) *Arthropods in the Charles Darwin Research Station herbarium, Galápagos, during 1999-2001. GALAPAGOS RESEARCH*. Noticias de Galápagos. 63: 23-25.
11. Landry, B., Gielis, C. (1992) *A synopsis of the Pterophoridae (Lepidoptera) of the Galápagos Islands, Ecuador*. Zool. Verhandelingen 276: 3-42.

12. Landry, B. (1993) *Additions to the knowledge of Pterophoridae (Lepidoptera) of the Galápagos archipelago, Ecuador, with descriptions of two new species*. Zool. Med. 67(34): 473-485.
13. Landry, B., Rindge, F.H. (1995) *Additions to the Geometridae (Lepidoptera) of the Galápagos Islands, Ecuador, including a new species of Eupithecia*. American Museum Novitates 3118: 1-10.
14. Landry, B., Neunzig, H.H. (1998) *A review of the Phycitinae of the Galápagos Islands (Lepidoptera: Pyralidae)*. Entomol. Scand. 28: 493-508.
15. Landry, B., Landry, J.-F. (1998) *Yponomeutidae of the Galápagos Islands, with description of a new species of Prays (Lepidoptera: Yponomeutoidea)*. Tropical Lepidoptera 9(1): 31-40.
16. Landry, B. (2001) *The Cosmopterigidae (Lepidoptera) of the Galápagos Islands, Ecuador*. Rev. Suisse Zool. 108(3): 513-539.
17. Landry, B. (2001) *A new agonoxenine moth from the Galápagos Islands (Gelechioidea: Elachistidae)*. Journal of the Lepidopterists' Society 55(2): 59-62.
18. Landry, B. (2002) *Galagete, a new genus of Autostichidae representing the first case of an extensive radiation of endemic Lepidoptera in the Galápagos Islands*. Revue Suisse de Zoologie 109(4): 813-868.
19. Landry, B., Roque-Albelo, L. & Matthews, D.L. (2004) *Supplemental additions to the Pterophoridae (Lepidoptera) of the Galapagos Islands (Ecuador) with descriptions of a new species of Adaina Tutt*. Mitteil. schweiz. Entomol. Ges. - Bull. Soc. Entomol. Suisse 77: 289-310.
20. Landry, B., Roque-Albelo, L. (2004) *First report of Tischeriidae (Lepidoptera) on the Galapagos Islands, Ecuador, with descriptions of two new endemic species*. Rev. Suisse Zool. 111(3): 599-609.
21. Landry, B. (2006) *The Gracillariidae (Lepidoptera: Gracillarioidea) of the Galapagos Islands, Ecuador, with notes on some of their relatives*. Revue Suisse de Zoologie 113(3): 437-485.
22. Landry, B., Neunzig, H.H. (2006) *Additions to the Phycitinae (Lepidoptera, Pyralidae) of the Galapagos Islands, Ecuador, with descriptions of a new species of Caudellia Dyar*. Bulletin de la Société Entomologique Suisse 79: 1-6.
23. Landry, B., Roque-Albelo, L. (2006) *The Acentropinae and Musotiminae (Lepidoptera, Pyralidae) of the Galapagos Islands, Ecuador*. Zootaxa 1354: 45-56.
24. Landry, B., Adamski, D., Schmitz, P., Parent, C.E. & Roque-Albelo, L. (2006) *Taygete sphecephila (Meyrick) (Lepidoptera; Autostichidae): redescription of the adult, description of the larva and pupa and impact in Polistes wasps (Hymenoptera; Vespidae) nests in the Galapagos Islands*. Revue Suisse de Zoologie 113(2): 307-323.
25. Landry, B., Roque-Albelo, L. (2008) *Additions to the Cosmopterigidae (Lepidoptera) of the Galapagos Islands, Ecuador, with description of a new species of Stilbosis Clemens*. Revue Suisse de Zoologie 115(2): 303-309.
26. Landry, B., Schmitz, P. (2008) *A striking new endemic species of Galagete Landry (Lepidoptera, Autostichidae) from the Galapagos Islands, Ecuador*. Rev. Suisse Zool. 115(3): 575-583.
27. Landry, B., Roque-Albelo, L. (2008) *The Glaphyriinae (Lepidoptera: Pyralidae) of the Galapagos Islands, Ecuador, with keys to the Neotropical species of Hellula Guenée*. Tijdschrift voor Entomologie 151: 193-203.

28. Landry, B., Roque-Albelo, L. (2010) *The Gelechiidae (Lepidoptera) of the Galápagos Islands, Ecuador, a taxonomic revision*. Revue Suisse de Zoologie 117(4): 697-770.
29. Landry, B., Roque-Albelo, L. & James E. Hayden. (2011) *A new genus and species of Spilomelinae (Lepidoptera, Pyralidae) from the Galapagos Islands, Ecuador* Revue Suisse de Zoologie 118(4): 639-649
30. Landry, B. (2015) *The Pyraustinae (Lepidoptera, Pyralidae s. l.) of the Galápagos Islands, Ecuador* Revue suisse de Zoologie 122(1): 55-70
31. Linsley, E.G., Usinger, R.L. (1966) *Insects of the Galápagos Islands*. Proceedings of the California Academy of Sciences Fourth Series 33(7): 113-196.
32. Linsley, E.G. (1977) *Insects of the Galápagos (Supplement)*. Occasional Papers of the California Academy of Sciences 125: 1-50.
33. McMullen, C.K. (2010) *Nocturnal and diurnal pollination of Clerodendrum molle (Verbenaceae) in the Galápagos Islands* Plant Syst Evol (2011) 292:15-23
34. McMullen, C.K. (2011) *Pollination of the heterostylos Galápagos native, Cordia lutea (Boraginaceae)* Plant Syst Evol (2012) 298:569-579
35. Meyrick, E. (1926) *On Micro-Lepidoptera from the Galapagos Islands and Rapa*. Transactions Royal Entomological Society of London 2: 269-278.
36. Michener, C.D. (1942) *A review of the subspecies of Agraulis vanillae (Linnaeus). Lepidoptera: Nymphalidae*. American Museum Novitates 1215: 1-7.
37. Onore, G., Mielke, O.H.H. (1988) *Calpododes ethlius (Cramer) (Lepidoptera, Hesperiiidae) em Galápagos*. Revista Brasileira de Zoologia 5(4): 619-620.
38. Parkin, P., Parkin D.T., Ewing, A.W. & Ford, H.A. (1972) *A report on the arthropods collected by the Edinburgh University Galapagos Islands Expedition, 1968*. The Pan-pacific Entomologist 48: 100-107.
39. Peck, S.B. (1994) *Sea-surface (Pleuston) transport of insects between islands in the Galápagos archipelago, Ecuador*. Annls. Entomol. Soc. Am. 87(5): 576-582.
40. Peck, S.B. (1996) *Origin and development of an insect fauna on a remote archipelago: The Galápagos Islands, Ecuador*. In: Keast A., Miller S.E. (eds.): *The origin and evolution of Pacific Island biotas, New Guinea to eastern Polynesia: patterns and processes*. SPB Academic Publishing, Amsterdam, The Netherlands, p. 91-122.
41. Peck, S.B., Heraty, J., Landry, B. & Sinclair, B.J. (1998) *Introduced insect fauna of an oceanic archipelago: The Galápagos Islands, Ecuador*. Am. Entomol. 44: 218-237.
42. Razowski, J., Landry, B. & Roque-Albelo, L. (2008) *The Tortricidae (Lepidoptera) of the Galapagos Islands, Ecuador*. Revue Suisse de Zoologie 115(1): 185-220.
43. Rindge, F.H. (1973) *The Geometridae (Lepidoptera) of the Galapagos Islands*. American Museum Novitates 2510: 1-31.
44. Roque-Albelo, L. (1999) *Two large tropical moths (Thysania zenobia (Noctuidae) and Cocutius antaeus (Sphingidae) colonize the Galapagos Islands*. Journal of the Lepidopterists Society 53(3): 129-130.

45. Roque-Albelo, L. (2001) *The Sphingidae (Lepidoptera) of the Galápagos Islands: their identification, distribution, and host plants, with new records*. Mitteil. schweiz. Entomol. Ges. - Bull. Soc. Entomol. Suisse 74: 217-226.
46. Roque-Albelo, L. (2003) *Population Decline of Galapagos endemic Lepidoptera on Volcán Alcedo (Isabela Island, Galapagos Islands, Ecuador): An effect of the introduction of the cottony cushion scale?* Bulletin de L'Institut Royal des Sciences Naturelles de Belgique 73: 177-180.
47. Roque-Albelo, L., Landry, B. (2006) *Lista anotada de los Lepidópteros de las islas Galápagos, Ecuador*. Charles Darwin Research Station, Puerto Ayora, Ecuador, 32 pp.
48. Roque-Albelo, L., Cruz Bedón, V. & Lamas, G. (2007) *Hemiargus ramon (Dognin, 1887) (Lycaenidae: Polyommatainae) A new resident butterfly of the Galápagos Islands*. Noticias de Galápagos 224: 1.
49. Roque-Albelo, L., Landry, B. (2009) *Two new species of Utetheisa Hübner (Lepidoptera, Noctuidae, Arctiinae) from the Galapagos Islands, Ecuador*. ZooKeys 21: 55–72. doi: 10.3897/zookeys.21.201.
50. Schaus, W. (1923) *Galápagos Heterocera with descriptions of new species*. Zoologica, Scientific Contributions of the New York Zoological Society 5(2): 22-48.
51. Schmitz, P., Landry, B. (2005) *Two new taxa of Galagete (Lepidoptera, Autostichidae) from the Galápagos Islands, Ecuador*. Revue Suisse de Zoologie 112(2): 511-517.
52. Schmitz, P., Landry, B. (2007) *Two new species of Chionodes Hübner from Ecuador, with a summary of known Galapagos records of Gelechiidae (Lepidoptera)*. Suisse de Zoologie 114(2): 175-184.
53. Schmitz, P., Landry, B. (2008) *A striking new endemic species of Galagete Landry (Lepidoptera: Autostichidae) from the Galapagos Islands, Ecuador*. Revue Suisse de Zoologie 115 (3): 575-583.
54. Silberglied, R.E. (1978) *Inter-island transport of insects aboard ships in the Galápagos Islands*. Biol. Conserv. 13(4): 273-278.
55. Todd, E.L. (1972) *Descriptive and Synonymical notes for some species of Noctuidae from the Galapagos Islands (Lepidoptera)*. Journal Washinton Academy of Science 62(1): 36-40.
56. Van Duzee, E.P. (1933) *The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 12 The diurnal Lepidoptera of the Expedition*. Proceedings of the California Academy of Sciences Fourth Series 21(12): 139-146.
57. g, g (g) g Nag

Disclaimer

The Charles Darwin Foundation Galapagos Species Checklist is a continuously updated list of all species currently known from the Galapagos Islands and reflects up-to-date knowledge compiled by scientists of the Charles Darwin Foundation (CDF) in collaboration with experts from around the world. CDF shares this data publicly and invites comments, corrections and additions.

Please do not hesitate to contact us; your input is very welcome. However, please understand that additions, changes, and corrections will be posted at periodic intervals after thorough cross-referencing of all new data. As an independent international scientific organization, the Charles Darwin Foundation relies on funding from donors who support our work. Please contact us at datazone@fcdarwin.org.ec if you would like to support the Charles Darwin Foundation Galapagos Species Checklist and help make knowledge of Galapagos biodiversity more widely available.