

CDF Checklist of Galapagos Beetles

Stewart B. Peck

Last updated: 12 May 2017

Abstract

This Checklist of Galapagos Beetles includes a total of all 543 taxa reported from the Galapagos Islands.

For each name, detailed information is provided: its Galapagos distribution in islands groups or bioregions generated from the specimen records, comments about the taxonomy (especially synonyms), the origin (native and introduced), taxon status (accepted vs. rejected records) and relevant literature references.

Introduction

This publication lists all species of Galapagos Beetles currently known.

Beetles are the group of insects with the largest number of known species. They can be found in almost all habitats; they often feed on plants and fungi, break down organic debris, or feed on other invertebrates.

Some species are preyed upon by other animals like birds and mammals.

The Galapagos beetle fauna is now known to contain 56 families, 297 genera, and 486 species.

The relationship of beetle diversity increases with island area, elevation, and ecological complexity, but this correlation has not been observed with island age.

The taxonomic composition of the total beetle fauna is probably now more than 95% sampled, and only a few species remain to be named. This provides excellent opportunities for the study of the life cycles and ecology of the Galapagos beetles, and for comparisons with the continental beetle fauna.

Methods

This checklist of all known Galapagos Beetles is automatically generated using the online database of the Charles Darwin Foundation Galapagos Species Checklist.

All CDF Galapagos Species Checklists represent the synthesis of many different records: literature citations, data from previously unpublished reports (grey literature), specimen records of natural history collections located in Galapagos and all over the world. To the best of their knowledge authors of the individual checklists revised all available data. When new information becomes available, the taxonomy of a group changes or new species are discovered, the CDF online database and thus this publication becomes updated.

For many poorly known species groups the higher taxonomic classification still regularly changes according to how our knowledge about species being related changes. In many well known groups the phylogeny is somewhat stable, but to avoid confusion, in particular for groups where taxonomic changes are frequent, all checklists presented here are sorted alphabetical according to genus name and specific epithet. Please refer to the website for the currently accepted taxonomic hierarchy of each group.

Please be aware that the distribution presented here is automatically generated from specimen records and does not always accurately reflect the known distribution for all species.

For marine species, the distribution generally refers to the five main bioregions of the archipelago (Far Northern, Northern, Western, South Eastern and the Elisabeth Bay Bioregion). For the terrestrial species more than 120 islands, islets and small rocks have been aggregated into Islands Groups, thus, for example, the island group "Santa Cruz" includes smaller islands like Santa Fé, Plaza Norte, Plaza Sur, Baltra, Daphne Mayor, Daphne Minor, and others.

IUCN red-list assessments presented here may deviate from the global IUCN list for the following reasons:

- for well known species groups like vascular plants or vertebrates updates proposed to the IUCN are shown instead of the outdated, but currently accepted status;
- for poorly known species groups (e.g., lichenized fungi) a general assessment is currently not possible and the list presented here is a regional red-list list for Galapagos archipelago.

Numbers of the species included in this list are auto-generated. Adding up the number of species in each category will not always equal the total number indicated. Some species have insufficient data to be categorized while others (e.g., category eradicated) will not be included in the total.

Results

Names of taxa included in this checklist: 543 (423 accepted, 1 species with infraspecific taxa, 79 unidentified taxon, 8 doubtful, 1 problematic, 13 new to science), 18 rejected.

Origin of the taxa included: 100 accidental, 1 cultivated, 1 eradicated, 2 intercepted, 2 questionable accidental, 58 questionable native, 277 endemic, 62 indigenous, 12 questionable endemic.

1. *Ablechrus flavipes* C. Waterhouse, 1877

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *A. darwini* C. Waterhouse, 1877: 81 (lapsus)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Pinzón, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Smith, E.A. et al. (1877), Van Dyke, E.C. et al. (1953), Wittmer, W. et al. (1993).

2. *Acalymma limbata* (C. Waterhouse, 1877)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Diabrotica limbata* C. Waterhouse, 1877, fide Peck (2006)

Origin: Native, Questionable Endemic.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

3. *Acamptus* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Questionable Endemic.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

4. *Acanthoderes galapagoensis galapagoensis* Linell, 1898

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).

5. *Acanthoderes galapagoensis vonhageni* Mutchler, 1938

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1976), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006).

6. *Acanthoderes galapagoensis williamsi* Linsley & Chemsak, 1966

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).

7. *Acanthoscelides fuscomaculatus* (Blair, 1928)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Bruchus fuscomaculatus* Blair, 1928, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1928), Decelle J. et al. (1976), Kingsolver, J.M. et al. (2001), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

8. *Acanthoscelides manleyi* Johnson, 1990

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, Santa Cruz, Santa Fé, Santiago.

References: Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (2006).

9. *Acanthoscelides obtectus* (Say, 1831)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, Santa Cruz.

References: Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

10. *Acanthoscelides rossi* Kingsolver & Rivera-Costa, 2001

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé.

References: Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (2006).

11. *Acaromimus sp. nov.*

Taxon status: Unpublished name (Nomen nudum).

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (2006).

12. *Achryson lineolatum* Erichson, 1847

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Achryson galapagoensis* Linell, 1899 (S. Peck: three subspecies have been distinguished for *A. galapagoensis*: *A. g. galapagoense*, *A. g. darwinii*, *A. g. flavescens*), but all these are of doubtful utility.

Origin: Native, Indigenous.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1976), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Roskov Y. et al. (2013), Van Dyke, E.C. et al. (1953).

13. *Acrotona pseudoclaudiensis* (Klimaszewski & Peck, 1998)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Atheta pseudoclaudiensis* Pace, 1985, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz.

References: Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

14. *Acrotrichis discolouroides* Johnson, 1969

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz.

References: Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

15. *Actidium difficilis* Johnson, 1982

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Johnson, C. et al. (1982), Peck, S.B. et al. (2006).

16. *Actidium leleupi* Johnson, 1982

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Johnson, C. et al. (1982), Peck, S.B. et al. (2006).

17. *Actinopteryx hoguei* Johnson, 1982

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Johnson, C. et al. (1982), Peck, S.B. et al. (2006).

18. *Aculomicrus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Three neotropical species are known (Smetana 1975).

Origin: Introduced, Questionable Native.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

19. *Acupalpus sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Santa Cruz.

References: Desender, K. et al. (2001), Peck, S.B. et al. (2006).

20. *Acupalpus sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Santa Cruz, Santiago.

References: Peck, S.B. et al. (2006).

21. *Adelonia costipennis* (Blair, 1933)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Rhacius costipennis* Blair, 1933, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1933), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

22. *Adistemia watsoni* (Wollaston, 1871)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

23. *Aeolus galapagoensis* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Aeolus fuscatus* Steinheil 1875: 125, of Mutchler 1938: 4 (error); Van Dyke 1953: 54 (error), fide Peck (2006); *Grammophorus galapagoensis* Van Dyke, 1953, fide Peck (unpublished)

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Pinzón, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

24. *Ahasverus excisus* (Reitter, 1876)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

25. *Allecula galapagoensis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

26. *Allecula insularis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Santa Cruz.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

27. *Allopentarthrum elumbe* (Boheman, 1838)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

28. *Alphitobius laevigatus* (Fabricius, 1781)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Santa Cruz.

References: Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

29. *Amblycerus galapagoensis* (Blair, 1928)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Spermophagus galapagoensis* Blair, 1928, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1928), Decelle J. et al. (1976), Kingsolver, J.M. et al. (2001), Linsley, E.G. et al. (1966), McMullen, C.K. et al. (2011), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

30. *Amblycerus piurae* (Pierce, 1915)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Spermophagus insularum* (Blair, 1927), *Spermophagus piurae* Pierce, 1915, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz.

References: Kingsolver, J.M. et al. (2001), McMullen, C.K. et al. (2011), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

31. *Ammophorus abingdoni* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Marchena, Pinta.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

32. *Ammophorus antennatus* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santa Fé.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

33. *Ammophorus bifoveatus* G.R. Waterhouse, 1845

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *A. obscurus* Linell, 1898, *A. bifoveatus barringtoni* Van Dyke, 1953; Peck (2006): Kaszab (1970: 186) states that this species is also known from collections by N. and J. Leleup in alpine grasslands in mainland Ecuador. Until this can be confirmed, I think it most likely that this is a case of mislabeling of specimens.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Marchena, Santa Cruz, Santa Fé, Santiago.

References: Finston, T.L. et al. (1997), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Parkin, P. et al. (1972), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

34. *Ammophorus cavernicola* Kaszab, 1970

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Santa Cruz.

References: Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1990), Peck, S.B. et al. (1986), Peck, S.B. et al. (2006).

35. *Ammophorus cooksoni* C. Waterhouse, 1877

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *A. carolinensis* Linell 1898: 264. Type in USNM: Galápagos; Charles Island (= Floreana). Acc. 21,999 USFC; *Ammophorus caroli* Linell, 1898 fide Peck (unpublished).

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Blair, K.G. et al. (1933), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

36. *Ammophorus denticollis* Boheman, 1858
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Questionable Endemic.
Galapagos Distribution: Santa Cruz.
References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
37. *Ammophorus galapagoensis galapagoensis* G.R. Waterhouse, 1845
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Ammophorus galapagoensis subpunctatus* Van Dyke, 1953, fide Peck (2006), *Ammophorus galapagoensis* G.R. Waterhouse, 1845
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal, Santa Cruz.
References: Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
38. *Ammophorus insularis* Boheman, 1858
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1997), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
39. *Ammophorus laevis* Van Dyke, 1953
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *A. galapagoensis laevis*, CAS type 7391, *A. franzi* Kaszab, 1977, fide Peck (2006)
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal.
References: Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Kaszab, Z. et al. (1977), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
40. *Ammophorus obscurus* G.R. Waterhouse, 1845
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Blair, K.G. et al. (1928), Blair, K.G. et al. (1933), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
41. *Ammophorus simplex* Van Dyke, 1953
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

42. *Ammophorus sp. nov. 1*

Taxon status: Unpublished name (Nomen nudum).

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1990), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

43. *Amphicerus galapaganus* (Lesne, 1910)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Bostrichus uncinatus* C. Waterhouse, 1877, *Amphicerus punctipennis* Linell (not LeConte), 1898, *Schistoceros obscurus*, *Amphicerus cornutus* (Pallas, 1772), fide Peck (2006). As earlier authors treated it, this species may yet prove to be a synonym or an island subspecies of *Amphicerus cornutus* (Pallas) which is widespread in lowland subtropical and tropical America, including the Pacific Tres Marias islands of Mexico.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Reichardt, H. et al. (1970), Zicha, O. (ed.) et al. (1999-2012).

44. *Anchastus sp. nov. 1*

Taxon status: Unpublished name (Nomen nudum).

Origin: Native, Endemic.

Galapagos Distribution: Pinta, Santa Cruz.

References: Peck, S.B. et al. (2006).

45. *Anchastus vandykei* Johnson, ?

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Anchastus williamsi* Van Dyke, 1953, new replacement name for the secondary homonym *A. williamsi* Van Dyke 1953: 53; preoccupied by *A. williamsi* Fleutiaux (1934) from the Philippines; Franz 1985: 88, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Isabela, Santa Cruz.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

46. *Ancholaemus acuminatus* Fairmaire, 1904

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Causton, C.E. et al. (2008), Peck, S.B. et al. (2006).

47. *Anchonus galapagoensis* G.R. Waterhouse, 1845

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinzón, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al.

(1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

48. *Anobocoelus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

49. *Anotylus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

50. *Anthicus pallidus* Say, 1826

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

51. *Araecerus fasciculatus* (DeGeer, 1775)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

52. *Araptus franzi* Bright & Peck, 1998

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Isabela, Pinta, Santa Cruz.

References: Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).

53. *Ariotus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Santa Cruz, Santiago.

References: Peck, S.B. et al. (2006).

54. *Astenus cruzensis* Coiffait, 1985

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Franz, H. et al. (1985), Peck, S.B. et al. (2006).

55. *Astenus galapagoensis* Coiffait, 1981
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz, Santiago.
References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
56. *Ataenius aequatorialis* Petrovitz, 1961
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *A. aequinoctialis*, fide Peck (2006); related to *Ataenius vincentiae* Arrow of the West Indies.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Pinta, Santa Cruz, Santiago.
References: Cook, J. et al. (2000), Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).
57. *Ataenius arrowi* Hinton, 1936
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Ataenius cribrithorax* Bates, 1887, *A. leleupi* Petrovitz 1976, fide Peck (2006). It is related to *A. nugator*, which is widespread from the southern US to Chile.
Origin: Native, Endemic.
Galapagos Distribution: Darwin, Isabela, Pinta, Santa Cruz, Santiago.
References: Blair, K.G. et al. (1933), Cook, J. et al. (2000), Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
58. *Ataenius atramentarius* (Erichson, 1847)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Ataenius scutellaris* Harold, 1867, *Ataenius dampieri* Petrovitz, 1961, fide Peck (2006)
Origin: Introduced, Questionable Native.
Galapagos Distribution: Floreana, Genovesa, Isabela, Pinta, San Cristóbal, Santa Cruz.
References: Cook, J. et al. (2000), Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
59. *Ataenius attenuator* Harold, 1874
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Ataenius abditoides* Chapin, 1940
Origin: No Data.
Galapagos Distribution: Santa Cruz.
60. *Ataenius cavagnaroi* Cartwright, 1970
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Cook, J. et al. (2000), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).

61. *Ataenius cristobalensis* Cook & Peck, 2000
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal.
References: Cook, J. et al. (2000), Peck, S.B. et al. (2006).
62. *Ataenius floreanae* Cook & Peck, 2000
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Floreana.
References: Cook, J. et al. (2000), Peck, S.B. et al. (2006).
63. *Ataenius gracilis* (Melsheimer, 1844)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, Santa Cruz.
References: Cook, J. et al. (2000), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).
64. *Ataenius liogaster* Bates, 1887
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Ataenius isabellae* Franz, 1985, fide Peck (2006). The type specimen is *A. liogaster* and the paratypes are *A. cavagnaroi*, fide Peck (2006).
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Cook, J. et al. (2000), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
65. *Ataenius sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: No Data.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.
66. *Atanygnathus sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Introduced, Questionable Native.
Galapagos Distribution: San Cristóbal, Santa Cruz, Santiago.
References: Peck, S.B. et al. (2006).
67. *Atheta galapagoensis* Pace, 1985
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.
References: Franz, H. et al. (1985), Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

68. *Aulonium angustatum* Pascoe, 1863
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz.
References: Peck, S.B. et al. (2006).
69. *Aulonium bidentatum* Fabricius, 1801
Taxon status: Accepted name; taxon occurs in Galapagos.
In Franz (1985: 90) misidentified as *A. belti* Sharp, 1894, fide Peck (2006)
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Pinta, Santa Cruz, Santiago.
References: Franz, H. et al. (1985), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
70. *Bacanius sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
Galapagos Distribution: Floreana, Pinta, Santa Cruz.
References: Peck, S.B. et al. (2006).
71. *Bactridium insularis* Van Dyke, 1953
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
72. *Baeocera galapagoensis* Löbl, 1977
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.
References: Franz, H. et al. (1985), Löbl, I. et al. (1977), Peck, S.B. et al. (2006).
73. *Bambara brunnea* (Britten, 1926)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (2006).
74. *Bambara contorta* (Dybas, 1966)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Santa Cruz, Santiago.
References: Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (2006).

75. *Bambara frosti* (Dybas, 1966)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Pinta, Santa Cruz, Santiago.
References: Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (2006).
76. *Bambara stevesi* (Dybas, 1966)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (2006).
77. *Belonuchus rufipennis* (Fabricius, 1801)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Coiffait, H. et al. (1981), Desender, K. et al. (1990), Franz, H. et al. (1985), Peck, S.B. et al. (1986), Peck, S.B. et al. (2006).
78. *Bembidion equatoriale* Van Dyke, 1953
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
79. *Bembidion galapagoensis* (G.R. Waterhouse, 1845)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Notaphus galapagoensis* G.R. Waterhouse, 1845, fide Desender et al. (1989)
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Isabela, Pinta, Santa Cruz, Santiago.
References: Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1990), Desender, K. et al. (1989), Desender, K. et al. (1992), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
80. *Bitoma exarata* (Pascoe, 1866)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Santa Cruz.
References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
81. *Blapstinus apicalis* (Van Dyke, 1953)
Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pedonoeces apicalis* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Genovesa, Santa Fé.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

82. *Blapstinus barringtoni* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pedonoeces barringtoni* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Santa Fé.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

83. *Blapstinus batesoni* (Blair, 1933)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pedonoeces batesoni* Blair, 1933, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

84. *Blapstinus bauri* (Linell, 1898)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pedonoeces bauri* Linell, 1898, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz.

References: Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

85. *Blapstinus blairi* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pedonoeces blairi* Van Dyke, 1953, fide Peck (2006), *Ammophorus blairi* Van Dyke, 1953 fide Peck (unpublished)

Origin: Native, Endemic.

Galapagos Distribution: Floreana.

References: Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

86. *Blapstinus caudatus* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pedonoeces caudatus* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Española, Genovesa, Santa Cruz.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

87. *Blapstinus costatus* (G.R. Waterhouse, 1845)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Pedonoeces costatus* G.R. Waterhouse, 1845, fide Peck (2006)
Origin: Native, Endemic.
Galapagos Distribution: Santiago.
References: Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).
88. *Blapstinus culpepperi* (Van Dyke, 1953)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Pedonoeces culpepperi* Van Dyke, 1953, fide Peck (2006)
Origin: Native, Endemic.
Galapagos Distribution: Darwin.
References: Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
89. *Blapstinus darwini* Aalbu & Triplehorn, 1991
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Pedonoeces opacus* Van Dyke, 1953, fide Peck (2006)
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz, Santiago.
References: Adersen, A. et al. (1991), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
90. *Blapstinus desenderi* Schatz, 1994
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz, Santa Fé.
References: Peck, S.B. et al. (2006), Schatz, I. et al. (1994).
91. *Blapstinus duncani* (Van Dyke, 1953)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Pedonoeces duncani* Van Dyke, 1953, fide Peck (2006)
Origin: Native, Endemic.
Galapagos Distribution: Pinzón, Santa Cruz.
References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
92. *Blapstinus galapagoensis* (G.R. Waterhouse, 1845)
Taxon status: Accepted name; taxon occurs in Galapagos.
Acc. name: *Pedonoeces galapagoensis* G.R. Waterhouse, 1845, fide Peck (2006)
Origin: Native, Endemic.
Galapagos Distribution: Santiago.
References: Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

93. *Blapstinus lugubris* (Boheman, 1858)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pedonoeces lugubris* Boheman, 1858, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Española, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Blair, K.G. et al. (1933), Finston, T.L. et al. (1997), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

94. *Blapstinus morio* (Boheman, 1858)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pedonoeces morio* Boheman, 1858, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Blair, K.G. et al. (1933), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

95. *Blapstinus pubescens* (G.R. Waterhouse, 1845)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pedonoeces pubescens* G.R. Waterhouse, 1845, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Adersen, A. et al. (1991), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

96. *Blapstinus spatulus* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pedonoeces spatulus* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Española, Santa Cruz.

References: Finston, T.L. et al. (1997), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

97. *Blapstinus uniformis* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pedonoeces uniformis* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

98. *Blapstinus wenmani* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pedonoeces wenmani* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Wolf.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

99. *Blapstinus williamsi* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pedonoeces williamsi* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Santa Cruz.

References: Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

100. *Bledius aequatorialis* Mutchler, 1925

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

101. *Bledius punctatissimus* LeConte, 1877

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Psamathobledius punctatissimus* LeConte, 1877, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Genovesa, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).

102. *Brachypeplus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

103. *Bradycellus cristobalinus* Franz, 1985

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Franz, H. et al. (1985), Peck, S.B. et al. (2006).

104. *Bradycellus insularis* Reichardt, 1976

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Bradycellus galapagorum galapagorum*, *B. galapagorum santiagoensis*, *B. isabelanus*. Re-examination of the type material of Franz (1985) (Desender, in prep.) does not support the validity of the above names, which are therefore here proposed as new synonyms for the variable species *B. insularis*.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Pinzón, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Peck, S.B. et al. (2006), Reichardt, H. et al. (1976).

105. *Bradycellus isabelae* Franz, 1985

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Peck, S.B. et al. (2006).

106. *Bradycellus sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Desender, K. et al. (2001).

107. *Brentus volvulus* Fabricius, 1792

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

108. *Bryoporus tarsalis* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

109. *Bythinoplectus caecus* Franz, 1978

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Coulon, G. et al. (1992), Franz, H. et al. (1985), Franz, H. et al. (1978), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

110. *Bythinoplectus peregrinus peregrinus* Schuster & Grigarick, 1966

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Bythinoplectus peregrinus similis*, *B. p. santiagoensis*, *B. p. isabelae*, *B. p. pinta*, *B. p. cristobalensis*.

This last name was retained as a valid subspecies by Coulon (1992), and all other names were synonymized under the nominal subspecies.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Coulon, G. et al. (1992), Franz, H. et al. (1985), Franz, H. et al. (1978), Peck, S.B. et al. (2006).

111. *Caccodes oceaniae* (Bourgeois, 1884)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Peck, S.B. et al. (2006), Wittmer, W. et al. (1993).
112. *Cafius cf. bistriatus* (Erichson, 1840)
Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Isabela, Santa Cruz.
References: Peck, S.B. et al. (2006).
113. *Calleida migratoria* Casale, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Santa Cruz, Santiago.
References: Causton, C.E. et al. (2008), Desender, K. et al. (2002), Peck, S.B. et al. (2006).
114. *Callosobruchus cf. maculatus* (Fabricius, 1775)
Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.
Origin: No Data.
Galapagos Distribution: Santa Cruz.
115. *Calosoma galapageium* Hope, 1838
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Castrida galapageium* Hope, 1838, fide Desender & De Dijn (1989)
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz, Santiago.
References: Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Desender, K. et al. (1992), Desender, K. et al. (1991), Desender, K. et al. (1990), Desender, K. et al. (1989), Gidaspow, T. et al. (1963), Hickin, N. et al. (1979), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
116. *Calosoma granatense* Géhin, 1885
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Calosoma howardi*, *C. galapageium*, *C. granatense darwiniana*, *C. darwiniana*, *C. granatense floreana*, *C. galapagoum* Howard, 1889 (non Hope), *Castrida granatense* Géhin, 1885, *C. granatensis* Géhin, 1885, *C. granatense granatense* Géhin, 1885, *C. granatense darwiniana* Van Dyke, 1953, *C. granatensis darwiniana* Van Dyke, 1953, *C. granatensis floreana* Basilewsky, 1968. Desender & Verdyck (2000) have demonstrated a relatively high genetic differentiation between populations on different islands, indicating that long distance (inter-island) dispersal events are rare in this species.
Origin: Introduced, Questionable Native.
Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.
References: Basilewsky, P. et al. (1968), Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K.

et al. (1989), Desender, K. et al. (1992), Desender, K. et al. (1991), Desender, K. et al. (2000), Desender, K. et al. (1990), Desender, K. et al. (1989), Dhuyvetter, H. et al. (2002), Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

117. *Calosoma leleuporum* (Basilewsky, 1968)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Castrida leleuporum* Basilewsky, 1868, fide Desender & De Dijn (1989)

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Basilewsky, P. et al. (1968), Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Desender, K. et al. (1991), Desender, K. et al. (1990), Desender, K. et al. (1989), Peck, S.B. et al. (2006).

118. *Calosoma linelli* Mutchler, 1925

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Calosoma galapageium* Linell, 1898 (not Hope), *Castrida linelli* Mutchler, 1925, fide Desender & De Dijn (1989)

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal.

References: Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Desender, K. et al. (1988), Desender, K. et al. (1991), Desender, K. et al. (1990), Desender, K. et al. (1989), Gidaspow, T. et al. (1963), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

119. *Calymmaderus alutaceus* (Blair, 1928)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Eupactus alutaceus* Blair, 1928, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Blair, K.G. et al. (1928), Español F. et al. (1976), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

120. *Calymmaderus galapagoensis* (Blair, 1928)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Thaptor galapagoensis* Blair, 1928, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1928), Español F. et al. (1976), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

121. *Calymmaderus georgicus* (Blair, 1928)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Eupactus georgicus* Blair, 1928, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Pinta, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1928), Español F. et al. (1976), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

122. *Carcinops galapagoensis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Genovesa, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Wenzel, R.L. et al. (1976).

123. *Carcinops sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

124. *Carcinops tenellus* (Erickson, 1834)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Wenzel, R.L. et al. (1976).

125. *Carpelimus aequalis* (Jacquelin du Val, 1857)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Troglophloeus aequalis* Le Comte, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1978), Peck, S.B. et al. (2006).

126. *Carpelimus leleupi* (Coiffait, 1981)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Troglophloeus leleupi* Coiffait, 1981, fide Peck (2006). Described from one female.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).

127. *Carpelimus marchenicus* (Coiffait, 1981)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Troglophloeus marchenicus* Coiffait, 1981, fide Peck (2006). Described from a single specimen, sex not stated.

Origin: Native, Endemic.

Galapagos Distribution: Marchena, Santa Cruz.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

128. *Carpelimus obscuricornis* (Coiffait, 1981)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Troglophloeus obscuricornis* Coiffait, 1981. Described from single specimen, sex not known.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).
129. *Carpelimus santiagus* (Coiffait, 1981)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Troglophloeus santiagus* Coiffait, 1981, fide Peck (2006). Described from single specimen, sex not stated.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz, Santiago.
References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
130. *Carpelimus tripunctulus* (Coiffait, 1981)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Troglophloeus tripunctulus* Coiffait, 1981, fide Peck (2006). Holotype not dissected, sex unknown.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).
131. *Carphina arcifera* Bates, 1872
Taxon status: Accepted name; taxon occurs in Galapagos.
specimen in MZSP, identification by U.R. Martins, Museum of Zoology, University of São Paulo, Brasil
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).
132. *Carpophilus dimidiatus* (Fabricius, 1792)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).
133. *Cartodere constricta* (Gyllenhal, 1827)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
134. *Cathartosilvanus opaculus* (LeConte, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Questionable Native.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

135. *Cathartosilvanus tropicalis* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Silvanus tropicalis* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

136. *Cathartus quadricollis* (Guérin-Méneville, 1829)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

137. *Catolethrus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

138. *Caulophilus oryzae* (Gyllenhal, 1838)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

139. *Caulophilus sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Santa Cruz.

References: Peck, S.B. et al. (2006).

140. *Ceracis cucullatus* (Mellié, 1848)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

141. *Ceracis sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

142. *Chaetocnema confinis* Crotch, 1873

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

143. *Cheilomanes sexmaculata* (Fabricius, 1781)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Unknown.

144. *Chelonarium* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Questionable Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (2006).

145. *Chelonus* sp. nov.

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

Galapagos Distribution: Unknown.

References: Peck, S.B. et al. (1991).

146. *Chlorida festiva* (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Unknown.

147. *Chrysobothris williamsi* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Pinzón, San Cristóbal, Santa Cruz.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

148. *Cicindela galapagoensis* Horn, 1915

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Cicindelidia galapagoensis* (Horn, 1920), *Cicindela vonhageni*, *C. galapagoensis* *discolourata*. Reichardt (1976) placed *C. vonhageni* as a synonym of *C. galapagoensis* on the basis of intermediate forms in collections from Floreana and Tortuga Bay. Several recent authors still treat *C. vonhageni* as a valid species. Cassola and Roque-Albelo (2003) summarize the evidence that *C. galapagoensis* and *C. vonhageni* as separate and probably sister species. We find the evidence to be unconvincing based on our own collections. There is certainly variation in body size and colouration within and between populations of the colour forms. Allozyme studies did not separate dark and pale forms of what we consider all to be *C. galapagoensis*. However, molecular studies (Desender and co-workers) in progress may help further resolve this question.

Cassola et al. (2000) present evidence that this species is possibly threatened by the recently arrived species *C. trifasciata*, which seems to be displacing it.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, San Cristóbal, Santa Cruz.

References: Cassola, F. et al. (2000), Cassola, F. et al. (2001), Cassola, F. et al. (2003), Causton, C.E. et al. (2008), Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Desender, K. et al. (1992), Franz, H. et al. (1985), Leffler, S. et al. (2000), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Reichardt, H. et al. (1976), Van Dyke, E.C. et al. (1953).

149. *Cicindela trifasciata* Fabricius, 1781

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Cassola, F. et al. (2000), Cassola, F. et al. (2001), Cassola, F. et al. (2003), Causton, C.E. et al. (2008), Leffler, S. et al. (2000), Peck, S.B. et al. (2006).

150. *Cis creberrimus* Mellié, 1848

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.

References: Peck, S.B. et al. (2006).

151. *Cissites maculata* (Swederus, 1787)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1966), MacSwain, J.W. et al. (1961), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

152. *Clavilispinus exiguus* Erichson, 1840

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pseudolispinodes sericeus* Coiffait, 1981: 309, fide Peck (2006)

Origin: Introduced, Accidental.

Galapagos Distribution: Española, Floreana, Isabela, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

153. *Coccidophilus* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

154. *Coccotrypes carpophagus* (Hornung, 1842)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Bright, D.E. et al. (1998), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).

155. *Coccotrypes dactyliperda* (Fabricius, 1801)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Bright, D.E. et al. (1998), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).

156. *Coccotrypes rhizophorae* (Hopkins, 1915)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, Santa Cruz.

References: Bright, D.E. et al. (1998), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

157. *Coelosternus leporinus* (Champion, 1906)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

158. *Colopterus sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

159. *Colopterus truncatus* Randall, 1838

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

160. *Coluocera maderae* Wollaston, 1854

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Questionable Native.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

161. *Conoderus galapagoensis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Aeolus fuscatus of Mutchler 1938: 4; Van Dyke 1953: 54, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), McMullen, C.K. et al. (2011), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

162. *Conotelus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

163. *Copelatus galapagoensis* G.R. Waterhouse, 1845

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Gerecke, R. et al. (1995), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1993), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

164. *Coproporus galapagosus* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

165. *Corticotomus cf. quadrimaculatus* Lèveillé, 1905

Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Floreana, Isabela, Marchena, Santa Cruz, Santiago.

References: Peck, S.B. et al. (2006).

166. *Cosmopolites sordidus* (Germar, 1824)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

167. *Creophilus maxillosus* (Linnaeus, 1858)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Creophilus villosus* (Gravenhorst, 1802), fide Peck (2006). Galápagos specimens differ somewhat from mainland specimens and may be a distinct taxon (A. Smetana, pers. comm.).

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

168. *Cryptolestes klapperichi* Lefkovitch, 1962
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Española, Floreana, Genovesa, Isabela, San Cristóbal.
References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).
169. *Cryptolestes sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Introduced, Questionable Native.
Galapagos Distribution: Floreana, Santa Cruz.
References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).
170. *Cryptolestes uncicornis* (Reitter, 1876)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
171. *Cryptophilus sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Indigenous.
Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1993), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
172. *Cryptorama caheni* Español, 1976
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Santa Cruz, Santa Fé, Santiago.
References: Español F. et al. (1976), Peck, S.B. et al. (2006).
173. *Cryptorama joannae* Español, 1976
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Darwin, Española, Genovesa, Pinta, San Cristóbal, Santa Cruz, Wolf.
References: Español F. et al. (1976), Peck, S.B. et al. (2006).
174. *Cybocephaluls serrativentris* (C. Waterhouse, 1877)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Acribus serrativentris* C. Waterhouse, 1877, fide Peck (2006). This species was originally placed in Clambidae and excluded from any later Galápagos list. Endrody-Younga (1959: 82) indicated that the species is a cybocephaline nitidulid, and we agree after examining specimens. *Acribus* is now considered to be a synonym of *Cybocephalus* and would thus not be endemic.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Pinta, Pinzón, Santa Cruz.
References: Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

175. *Cycloneda galapagoensis* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Adalia galapagoensis* Van Dyke, 1953, fide Peck (2006). This species is stated as the sister to *Cycloneda sanguinea* (Vandenburg 1992: 380). An Isabela record in the original type series is based on a misidentified Olla (N. Vandenberg, in litt.)

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago, Wolf.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

176. *Cycloneda sanguinea* (Linnaeus, 1763)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Parkin, P. et al. (1972), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

177. *Cyrcillum strigicolle* (Sharp, 1882)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

178. *Cylidrella* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1990).

179. *Dactylosternum abdominale* Fabricius, 1793

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

180. *Dactylosternum* sp. 2

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

181. *Dalotia coriaria* (Kraatz, 1856)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Atheta coriaria* (Kraatz, 1856), fide Peck (2006)

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Klimaszewski, J. et al. (1998), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).

182. *Dermestes ater* Degeer, 1774

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Darwin, Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

183. *Dermestes carnivorus* Fabricius, 1775

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Darwin, Española, Isabela, San Cristóbal, Santa Cruz.

References: Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

184. *Dermestes maculatus* Degeer, 1774

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Dermestes vulpinus* Fabricius, 1781, fide Peck (2006)

Origin: Introduced, Accidental.

Galapagos Distribution: Darwin, Fernandina, Floreana, Genovesa, Isabela, Pinzón, Santa Cruz, Santiago, Wolf.

References: Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

185. *Derolathrus* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Questionable Endemic.

Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz, Santiago.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

186. *Desmiphora maculosa* Lisney & Chemsak, 1966

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *D. hirticollis*, Blair (not Olivier), 1933, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Isabela, Santa Cruz, Santa Fé, Santiago.

References: Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1976), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

187. *Dienerella filum* (Aubé, 1850)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

188. *Diestota franziana* Pace, 1986

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *D. franzi*, replacement name (Pace, 1985: 451)

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Marchena, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

189. *Diestota galapagoensis* (Pace, 1985)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Parasilusa galapagoensis* Pace, 1985, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Marchena, Santa Cruz.

References: Franz, H. et al. (1985), Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

190. *Diestota leleupi* (Pace, 1985)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Parasilusa leleupi*, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

191. *Dinoderus minutus* (Fabricius, 1775)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

192. *Diochus cristobalensis* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Described from only one male.

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

193. *Diochus franzi* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Described from three males and five females.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

194. *Diochus isabelae* Coiffait, 1981
Taxon status: Accepted name; taxon occurs in Galapagos.
Described from one male and one female.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz.
References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
195. *Diochus montguilloni* Coiffait, 1987
Taxon status: Accepted name; taxon occurs in Galapagos.
Replacement name for preoccupied *D. testaceus* (Coiffait) 1981; described from only one male.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz, Santiago.
References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
196. *Diochus santiagus* Coiffait, 1981
Taxon status: Accepted name; taxon occurs in Galapagos.
Described from 2 males and 1 female.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz, Santiago.
References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).
197. *Diomus anthony* Gordon, 1999
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Peck, S.B. et al. (2006).
198. *Dipropus puberulus* (Boheman, 1858)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Heterocrepidius puberulus* Boheman, 1858, *Ischiodontus inornatus* Candéze, 1859, fide Peck (2006)
Origin: Native, Indigenous.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
199. *Dipropus sp. nov. 1*
Taxon status: Unpublished name (Nomen nudum).
Origin: No Data.
Galapagos Distribution: Isabela, Santa Cruz.
References: Peck, S.B. et al. (2006).
200. *Docema galapagoensis* (G.R. Waterhouse, 1845)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Haltica galapagoensis* G.R. Waterhouse, 1845, fide Peck (2006). This species is the type for the genus, and is still known only from the unique specimen collected by Charles Darwin (Peck 2005).

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

201. *Dryotribus mimeticus* Horn, 1873

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Fernandina, Isabela, Marchena, San Cristóbal, Santa Cruz.

References: Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

202. *Eburia lanigera* Linell, 1898

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Eburia amabilis* Boheman, 1859, fide Peck (unpublished)

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1976), McMullen, C.K. et al. (2011), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Parkin, P. et al. (1972), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

203. *Eburia pilosa* (Erichson, 1833)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Eburia bauri* Linell, 1898, *Eburia proletaria* Blair (not Erichson), 1933, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1933), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

204. *Echiaster leleupi* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

205. *Eidoreus minutus* Sharp, 1885

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

206. *Endeius multipunctatus* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Pinta, Santa Cruz.

References: Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).

207. *Endeius ovaliceps* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

208. *Enochrus obscurus* (Sharp, 1882)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1933), Franz, H. et al. (1985), Gerecke, R. et al. (1995), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

209. *Enochrus waterhousei* Blair, 1933

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Genovesa, Isabela, Marchena, Santa Cruz, Santiago.

References: Appeltans, W. et al. (2010), Blair, K.G. et al. (1933), Gelin, A. et al. (2002), Gerecke, R. et al. (1995), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

210. *Eretes sticticus* (Linnaeus, 1767)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Eunectes occidentalis*

Origin: Native, Indigenous.

Galapagos Distribution: Española, Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé.

References: Franz, H. et al. (1985), Gerecke, R. et al. (1995), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

211. *Espeson cruzensis* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

212. *Espeson franzi* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

213. *Espeson minor* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

214. *Estola insularis cribrata* Blair, 1933

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Estola cribrata* Blair, 1933, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

215. *Estola insularis duncani* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Estola duncani* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Pinzón, Santa Cruz.

References: Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

216. *Estola insularis insularis* Blair, 1933

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).

217. *Estola insularis nigrescens* Linsley & Chemsak, 1966

Taxon status: Taxonomic status unresolved or unrevised.

? Syn.: *Estola insularis subnigrescens* Breunning, 1974, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Santa Cruz.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).

218. *Estoloides galapagoensis* Blair, 1933

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Estola galapagoensis* Blair, 1933, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Isabela, Santa Cruz, Santa Fé, Santiago.

References: Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1976), Mutchler, A.J. et al. (1938), Parkin, P. et al. (1972), Peck, S.B. et al.

(2006), Van Dyke, E.C. et al. (1953).

219. *Eubulus coecus* (Fabricius, 1801)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

220. *Eubulus pilipectus* Champion, 1905

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

221. *Euconnus sp. nov.*

Taxon status: Unpublished name (Nomen nudum).

This is probably an undescribed species.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (2006).

222. *Euscepes postfasciatus* (Fairmaire, 1849)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, Santa Cruz.

References: Franz, H. et al. (1985), Peck, S.B. et al. (2006).

223. *Euspilotus batesoni* Blair, 1933

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Saprinus batesoni* Blair, 1933, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Darwin, Española, Genovesa, Isabela, Pinta, Santa Cruz, Wolf.

References: Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

224. *Euspilotus nigrinus* (Blanchard, 1842)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Saprinus modestior* Van Dyke, 1953, fide Peck (2006)

Origin: Introduced, Questionable Native.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Pinta, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

225. *Euthiconus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Probably an undescribed species, the record is based on one specimen.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (2006).

226. *Euvira scalesiai* Klimaszewski & Peck, 1998

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

227. *Euxestus erithaeus* Chevrolat, 1863

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

228. *Fallia colorata* John, 1959

Taxon status: Accepted name; taxon occurs in Galapagos.

Lawrence and Newton (1995) point out that "The grammatically correct spellings of the family and nominotypical subfamily names are Discolomatidae and -inae, respectively, not Discolomidae and -inae

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).

229. *Fallia galapagana* John, 1959

Taxon status: Accepted name; taxon occurs in Galapagos.

Lawrence and Newton (1995) point out that "The grammatically correct spellings of the family and nominotypical subfamily names are Discolomatidae and -inae, respectively, not Discolomidae and -inae

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Isabela, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).

230. *Faustinus rhombifer* (Champion, 1905)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Peck, S.B. et al. (2006).

231. *Feluva franzi* Pace, 1985

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Marchena, Pinta, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

232. *Fornax* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Questionable Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

233. *Galapaganus ashlocki* Lanteri, 1992

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Lanteri, A.A. et al. (2001), Lanteri, A.A. et al. (1992), Peck, S.B. et al. (2006), Sequeira, A.S. et al. (2000).

234. *Galapaganus blairi* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pantomorus blairi* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Lanteri, A.A. et al. (1992), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

235. *Galapaganus caroli* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pantomorus caroli* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Floreana.

References: Franz, H. et al. (1985), Lanteri, A.A. et al. (1992), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Sequeira, A.S. et al. (2000), Van Dyke, E.C. et al. (1953).

236. *Galapaganus collaris* Lanteri, 1992

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, San Cristóbal.

References: Lanteri, A.A. et al. (2001), Lanteri, A.A. et al. (1992), Peck, S.B. et al. (2006), Sequeira, A.S. et al. (2000).

237. *Galapaganus conwayensis* (Mutchler, 1938)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pantomorus conwayensis* Mutchler, 1938, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Franz, H. et al. (1985), Lanteri, A.A. et al. (1992), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Sequeira, A.S. et al. (2000), Van Dyke, E.C. et al. (1953).

238. *Galapaganus crockeri* (Van Dyke, 1953)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Pantomorus crockeri* Van Dyke, 1953
Origin: Native, Endemic.
Galapagos Distribution: Genovesa, Pinta.
References: Lanteri, A.A. et al. (1992), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
239. *Galapaganus darwini* Lanteri, 1992
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Darwin, Wolf.
References: Lanteri, A.A. et al. (2001), Lanteri, A.A. et al. (1992), Peck, S.B. et al. (2006).
240. *Galapaganus galapagoensis* (Linell, 1898)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Pantomorus galapagoensis* Linell, 1898, fide Peck (2006)
Origin: Native, Endemic.
Galapagos Distribution: Floreana, San Cristóbal.
References: Blair, K.G. et al. (1933), Franz, H. et al. (1985), Lanteri, A.A. et al. (2001), Lanteri, A.A. et al. (1992), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Sequeira, A.S. et al. (2000), Van Dyke, E.C. et al. (1953).
241. *Galapaganus howdenae* Lanteri, 1992
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Lanteri, A.A. et al. (1992), Peck, S.B. et al. (2006), Sequeira, A.S. et al. (2000).
242. *Galapaganus vandykei* Lanteri, 1992
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, San Cristóbal.
References: Lanteri, A.A. et al. (1992), Peck, S.B. et al. (2006), Sequeira, A.S. et al. (2000).
243. *Galapaganus williamsi* (Van Dyke, 1953)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Pantomorus williamsi* Van Dyke, 1953, fide Peck (2006)
Origin: Native, Endemic.
Galapagos Distribution: Isabela.
References: Franz, H. et al. (1985), Lanteri, A.A. et al. (1992), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

244. *Galapagodacnum darwini* (Blair, 1933)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Coelostoma darwini* Blair, 1933, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

245. *Galapagonotus cuneiformis* (G.R. Waterhouse, 1845)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn: *Amphideritus cuneiformis* G.R. Waterhouse, 1845, *Otiorhynchus cuneiformis* (G.R. Waterhouse, 1845), fide Peck (unpublished); Anderson & Lanteri (2000) could not reliably place this genus and species at the tribal level. It is here placed tentatively as Naupactini. A second species of *Amphideritus* suggested by Franz (1985: 100) appears to be this same species. Separate island populations show external differences but no significant differences were seen in the male genitalia between populations.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz, Santiago.

References: Anderson, R.S. et al. (2000), Peck, S.B. et al. (2006).

246. *Gen. 1 Cryptorhynchini indet. sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

247. *Gen. 2 Anchonini indet. sp. nov.*

Taxon status: Unpublished name (Nomen nudum).

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

248. *Gen. 3 Pentarthrini indet. sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Questionable Endemic.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

249. *Gen. nov. Araecerini indet. sp. nov.*

Taxon status: Unpublished name (Nomen nudum).

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

250. *Gerstaeckeria galapagoensis barringtonensis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santa Fé.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

251. *Gerstaeckeria galapagoensis galapagoensis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Marchena, Pinta, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).

252. *Gerstaeckeria galapagoensis hoodensis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Santa Cruz.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

253. *Gerstaeckeria galapagoensis seymourensis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

254. *Gerstaeckeria sp. nov.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

255. *Gnathocerus cornutus* (Fabricius, 1798)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Eradicated.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

256. *Gnatocerus maxillosus* (Fabricius, 1801)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Questionable Accidental.

Galapagos Distribution: Isabela, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).

257. *Gyrinus galapagoensis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal.

References: Franz, H. et al. (1985), Gerecke, R. et al. (1995), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

258. *Haliphus gravidus* Aubé, 1838

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Haliphus robustus* Sharp, 1877, fide Van Vondel & Spangler (2008); in Peck (1993 & 2006) as *Haliphus robustus*.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006), Van Vondel, B.J. et al. (2008).

259. *Halocoryza acapulcana* Whitehead, 1966

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz, Santiago.

References: Peck, S.B. et al. (2006).

260. *Hapalips sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

261. *Hapalips sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

262. *Haptoncus luteolus* (Erichson, 1843)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

263. *Heterachthes apicalis* (Blair, 1933)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Compsa arubae* Gilmour, 1968, *Compsa apicalis* Blair, 1933, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz, Santiago.

References: Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et

al. (1966), Linsley, E.G. et al. (1976), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

264. *Holisus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Santa Cruz, Santiago.

References: Peck, S.B. et al. (2006).

265. *Holopamecus franzi* Rücker, 1984

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Franz, H. et al. (1985), Peck, S.B. et al. (1992), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

266. *Holotrochus galapagosus* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, San Cristóbal, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

267. *Holotrochus isabelae* Hernandez & Outerelo, 1993

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Hernández, J.J. et al. (1993), Peck, S.B. et al. (2006).

268. *Homaeotarsus franzi* (Coiffait, 1981)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Gastrolobium franzi* (Coiffait, 1981), fide Peck (2006), *Gastrobium franzi* Coiffait, 1981, fide Peck (unpublished)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

269. *Homoconnus galapagoensis* Franz, 1978

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Franz, H. et al. (1978), Peck, S.B. et al. (2006).

270. *Horistonotus williamsi* (Mutchler, 1925)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Coptostethus williamsi* Mutchler, 1925, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Marchena, Pinta, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

271. *Hylocurus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Questionable Endemic.

Galapagos Distribution: Santa Cruz.

References: Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).

272. *Hypasclera collenetti* Blair, 1928

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Alloxaxis hoodi* Van Dyke, 1953, *Alloxaxis collenettei* Blair, 1928, fide Peck (2003)

Origin: Native, Endemic.

Galapagos Distribution: Darwin, Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Blair, K.G. et al. (1928), Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2003), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

273. *Hypasclera seymourensis* Mutchler, 1925

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Alloxaxis seymourensis* Mutchler, 1925, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz, Santa Fé, Santiago.

References: Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2003), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

274. *Hyperaspis bromelicola* Sicard, 1925

Taxon status: Accepted name; taxon occurs in Galapagos.

A species with high variability in the size and position of the light-whitish and dark areas on the head, prothorax, and elytra. This species belongs to the subgenus *Tenuisvalvae* as evidenced by the narrow, elongate valves (coxites, hemisternites, or 9th sternites) of the female genitalia.

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Peck, S.B. et al. (2006).

275. *Hypothenemus birmanus* (Eichhoff, 1878)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Stephanoderes birmanus* Eichhoff, 1878, fide Peck (2006)

Origin: Introduced, Questionable Native.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Bright, D.E. et al. (1998), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1990), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

276. *Hypothenemus brunneus* (Hopkins, 1915)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz.

References: Bright, D.E. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

277. *Hypothenemus californicus* Hopkins, 1915

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).

278. *Hypothenemus columbi* Hopkins, 1915

Taxon status: Accepted name; taxon occurs in Galapagos.

In Peck & Kukalová (1990) as *Hypothenemus cylindricus*, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, San Cristóbal, Santa Cruz.

References: Bright, D.E. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

279. *Hypothenemus crudiae* (Panzer, 1791)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).

280. *Hypothenemus eruditus* Westwood, 1833

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Española, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Bright, D.E. et al. (1998), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1990), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

281. *Hypothenemus indigenus* Bright & Peck, 1998

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).

282. *Hypothenemus obscurus* (Fabricius, 1801)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Stephanoderes obscurus* Fabricius, 1801, fide Peck (unpublished)

Origin: Introduced, Questionable Native.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago, Wolf.

References: Bright, D.E. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

283. *Hypothenemus pacificus* Bright & Peck, 1998
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz.
References: Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).
284. *Hypothenemus seriatus* (Eichoff, 1872)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Questionable Native.
Galapagos Distribution: Floreana, San Cristóbal.
References: Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).
285. *Ischiodontus* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: No Data.
Galapagos Distribution: Santa Cruz.
References: Peck, S.B. et al. (1990).
286. *Laemophloeus suturalis* Reitter, 1876
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Questionable Native.
Galapagos Distribution: San Cristóbal, Santa Cruz.
References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
287. *Lathrobium* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Peck, S.B. et al. (2006).
288. *Lathropus cf. parvulus* Grouvelle, 1878
Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful. These are probably conspecific with individuals of *L. parvulus* Grouvelle of Panama. The genus is in need of revision and identification must remain tentative at present.
Origin: Introduced, Questionable Native.
Galapagos Distribution: Española, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
289. *Lembodes subcostatus* Van Dyke, 1953
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Darwin, Española, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Wolf.
References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Van Dyke, E.C. et al. (1953).

290. *Lichenophanes rutilans* Reichardt, 1970

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Isabela, Marchena, San Cristóbal, Santa Cruz.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006), Reichardt, H. et al. (1970).

291. *Liodessus aff. affinis* (Say, 1823)

Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.

Peck (2006): *Liodessus affinis* is distributed throughout North America and the Neotropics; to Chile and Argentina (Larson and Roughley 1990); many other species occur in tropical America and *L. affinis* may be a species complex.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Darwin, Isabela, San Cristóbal, Santa Cruz.

References: Gerecke, R. et al. (1995), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

292. *Lispinus sulcicollis* (Coiffait, 1981)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Lispinus sulcicollis* (Coiffait, 1981), fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

293. *Lissohypnus pecki* Bordoni, 2004

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Lissohypnus texanus* Casey, 1906, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

294. *Litargus balteatus* LeConte, 1856

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

295. *Lithocharis jeannae* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Study of material is necessary to determine if this is a valid species separable from *L. ochracea*.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

296. *Lithocharis ochracea* Gravenhorst, 1802

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

297. *Lithocharodes elytratus* (Coiffait, 1981)

Taxon status: Accepted name; taxon occurs in Galapagos.

Described from one female from the pampa zone. Syn.: *Hesperolinus elytratus* Coiffait, 1981, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).

298. *Lobopoda galapagoensis* Linell, 1898

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *L. brunneipennis* Campbell, 1966, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, Santa Cruz.

References: Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (1996), Peck, S.B. et al. (1994), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

299. *Longitarsus galapagoensis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

300. *Longitarsus lunatus* C. Waterhouse, 1877

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana.

References: Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

301. *Longitarsus sp. nov. 1*

Taxon status: Unpublished name (Nomen nudum).

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (2006).

302. *Longitarsus sp. nov. 2*

Taxon status: Unpublished name (Nomen nudum).

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

303. *Lyctus brunneus* Stephens, 1830

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Questionable Accidental.

Galapagos Distribution: Santa Cruz.

References: Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006), Reichardt, H. et al. (1970).

304. *Lyctus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

305. *Macrancylus gracilis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Pinta, Santa Cruz.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

306. *Macroscytalus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

307. *Mallodon molarius galapagoensis* (Mutchler, 1938)

Taxon status: Accepted name; taxon occurs in Galapagos.

Acc. name: *Stenodontes molarius galapagoensis* Mutchler, 1938, fide Peck (2006)

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Zicha, O. (ed.) et al. (1999-2012).

308. *Mastogenius cuneaticollis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Pinzón, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

309. *Mastogenius galapagoensis* Van Dyke, 1953
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Fernandina, Santa Cruz.
References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
310. *Megacerus minusculus* (Pic, 1934)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Questionable Native.
Galapagos Distribution: Española, Marchena, Santa Cruz, Santiago.
References: Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (2006).
311. *Menimopsis leleupi* (Kaszab, 1970)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Caecomenemopsis leleupi* Kaszab, 1970, fide Peck (2006)
Origin: Native, Endemic.
Galapagos Distribution: Española, Pinzón, San Cristóbal, Santa Cruz.
References: Franz, H. et al. (1978), Kaszab, Z. et al. (1970), Peck, S.B. et al. (1990), Peck, S.B. et al. (1986), Peck, S.B. et al. (2006).
312. *Metachroma labrale* Blair, 1933
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Isabela, Santa Cruz, Santiago.
References: Blair, K.G. et al. (1933), Blake, D.H. et al. (1970), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
313. *Metamasius hemipterus* (Linnaeus, 1758)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.
References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).
314. *Metophtalmus nodosus* Rücker, 1984
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Isabela, Marchena, Pinta, Pinzón, Santa Cruz, Santa Fé, Santiago.
References: Franz, H. et al. (1985), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Rücker, H.W. et al. (1984).
315. *Mexico litoralis* Spilman, 1972
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Santa Cruz.

References: Peck, S.B. et al. (2006).

316. *Micrapate scabrata* Erichson, 1847

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Reichardt, H. et al. (1970), Van Dyke, E.C. et al. (1953).

317. *Microlinus pusio* (LeConte, 1880)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Leptacinus galapagoensis* Coiffait, 1981, fide Peck (2006). Described from two females from San Cristóbal.

Origin: Introduced, Questionable Native.

Galapagos Distribution: San Cristóbal, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

318. *Microxypterus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

319. *Mimographus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

320. *Minthea rugicollis* (Walker, 1858)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

321. *Molamba sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Isabela, Pinta, Santa Cruz.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

322. *Monanus concinnulus* Walker, 1858

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

323. *Monotoma sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

324. *Mordellistena galapagoensis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Pinta, Pinzón, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

325. *Mordellistena sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Questionable Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Peck, S.B. et al. (2006).

326. *Mordellistena sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.
only one specimen known, in CAS (Peck 2006)

Origin: Native, Questionable Endemic.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Peck, S.B. et al. (2006).

327. *Mulsanteus sp. nov.*

Taxon status: Unpublished name (Nomen nudum).

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (2006).

328. *Murmidius ovalis* (Beck, 1817)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

329. *Mychocerus cf. discretus* (Casey, 1890)

Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (2006).

330. *Myllaena leleupi* Pace, 1985

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

331. *Myochrous* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1993).

332. *Myrmecocephalus cingulatus* (LeConte, 1866)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1998).

333. *Myrmecocephalus concinnus* (Erichson, 1840)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

334. *Mystroceridius basilewskyi* Reichardt, 1970

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Desender, K. et al. (1989), Desender, K. et al. (1992), Franz, H. et al. (1985), Franz, H. et al. (1978), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1990), Peck, S.B. et al. (1986), Peck, S.B. et al. (2006), Reichardt, H. et al. (1970).

335. *Mystroceridius wittmeri* Franz, 1978

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Santa Cruz.

References: Desender, K. et al. (1992), Franz, H. et al. (1985), Franz, H. et al. (1978), Peck, S.B. et al. (1990), Peck, S.B. et al. (1986), Peck, S.B. et al. (2006).

336. *Nacaeus galapagosus* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pseudolispinodes galapagoensis* Coiffait, 1981, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

337. *Naucles sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Santa Cruz, Santa Fé, Santiago.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

338. *Naucles sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Marchena, Pinta, Santa Cruz, Santa Fé, Santiago.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

339. *Naucles sp. 3*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Darwin, Fernandina, Isabela, Pinta, Santa Cruz.

References: Peck, S.B. et al. (2006).

340. *Necrobia rufipes* De Geer, 1775

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Corynetes rufipes* Auct., fide Peck (2006)

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Genovesa, Isabela, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1928), Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

341. *Neohypnus galapagoensis* Bordoni, 2004

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Peck, S.B. et al. (2006).

342. *Neoryctes galapagoensis* (G.R. Waterhouse, 1845)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Oryctes galapagoensis* G.R. Waterhouse, 1845, *Parapseudoryctes galapagoensis* (G.R. Waterhouse, 1845), fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Cook, J. et al. (1995), Decelle J. et al. (1976), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

343. *Neoryctes linelli* Mutchler, 1938

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal.

References: Cook, J. et al. (1995), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

344. *Neoryctes moreti* Dechambre, 1991

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Cook, J. et al. (1995), Peck, S.B. et al. (2006).

345. *Neoryctes williamsi* Cook, Howden, & Peck, 1995

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Santa Cruz.

References: Cook, J. et al. (1995), Peck, S.B. et al. (2006).

346. *Neoxantholinus galapagoensis* (Coiffait, 1981)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Neolinus galapagoensis* Coiffait, 1981, fide Peck (2006). The genus *Neolinus* Coiffait 1981 is now judged a to be a synonym of the more widespread *Neoxantholinus* (Bordoni 2004) and is thus removed from the list of endemic genera.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Marchena, Santa Cruz.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

347. *Nesaecrepida darwini* (Mutchler, 1925)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Docema darwini* Mutchler, 1925, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santa Fé.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Verdyck, P. et al. (1999), Verdyck, P. et al. (2000).

348. *Nesoeme kuscheli* Linsley & Chemsak, 1966

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

349. *Nesozineus galapagoensis galapagoensis* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Leptostylus galapagoensis* Linell, 1898, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

350. *Nesozineus galapagoensis variabilis* Linsley & Chemsak, 1966

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1976), Peck, S.B. et al. (2006).

351. *Nesozineus galapagoensis williamsi* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Leptostylus williamsi* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

352. *Ochthebius batesoni* Blair, 1933

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Aguilera, P. et al. (2006), Blair, K.G. et al. (1933), Gerecke, R. et al. (1995), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

353. *Oligota chrysopyga* Kraatz, 1859

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz.

References: Klimaszewski, J. et al. (1998), Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).

354. *Oligotergus fasciatus* (Nordman, 1837)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

355. *Olla hageni* Vandenberg, 1992

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Olla abdominalis* Say, 1824, fide Peck (2006). The Galápagos species is most closely related to *O. v-nigrum* (Mulsant), which is widespread throughout most of North, Central, and South America and the West Indies. Hybrids between *O. v-nigrum* from California and *O. hageni* from Santa Cruz died in their egg shells (Vandenberg 1992).

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

356. *Olla lacrimosa* Vandenberg, 2004

Taxon status: Accepted name; taxon occurs in Galapagos.

This and *Olla hageni* are sister species, representing a single colonization of the Galápagos by the ancestor of *O. v-nigrum*.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (2006).

357. *Omicrus* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

This is a group of very small beetles which scavenge in decomposing plant debris. Many difficult and separate species occur in South America (Smetana 1975).

Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

358. *Omonadus floralis* (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

359. *Omorgus indigenus* Scholtz, 1990

Taxon status: Accepted name; taxon occurs in Galapagos.

This species probably descended from an ancestor of *O. suberosus*.

Origin: Native, Endemic.

Galapagos Distribution: Española, Santa Cruz.

References: Peck, S.B. et al. (2006), Scholtz, C.H. et al. (1990).

360. *Omorgus suberosus* (Fabricius, 1775)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Trox suberosus* Fabricius, 1775, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa

Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Scholtz, C.H. et al. (1990), Van Dyke, E.C. et al. (1953).

361. *Oosternum costatum* Sharp, 1882

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

362. *Ormiscus variegatus* G.R. Waterhouse, 1845

Taxon status: Accepted name; taxon occurs in Galapagos.

This species is highly variable in colour and pattern of setae, and this suggests the presence of a species complex. Wing dimorphism occurs at high elevations on Santa Cruz, where some individuals are flightless and others have normal wings. All specimens examined from Wolf Island are flightless.

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago, Wolf.

References: Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

363. *Orphinus* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Santa Cruz.

References: Peck, S.B. et al. (2006).

364. *Orthoperus* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

There are possibly two species present (J. Pakaluk, pers. comm.).

Origin: Introduced, Questionable Native.

Galapagos Distribution: Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

365. *Oryzaephilus surinamensis* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

366. *Osorius cristobalicus* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

367. *Oxycopsis galapagoensis* Peck & Cook, 2003

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Oxaxis pilosa* Champion, 1890, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Isabela, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1928), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2003), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

368. *Oxytelus incisus* Motschulsky, 1857

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Peck, S.B. et al. (2006).

369. *Pagiocerus frontalis* (Fabricius, 1801)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, Santa Cruz.

References: Bright, D.E. et al. (1998), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

370. *Parandra brevicollis* Lameere, 1902

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Parandra galapagoensis* Van Dyke, 1953 fide Roskov et al. (2013)

Origin: Native, Indigenous.

Galapagos Distribution: Unknown.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1976), Peck, S.B. et al. (2006), Roskov Y. et al. (2013), Van Dyke, E.C. et al. (1953).

371. *Paraneda pallidula* (Mulsant, 1850)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Unknown.

372. *Paratenetus* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

The record is based on a single specimen. The genus contains many species in the Neotropics and is in need of revision.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

373. *Paromalus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

374. *Paroxaxis galapagoensis* (Linell, 1898)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Oxaxis galapagoensis* Linell, 1898, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Blair, K.G. et al. (1928), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2003), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

375. *Passalus punctiger* Lepeltier & Serville, 1825

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Passalus interruptus* Linnaeus, 1767, *Neleus tlascalala* Percheron, 1835, fide Peck (2006). This record needs to be verified. The record was collected by US Fish Commission steamer "Albatross" in 1891 under direction of A. Agassiz, Smithsonian Archives, USNM, acc. 25157. The specimen is in NMNH (Schuster 1983: 299).

Origin: Introduced, Questionable Native.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Schuster, J.C. et al. (1983), Van Dyke, E.C. et al. (1953).

376. *Pelonium longfieldae* Blair, 1928

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1928), Blair, K.G. et al. (1933), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

377. *Pentagonica flavipes flavipes* (LeConte, 1853)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Causton, C.E. et al. (2008), Peck, S.B. et al. (1990), Peck, S.B. et al. (1994), Peck, S.B. et al. (2006).

378. *Pentilia sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santa Fé.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

379. *Perepitragus solieri* Casey, 1907

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Perepitragus fuscipes* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Española, Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), McMullen, C.K. et al. (2011), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

380. *Phalacrus darwini* C. Waterhouse, 1877

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Smith, E.A. et al. (1877).

381. *Phaleria manicata* Boheman, 1858

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1994), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

382. *Phanerota tridentata* Klimaszewski & Peck, 1998

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Santa Cruz.

References: Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

383. *Philonthus discoideus* (Gravenhorst, 1802)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

384. *Philonthus pauxillus* Solsky, 1868

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

385. *Philonthus ventralis* (Gravenhorst, 1802)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

386. *Physorhinus galapagoensis* G.R. Waterhouse, 1845

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Anchastus galapagoensis* G.R. Waterhouse, 1845, *Physorhinus batesoni* Van Dyke, 1953, *Physorhinus blairi* Van Dyke, 1953, *Physorhinus chathamii* Van Dyke, 1953, *Physorhinus hoodi* Van Dyke, 1953, fide Peck (2006). The synonyms were interpreted as species by Van Dyke but are now interpreted to represent inconsistent population variation between islands.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

387. *Physorhinus quirsfeldi* (Mutchler, 1938)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Physorhinus dichroa* Van Dyke, 1953, fide Peck (2006), *Anchastus quirsfeldi* Mutchler, 1938

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Pinta, Pinzón, Santa Cruz.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

388. *Physorhinus ruficeps* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Pinta, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

389. *Physorhinus sp. nov. 1*

Taxon status: Unpublished name (Nomen nudum).

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (2006).

390. *Piestus minutus* Erichson, 1840

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Questionable Native.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

391. *Piestus pygmaeus* Laporte, 1834
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).
392. *Piestus sulcatus* Gravenhorst, 1806
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, Santa Cruz.
References: Peck, S.B. et al. (2006).
393. *Pinostygus galapagoensis* Campbell & Peck, 1989
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Campbell, J.M. et al. (1989), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
394. *Pitnus galapagoensis galapagoensis* (Franz, 1985)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Nitpus galapagoensis* Franz, 1985, fide Peck (unpublished)
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Santa Cruz, Santa Fé, Santiago.
References: Peck, S.B. et al. (2006).
395. *Pitnus galapagoensis lapidicola* Belles, 1992
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.
References: Peck, S.B. et al. (2006).
396. *Pitnus pintae grandis* Belles, 1992
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Santa Cruz.
References: Peck, S.B. et al. (2006).
397. *Pitnus pintae pintae* (Franz, 1985)
Taxon status: Accepted name; taxon occurs in Galapagos.
Known only from the holotype specimen.
Origin: Native, Endemic.
Galapagos Distribution: Pinta, Santa Cruz.
References: Peck, S.B. et al. (2006).

398. *Placonotus politissimus* (Wollaston, 1867)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Santa Cruz.
References: Peck, S.B. et al. (2006).
399. *Platynus albemarli* (Van Dyke, 1953)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Agonum albemarli* Van Dyke, 1953, fide Peck (2006)
Origin: Native, Endemic.
Galapagos Distribution: Isabela, Santa Cruz.
References: Arndt, E. et al. (2002), Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
400. *Platynus chathamii* (Van Dyke, 1953)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Agonum chathamii* Van Dyke, 1953, fide Peck (2006)
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal.
References: Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
401. *Platynus darwini* (Van Dyke, 1953)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Agonum darwini* Van Dyke, 1953, fide Peck (2006)
Origin: Native, Endemic.
Galapagos Distribution: San Cristóbal, Santa Cruz.
References: Arndt, E. et al. (2002), Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).
402. *Platypus linearis* Stephens, 1832
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Questionable Native.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).
403. *Platypus santacruzensis* Mutchler, 1925
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
Galapagos Distribution: Fernandina, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.
References: Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

404. *Platystethus spiculus* Erichson, 1840

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

405. *Platytomus darwini* (Cartwright, 1970)

Taxon status: Accepted name; taxon occurs in Galapagos.

Its closest relative is *Platytomus gregalis* of Colombia. Syn.: *Diastichus darwini* Cartwright, 1970, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Darwin, Isabela, San Cristóbal, Santa Cruz, Santiago, Wolf.

References: Cook, J. et al. (2000), Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).

406. *Polynoncus galapagoensis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Trox galapagoensis* Van Dyke, 1953, fide Peck (2006); Santa Cruz and Santiago records of Franz are erroneous and represent *P. seymourensis* and *P. suberosus*. This species probably descended from an ancestor of *P. seymourensis*.

Origin: Native, Endemic.

Galapagos Distribution: Darwin, Santa Cruz, Wolf.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Scholtz, C.H. et al. (1990), Van Dyke, E.C. et al. (1953).

407. *Polynoncus seymourensis* Mutchler, 1925

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Trox seymourensis* Mutchler, 1925, fide Peck (2006); This species is probably a sister species of *P. sallei* of coastal Peru and Ecuador.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Scholtz, C.H. et al. (1990), Scholtz, C.H. et al. (1990), Van Dyke, E.C. et al. (1953).

408. *Polytus mellerborgii* (Boheman, 1838)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

409. *Prateus dentatus* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Pinta, Pinzón, Santa Cruz, Santa Fé.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

410. *Protaetia fusca* (Herbst)

Taxon status: Accepted name; taxon occurs in Galapagos.

Asian Mango Flower Beetle, native to SE Asia, adventive in many warmer parts of the world, incl. FL (first detected in the wild 1985).

Origin: Introduced, Accidental.

IUCN Red List: Least Concern.

Galapagos Distribution: Santa Cruz.

References: R.E. Woodruff et al. (2006).

411. *Pseudopentarthrum cunicollis* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Neopentarthrum cunicollis* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

412. *Pseudopentarthrum glabrum* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Neopentarthrum glabrum* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Española, Pinta, San Cristóbal.

References: Franz, H. et al. (1978), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

413. *Pseudopentarthrum sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Española, Isabela.

References: Franz, H. et al. (1985), Peck, S.B. et al. (2006).

414. *Pseudopentarthrum sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Intercepted.

Galapagos Distribution: Fernandina, Isabela, San Cristóbal, Santa Cruz, Santa Fé.

References: Pedersen, T.M. et al. (1987).

415. *Pseudopentarthrum towerensis* (Mutchler, 1925)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *P. mutchleri* (Van Dyke, 1953), *Neopentarthrum towerensis* Mutchler, 1925, fide Peck (2006),

Neopentarthrum mutchleri Van Dyke, 1953

Origin: Introduced, Intercepted.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Blair, K.G. et al. (1933), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

416. *Pseudothysanoes isolatus* Bright & Peck, 1998

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Pinta, Santa Cruz.

References: Bright, D.E. et al. (1998).

417. *Psyllobora bisigma* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

418. *Pterostichus becki* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Pterostichus galapagoensis becki*, fide Peck (2006), *Feronia becki* Van Dyke, 1953

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

419. *Pterostichus blairi* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Feronia blairi* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Santiago.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

420. *Pterostichus calathoides* (G.R. Waterhouse, 1845)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Feronia calathoides* G.R. Waterhouse, 1845, *Poecilus calathoides* (G.R. Waterhouse, 1845), fide Desender et al. (1989)

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal.

References: Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

421. *Pterostichus duncani* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Feronia duncani* Van Dyke, 1953, fide Desender et al. (1989)

Origin: Native, Endemic.

Galapagos Distribution: Pinzón.

References: Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

422. *Pterostichus galapagoensis* (G.R. Waterhouse, 1845)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Feronia galapagoensis* G.R. Waterhouse, 1845, *Platynus galapagoensis* (G.R. Waterhouse, 1845), fide Peck (2006); S. Peck: the subspecies *P. g. galapagoensis* is of doubtful utility, *Pterostichus galapagoensis becki* Van Dyke, 1953 is now regarded as a synonym of *Pterostichus becki* (Van Dyke, 1953)

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

423. *Pterostichus insularis* (Boheman, 1858)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Feronia insularis* Boheman, 1858, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela.

References: Arndt, E. et al. (2002), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

424. *Pterostichus leleuporum* Reichardt, 1976

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Arndt, E. et al. (2002), Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Franz, H. et al. (1985), Peck, S.B. et al. (2006), Reichardt, H. et al. (1976).

425. *Pterostichus mutchleri* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Feronia mutchleri* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

426. *Pterostichus sp. 10*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Española, Santa Cruz.

References: Peck, S.B. et al. (2006).

427. *Pterostichus sp. 11*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (2006).

428. *Pterostichus sp. 12*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Peck, S.B. et al. (2006).

429. *Pterostichus waterhousei* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Feronia waterhousei* Van Dyke, 1953, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

430. *Pterostichus williamsi* (Van Dyke, 1953)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Feronia williamsi* Van Dyke, 1953, fide Desender et al. (1989)

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

431. *Ptinella galapagana* Johnson, 1982

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

432. *Ptinellodes darwini* Johnson, 1982

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Marchena, Santa Cruz.

References: Franz, H. et al. (1985), Johnson, C. et al. (1982), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

433. *Pycnarthrum insulare* Blair, 1933

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, San Cristóbal, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1933), Bright, D.E. et al. (1998), Franz, H. et al. (1985), Linsley, E.G. et al.

(1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

434. *Rhantus galapagoensis* Peck & Balke, 1993

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Rhantus signatus* (Fabricius 1775), fide Peck & Balke (1993)

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Gerecke, R. et al. (1995), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

435. *Rodolia cardinalis* (Mulsant, 1850)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Cultivated.

Galapagos Distribution: Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Causton, C.E. et al. (2001), Causton, C.E. et al. (2004), Lincango, M.P. et al. (2011), Peck, S.B. et al. (2006).

436. *Rothium ashlocki* Ahn & Ashe, 1996

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

437. *Rothium littoralis* Klimaszewski & Peck, 1998

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Santa Cruz, Wolf.

References: Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

438. *Sapintus sp. nov.*

Taxon status: Unpublished name (Nomen nudum).

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Santa Cruz.

References: Nowak, J.B. et al. (1985), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

439. *Saprinus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.
record based on one specimen collected by Ashlock, 1964, in Bishop Museum

Origin: Native, Endemic.

Galapagos Distribution: Darwin, Santa Cruz.

References: Peck, S.B. et al. (2006).

440. *Scarites galapagoensis* Linell, 1898

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Desender, K. et al. (1989), Desender, K. et al. (1992), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

441. *Scarites sp. 1*

Taxon status: Unpublished name (Nomen nudum).

Origin: No Data.

Galapagos Distribution: Unknown.

References: Desender, K. et al. (2001).

442. *Scarites williamsi* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela.

References: Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Desender, K. et al. (1992), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Reichardt, H. et al. (1976), Reichardt, H. et al. (1970), Van Dyke, E.C. et al. (1953).

443. *Scopaeus galapagosus* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Scopaeus santiagus* Coiffait, 1981, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Pinta, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

444. *Scutobruchus ceratioborus* (Philippi, 1859)

Taxon status: Accepted name; taxon occurs in Galapagos.

Lawrence & Newton (1995) use Bruchidae as a subfamily.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Isabela, Pinzón, San Cristóbal, Santa Cruz.

References: Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

445. *Scydmaenus galapagoensis* Franz, 1978

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Franz, H. et al. (1985), Franz, H. et al. (1978), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

446. *Scymnobius galapagoensis* (G.R. Waterhouse, 1845)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Scymnus galapagoensis* G.R. Waterhouse, 1845, *Diomus galapagoensis* (G.R. Waterhouse, 1845), fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal,

Santa Cruz, Santa Fé, Santiago.

References: Blair, K.G. et al. (1933), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

447. *Scymnobius scalesius* Gordon & Gonzalez, 2004

Taxon status: Accepted name; taxon occurs in Galapagos.

Peck & Kukalova-Peck 1990: 1636 (as *Nephus* sp.)

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

448. *Selenophorus galapagoensis galapagoensis* G.R. Waterhouse, 1845

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Selenophorus galapagoensis* G.R. Waterhouse, 1845

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz.

References: Desender, K. et al. (1992), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

449. *Selenophorus galapagoensis wenmani* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Selenophorus wenmani* Van Dyke, 1953, fide Peck (2006); Ball & Maddison (1987: 253) indicate that all the Galápagos forms of *Selenophorus* might be united under the single species name *S. obscuricornis*. This is certainly an error and a least *S. galapagoensis* and *S. obscuricornis* are valid and easily distinguished species. There is still doubt as to the status of *S. g. wenmani*. Genetic work is in progress (Desender & co-workers).

Origin: Native, Endemic.

Galapagos Distribution: Darwin, Marchena, Pinta, Santa Cruz, Wolf.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

450. *Selenophorus obscuricornis* (G.R. Waterhouse, 1845)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Amblygnathus obscuricornis* G.R. Waterhouse, 1845, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Española, Fernandina, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Arndt, E. et al. (2002), Blair, K.G. et al. (1933), Desender, K. et al. (1990), Desender, K. et al. (1992), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Reichardt, H. et al. (1976), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

451. *Semnorhynchus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).

452. *Senniuss falcatus* Kingsolver & Rivera-Costa, 2001

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Pinzón, Santa Cruz, Santiago.

References: Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (2006).

453. *Sericoderus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

454. *Silvanus difficilis* Halstead, 1973

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (2006).

455. *Silvanus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1993).

456. *Sinoxylon unidentatum* (Fabricius, 1801)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Sinoxylon conigerum* Gerstäcker, 1855 fide Roskov et al. (2013)

Origin: Introduced, Accidental.

Galapagos Distribution: Unknown.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (2006), Roskov Y. et al. (2013).

457. *Sitophagus hololeptoides* (Laporte, 1840)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Isabela, Santa Cruz, Santa Fé.

References: Franz, H. et al. (1985), Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

458. *Sitophagus sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Fernandina, Genovesa, Santa Cruz, Santa Fé, Santiago.

References: Peck, S.B. et al. (2006).

459. *Sitophilus oryzae* (Linnaeus, 1763)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Española, Fernandina, Floreana, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

460. *Sosylus aff. dentiger* Horn, 1878

Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

461. *Stegobium paniceum* (Linnaeus, 1761)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz, Santiago.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

462. *Stelidota insularis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

This may prove to be a synonym of *S. strigosa* (Gyll.), or a separate introduced species.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

463. *Stelidota sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Peck, S.B. et al. (2006).

464. *Stenodontes molaris* (Bates, 1879)

Taxon status: Taxon occurs as several subspecies, forms or varieties.

Syn.: *Mallodon molaris* Bates, 1879, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Unknown.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1976), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al.

(2006), Van Dyke, E.C. et al. (1953), Zicha, O. (ed.) et al. (1999-2012).

465. *Stenodontes molarius galapagoensis* Mutchler, 1938

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Mallodon molarius galapagoensis* (Mutchler, 1938), fide Peck (2006); *Stenodontus galapagoensis* Mutchler, 1938, fide Peck (unpublished)

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006).

466. *Stenodontes molarius glabratus* Linsley & Chemsak, 1966

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).

467. *Stenodontes molarius vandykei* Linsley & Chemsak, 1966

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).

468. *Stethusa dichroa* (Gravenhorst, 1802)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Atheta dichroa* (Gravenhorst, 1802), fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

469. *Stethusa lurida* (Erichson, 1840)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Atheta lurida* Erichson, 1840, fide Peck (2006)

Origin: Introduced, Questionable Native.

Galapagos Distribution: Fernandina, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

470. *Stichtoptychus basilewski* Español, 1976

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Español F. et al. (1976), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

471. *Stilicopsis galapagosa* (Coiffait, 1981)

Taxon status: Accepted name; taxon occurs in Galapagos.

Described from two females from Isabela. Syn.: *Acanthoglossa galapagosa* Coiffait, 1981, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

472. *Stomion cribricollis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Darwin, Genovesa, Wolf.

References: Finston, T.L. et al. (2004), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

473. *Stomion galapagoensis* G.R. Waterhouse, 1845

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Stomion galapagoense* Waterhouse, 1845, *Stomion carinipenne* Linell, 1898, *Stomion carinatipenne* Blair, 1933, *Stomion piceum* Linell, 1898, fide Peck (2006), *Stomion galapagoensis galapagoensis* G.R. Waterhouse, 1845, *Stomion galapagoense galapagoense* Waterhouse, 1845

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Santa Cruz.

References: Blair, K.G. et al. (1928), Blair, K.G. et al. (1933), Finston, T.L. et al. (2004), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Smith, E.A. et al. (1877), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

474. *Stomion genovesa* Finston & Peck, 2004

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Genovesa.

References: Finston, T.L. et al. (2004), Peck, S.B. et al. (2006).

475. *Stomion helopoides* G.R. Waterhouse, 1845

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: San Cristóbal.

References: Blair, K.G. et al. (1933), Finston, T.L. et al. (1997), Finston, T.L. et al. (1995), Finston, T.L. et al. (2004), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

476. *Stomion laevigatum* G.R. Waterhouse, 1845

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Stomion bauri* Linell, 1898, *Stomion laevigatum santacruzensis* Franz, 1985, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Isabela, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Blair, K.G. et al. (1928), Blair, K.G. et al. (1933), Desender, K. et al. (1990), Finston, T.L. et al. (1997), Finston, T.L. et al. (1997), Finston, T.L. et al. (1995), Finston, T.L. et al. (2004), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Parkin, P. et al. (1972), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

477. *Stomion linelli* Blair, 1933

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *S. laevigatum* Linell (not G.R. Waterhouse), 1898, *S. mutchleri* Blair, 1933 (nomen nudum), *S. galapagoensis leleupi* Kaszab 1970, *S. galapagoense leleupi* Kaszab, 1970 (spelling error), *S. linelli leupi* Kaszab, 1970, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1933), Finston, T.L. et al. (1997), Finston, T.L. et al. (1995), Finston, T.L. et al. (2004), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

478. *Stomion longicornis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española.

References: Finston, T.L. et al. (1997), Finston, T.L. et al. (2004), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

479. *Stomion longulum* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Santa Cruz.

References: Finston, T.L. et al. (1997), Finston, T.L. et al. (1995), Finston, T.L. et al. (2004), Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

480. *Stomion obesum* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Stomion galapagoensis pinzoni* Franz, 1985, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Pinzón, Santa Cruz.

References: Finston, T.L. et al. (1995), Finston, T.L. et al. (2004), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

481. *Stomion punctipennis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Stomion galapagoensis punctipennis* Van Dyke, 1963, fide Peck (2006), *Stomion galapagoense punctipennis* Van Dyke, 1953

Origin: Native, Endemic.

Galapagos Distribution: Española.

References: Finston, T.L. et al. (1997), Finston, T.L. et al. (2004), Franz, H. et al. (1985), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

482. *Stomion rugosum* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Marchena, Pinta.

References: Finston, T.L. et al. (1995), Finston, T.L. et al. (2004), Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

483. *Strongylaspis kraepelini* Lameere, 1903

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

Galapagos Distribution: Santa Cruz.

References: Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

484. *Strongylaspis kraepelini parvula* Linsley & Chemsak, 1966

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz.

References: Linsley, E.G. et al. (1966), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1976), Peck, S.B. et al. (2006).

485. *Strongylaspis kraepelini ssp. indet.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Santa Cruz, Santiago.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006).

486. *Sunius aptera* (Coiffait, 1981)

Taxon status: Accepted name; taxon occurs in Galapagos.

Described from a single female. Syn.: *Hypomedon aptera* Coiffait, 1981, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Marchena, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).

487. *Sunius debilicornis* (Wollaston, 1857)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Chloecharis monilicornis* (Wollaston, 1857), fide Peck (2006)

Origin: Introduced, Accidental.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Peck, S.B. et al. (2006).

488. *Synchita sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Given subfamily rank within the Zopheridae by Slipinski and Lawrence (1999)

Origin: Native, Questionable Endemic.

Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (2006).

489. *Tachys erwini* Reichardt, 1976

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Darwin, Fernandina, Floreana, Genovesa, Isabela, Pinta, Pinzón, Santa Cruz, Santa Fé, Wolf.

References: Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Desender, K. et al. (1988), Peck, S.B. et al. (2006), Reichardt, H. et al. (1976).

490. *Tachys sp. 3*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Questionable Endemic.

Galapagos Distribution: Floreana, San Cristóbal, Santa Cruz, Santiago.

References: Desender, K. et al. (2001), Peck, S.B. et al. (2006).

491. *Tachys sp. 4*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, Pinta, Santa Cruz, Santa Fé, Wolf.

References: Peck, S.B. et al. (2006).

492. *Tachys vittiger* LeConte, 1851

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Tachys beebei*, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Española, Floreana, Genovesa, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Desender, K. et al. (1990), Desender, K. et al. (1988), Desender, K. et al. (1989), Desender, K. et al. (1988), Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Reichardt, H. et al. (1976), Van Dyke, E.C. et al. (1953).

493. *Tarsostenus univittatus* (Rossi, 1792)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

494. *Tenebroides sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

The single Franz specimen bears a label “*Tenebroides galapagoensis*” (Peck 2005)

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Santa Cruz.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

495. *Tetrapriocera longicornis* (Olivier, 1795)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Tetrapriocera tridens* Lesne (non Fabricius), 1901 fide Peck (2006)

Origin: Introduced, Questionable Native.

Galapagos Distribution: Española, Floreana, Isabela, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1928), Franz, H. et al. (1985), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (2006), Reichardt, H. et al. (1970), Van Dyke, E.C. et al. (1953).

496. *Thalpius sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Marchena, Santa Cruz.

497. *Thalpius sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

498. *Thecturota franzi* Pace, 1985

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Leptischnusa franzi* Pace, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Isabela, Marchena, Pinta, Pinzón, San Cristóbal, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Klimaszewski, J. et al. (1998), Peck, S.B. et al. (2006).

499. *Thermonectus basillaris galapagoensis* Van Dyke, 1953

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Acilius incisus* C. Waterhouse, 1877, *A. basillaris* Mutchler, 1925 (not Harris), fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Gerecke, R. et al. (1995), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1993), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

500. *Thoracophorus galapagosus* Coiffait, 1981

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Coiffait, H. et al. (1981), Franz, H. et al. (1985), Peck, S.B. et al. (2006).

501. *Tribolium castaneum* Herbst, 1797

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

502. *Trichodesma denticollis* Blair, 1928

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Española, Floreana, Isabela, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1928), Español F. et al. (1976), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

503. *Tricorynus straeleni* Español, 1976

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Fernandina, Floreana, Genovesa, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Español F. et al. (1976), Peck, S.B. et al. (2006).

504. *Trigonodera lineata* (Champion, 1891)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Causton, C.E. et al. (2008), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

505. *Trogoderma sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Peck, S.B. et al. (2006).

506. *Trogoderma sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Santa Cruz, Santa Fé.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

507. *Trogoderma sp. 3*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Indigenous.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

508. *Trogossita galapagoensis* (Mutchler, 1938)

Taxon status: Accepted name; taxon occurs in Galapagos.

Acc. name: *Temnochila galapagoensis* Mutchler, 1938, fide Peck (2006)

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Franz, H. et al. (1985), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Peck, S.B. et al. (2006), Van Dyke, E.C. et al. (1953).

509. *Trogoxylon sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

In Peck (1993) as *Trogoxylon parallelopipedum* (Melsheimer, 1844), fide Peck (2006)

Origin: Introduced, Accidental.

Galapagos Distribution: Floreana, Santa Cruz.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

510. *Trogoxylon sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

511. *Tropicus sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Record based on only one specimen (label data: Santa Cruz, 100–300m, 17.IX.1970, J. Sedlacek, BPBM), which needs to be confirmed.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Santa Cruz.

References: Peck, S.B. et al. (2006).

512. *Tropisternus lateralis* (Fabricius, 1775)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

Galapagos Distribution: Española, Fernandina, Floreana, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Blair, K.G. et al. (1933), Franz, H. et al. (1985), Gerecke, R. et al. (1995), Linell, M.L. et al. (1898), Linsley, E.G. et al. (1966), Mutchler, A.J. et al. (1938), Mutchler, A.J. et al. (1925), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006), Smith, E.A. et al. (1877), Van Dyke, E.C. et al. (1953), Waterhouse, G.R. et al. (1845).

513. *Typhaea stercorea* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, Santa Cruz, Santiago.

References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

514. *Urophorus humeralis* (Fabricius, 1798)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Peck, S.B. et al. (1998), Peck, S.B. et al. (1993), Peck, S.B. et al. (1996), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).
515. *Xyleborinus gracilis* (Eichhoff, 1868)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Xyleborus gracilis* Eichhoff, 1868, fide Peck (2006)
Origin: Introduced, Accidental.
Galapagos Distribution: Floreana, Santa Cruz.
References: Bright, D.E. et al. (1998), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
516. *Xyleborinus saxeseni* (Ratzeburg, 1837)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Bright, D.E. et al. (1998), Peck, S.B. et al. (2006).
517. *Xyleborus affinis* Eichhoff, 1867
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Questionable Native.
Galapagos Distribution: Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Bright, D.E. et al. (1998), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).
518. *Xyleborus ferrugineus* (Fabricius, 1801)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Questionable Native.
Galapagos Distribution: Floreana, Isabela, Marchena, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Bright, D.E. et al. (1998), Franz, H. et al. (1985), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).
519. *Xyleborus spinulosus* (Blandford, 1898)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Xyleborus artespinulosus* Schedl, 1935, fide Peck (2006)
Origin: Introduced, Questionable Native.
Galapagos Distribution: Floreana, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.
References: Bright, D.E. et al. (1998), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).
520. *Xyleborus volvulus* (Fabricius, 1775)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Xyleborus torquatus* Eichhoff, 1868, fide Peck (2006)
Origin: Native, Indigenous.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Bright, D.E. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (2006).

521. *Xyletinus leleupi* Español, 1976

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

Galapagos Distribution: Floreana, Genovesa, Isabela, Pinta, San Cristóbal, Santa Cruz, Santiago.

References: Español F. et al. (1976), Peck, S.B. et al. (2006).

522. *Xylosandrus morigerus* (Blandford, 1894)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Santa Cruz.

References: Bright, D.E. et al. (1998), Causton, C.E. et al. (2008), Peck, S.B. et al. (2006).

523. *Zabrotes subfasciatus* (Boheman, 1833)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: Isabela, Santa Cruz.

References: Kingsolver, J.M. et al. (2001), Peck, S.B. et al. (1998), Peck, S.B. et al. (1990), Peck, S.B. et al. (1996), Peck, S.B. et al. (2006).

524. *Zophobas atratus* (Fabricius, 1775)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Z. morio*; in Franz (1985) as *Z. morio*, fide Peck (2006)

Origin: Native, Indigenous.

Galapagos Distribution: Isabela, San Cristóbal.

References: Franz, H. et al. (1985), Kaszab, Z. et al. (1970), Linsley, E.G. et al. (1977), Peck, S.B. et al. (2006).

525. *cf. Corylophodes sp.*

Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.

Origin: Introduced, Questionable Native.

Galapagos Distribution: Floreana, Isabela, San Cristóbal, Santa Cruz.

References: Peck, S.B. et al. (1993), Peck, S.B. et al. (2006).

Rejected taxa

1. *Aerenea quadriplagiata* Boheman

Syn.: *Acrenia quadriplagiata* (in Franz, 1985, spelling error, fide Peck, 2006); According to Peck (2006) erroneous record for Galapagos.

2. *Aulonium belti* Sharp, 1894

Misidentification of *A. bidentatum* Fabricius, 1801, fide Peck (2006)

3. *Calocladon testaceum* Gorham, 1881
According to Peck (2006) erroneous record for Galapagos.
4. *Chauliognathus sulphureus* C. Waterhouse, 1878
According to Peck (2006) erroneous record for Galapagos.
5. *Comptocarpus longicollis* Motschulsky, 1860
According to Peck (2006) erroneous record for Galapagos.
6. *Copris lugubris* Boheman, 1858
According to Peck (2006) erroneous record for Galapagos.
7. *Ctesia pedinoides* Maklin, 1875
According to Peck (2006) erroneous record for Galapagos.
8. *Diabrotica ventricosa* Jacoby, 1887
According to Peck (2006) erroneous record for Galapagos.
9. *Doryphora guerini* Stål, 1857
According to Peck (2006) erroneous record for Galapagos.
10. *Geraeus batesoni* Blair, 1933
According to Peck (2006) erroneous record for Galapagos.
11. *Gynandrobrotica ventricosa* Jacoby, 1887
According to Peck (2006) erroneous record for Galapagos.
12. *Hypothenemus cylindricus* (Hopkins, 1915)
Misidentification of *Hypothenemus columbi* Hopkins, 1915, fide Peck (2006)
13. *Monochamus cocoensis* Mutchler, 1938
S. Peck: restricted to Cocos Island, not in Galapagos, a synonym of *Taeniotes hayi*.
14. *Nephus* sp.
Misidentification of *Scymnobius scalesius* Gordon & Gonzalez, 2004, fide Peck (2006)
15. *Physonota alutacea* Boheman, 1854
According to Peck (2006) erroneous record for Galapagos.
16. *Stephanoderes bituberculatus* Eggers, 1940
S. Peck: erroneous name reported for *Hypothenemus brunneus* by Schedl 1974
17. *Taeniotes hayi* Mutchler, 1938
S. Peck: According to Linsley and Chemsak (1966, p. 234) *T. hayi* is common on Cocos Island, but has never again been found (by anyone) on Santa Cruz; this suggests that the type specimen was most likely erroneously labeled as "Indefatigable" (= from Santa Cruz) and is the source of the 'doubtful occurrence' in Galapagos. These details were glossed over in the Linsley (1977) supplement to the insects of Galapagos.
18. *Trogoxylon parallelopedum* (Melsheimer, 1844)
In Peck (2006) as *Trogoxylon* sp.

Acknowledgements

We are grateful for the financial report received for this project. Please refer to the website (www.darwinfoundation.org/datazone/checklist/) for a detailed list of all our donors.

This checklist would not be possible without adjunct and collaborating scientists, and volunteers of the Charles Darwin Foundation. The following scientists and volunteers have contributed to the CDF Checklist of Galapagos Beetles: Sandra Abedrabbo, Fabián Bersosa, Ruth Boada, Charlotte Causton, Daniel Cherix, Germania Estévez, Lilian Guzmán, Henri W. Herrera, María T. Lasso, Maria Piedad Lincango, E. G. Linsley, Yale Lubin, Alejandro Mieles, Renato Oquendo, Lázaro Roque-Álbelo, Leslie Usinger.

References

1. Adersen, A., Triplehorn, C.A. (1991) *Pedonoeces G.R. Waterhouse equals Blapstinus Sturm: Relevant Name Changes for California and Galápagos Island Species and New Insular Species from Mexico (Coleoptera: Tenebrionidae)*. The Coleopterists Bull. 45(2): 169-175.
2. Aguilera, P., Hernando, C. (2006) *The Galápagos "endemic" Ochthebius batesoni Blair (Coleoptera: Hydraenidae) found on mainland South America*. The Coleopterists Bull. 60: 230.
3. Anderson, R.S., Lanteri, A.A. (2000) *New Genera and Species of Weevils from the Galapagos Islands, Ecuador, and Cocos Island, Costa Rica (Coleoptera; Curculionidae; Entiminae; Entimimi)* American Mus. Nov. 3299: 1-15.
4. Appeltans, W., Bouchet, P., Boxshall, G.A., Fauchald, K., Gordon, D.P., Hoeksema, B.W., Poore, G.C.B., van Soest, R.W.M., Stöhr, S., Walter, T.C., Costello, M.J. (eds.) (2010) *World Register of Marine Species (WoRMS)*. Available online at <http://www.marinespecies.org>.
5. Arndt, E., Desender, K. (2002) *Laboulbeniales (Ascomycota) on Carabidae (Insecta: Coleoptera) from the Galápagos Archipelago*. Belg. J. Zool., 132(2): 155-164.
6. Basilewsky, P. (1968) *Les Calosomes des îles Galápagos (Coleoptera: Carabidae)*. Mission zoologique belge aux îles Galápagos et en Ecuador, 1: 179-207.
7. Blair, K.G. (1928) *Coleoptera (Heteromera, Terebrilia, Malacodermata, and Bruchidae) from the Galapagos Islands, collected on the 'St. George' Expedition, 1924*. Ann. Mag. Nat. Hist., ser. 10, 1: 671-680.
8. Blair, K.G. (1933) *Further Coleoptera from the Galapagos Archipelago*. Ann. Mag. Nat. Hist., ser. 10, 11: 471-487.
9. Blake, D.H. (1970) *A review of the beetles of the genus Metachroma Chevrolat (Coleoptera: Chrysomelidae)*. Smiths. Contr. Zool. 57: iii + 111 pp.
10. Bright, D.E., Peck, S.B. (1998) *Scolytidae from the Galápagos Islands, Ecuador, with Descriptions of Four New Species, New Distribution Records, and a Key to Species (Coleoptera: Scolytidae)*. Koleopterol. Rundschau 68: 233-252.
11. Campbell, J.M., Peck, S.B. (1989) *Pinostygus galapagoensis, a new genus and species of eyeless rove beetle (Coleoptera: Staphylinidae: Paederinae) from a Cave in the Galapagos Islands, Ecuador*. The Coleopterists Bull. 43(4): 397-405.
12. Cassola, F., Roque-Albelo, L., Desender, K. (2000) *Is the Endemic Galápagos Tiger Beetle Threatened with Extinction?* Noticias de Galápagos 61: 23-25.

13. Cassola, F., Pearson, D.L. (2001) *Neotropical Tiger Beetles (Coleoptera: Cicindelidae): Checklist and Biogeography*. Biota Colombiana 2: 3-24.
14. Cassola, F., Roque-Albelo, L. (2003) *The Larva of Cicindelidia galapagoensis (W. Horn, 1920) (Coleoptera: Cicindelidae)*. Lambillionea 103(2): 279-282.
15. Causton, C.E. (2001) *Dossier on Rodolia cardinalis Mulsant (Coccinellidae: Coccinellinae), a potential biological control agent for the cottony cushion scale, Icerya purchasi Maskell (Margarodidae)*. Charles Darwin Foundation, Galápagos.
16. Causton, C.E., Lincango, M.P. & Poulson, T.G.A. (2004) *Feeding Range Studies of Rodolia cardinalis (Mulsant), a Candidate Biological Control Agent of Icerya purchasi Maskell in the Galápagos Islands*. Biological Control 29: 315-325.
17. Causton, C.E., Sevilla, C. (2008) *Latest Records of Introduced Invertebrates in Galapagos and Measures to control them*. Galapagos Report 2006-2007, CDF, GNP and INGALA, Puerto Ayora, Galapagos, Ecuador, p. 142-145.
18. Coiffait, H. (1981) *Contribution a la connaissance des Staphylinides de îles Galapagos (Coleoptera)*. Anns. Soc. ent. Fr. (N. S.) 17(3): 287-310.
19. Cook, J., Howden, H.F. & Peck, S.B. (1995) *The Galápagos Islands genus Neoryctes Arrow (Coleoptera: Scarabaeidae: Dynastinae)*. The Canadian Entomologist 127: 177-193.
20. Cook, J., Peck S.B. (2000) *Aphodiinae (Coleoptera: Scarabaeidae) of the Galápagos Islands*. The Canadian Entomologist 132: 281-300.
21. Coulon, G. (1992) *Spéciation et insularité: le piège des îles Galapagos*. Mém. Soc. R. belge Ent. 35: 605-612.
22. Decelle J. (1976) XXXII. *Bruchidae (Coleoptera Chrysomeloidea) Recoltes aux îles galapagos par n. et j. leleup* Mission zoologique belge aux îles Galapagos et en Ecuador Volume III
23. Decelle J. (1976) XXVIII. *Dynastinae (Coleoptera Scarabaeoidea Melolonthidae) Recoltes aux îles galapagos par N. et j. leleup* Mission zoologique belge aux îles Galapagos et en Ecuador Volume III
24. Desender, K., Baert, L. & Maelfait, J.P. (1988) *Carabid Beetles of Galápagos*. Unpublished Manuscript.
25. Desender, K., Baert L. & Maelfait J.-P. (1988) *Distribution and flight activity of carabid beetles genus Tachys in the Galapagos archipelago*. Noticias de Galápagos 46: 20-25.
26. Desender, K., Baert, L. & Maelfait, J.-P. (1989) *Contribution to the knowledge of the Carabid beetles of Galápagos (Ecuador)*. Entomologie 58: 55-65.
27. Desender, K., De Dijn, B. (1989) *The Calosoma species of the Galápagos archipelago. I. Redescriptions and distribution of the species*. Entomologie 59: 131-144.
28. Desender, K., Baert, L., Maelfait, J.-P. & Verdyck P. (1990) *Conservation on Volcan Alcedo (Galapagos): terrestrial invertebrates and the impact of introduced feral goats*. Biological Conservation 87: 303-310.
29. Desender, K., Baert, L. & Maelfait, J.-P. (1990) *Carabid beetles (Coleoptera, Carabidae) of Galápagos (Ecuador) collected during the Belgian 1988-expedition*. Bulletin van het Koninklijk Belgisch Instituut voor

Natuurwetenschappen, Entomologie 60: 49-54.

30. Desender, K., Dijn, B.D. (1990) *The Calosoma species (Coleoptera, Carabidae) of the Galápagos archipelago. II. Discriminant analyses and species identification key*. Entomologie 60: 55-68.
31. Desender, K., Baert, L. & Maelfait, J.-P. (1991) *Evolutionary systematics of Calosoma Weber carabid beetles of the Galápagos archipelago (Coleoptera, Carabidae)*. In: Zunino, M., Belles, X. & Blas, M. (eds.): *Advances in Coleopterology*. p. 193-200.
32. Desender, K., Baert, L. & Maelfait, J.-P. (1992) *Distribution and speciation of carabid beetles in the Galápagos Archipelago (Ecuador)*. Entomologie 62: 57-65
33. Desender, K., Verdyck, P. (2000) *Genetic differentiation in the Galápagos caterpillar hunter Calosoma granatense (Coleoptera, Carabidae)*. In: Brandmayr, P. et al. (ed.): *Natural History and Applied Ecology of Carabid Beetles*. Pensoft Publishers, Sofia, Moscow p. 25-34.
34. Desender, K. (2001) *Illustrated key to the genera of ground and tiger beetles of Galápagos (Coleoptera, Carabidae)*. Bulletin van het Koninklijk Belgisch Instituut voor Natuurwetenschappen, Entomologie, 71: 257-262.
35. Desender, K., Casale, A., Baert, L., Maelfait, J.P. & Verdyck, P. (2002) *Calleida migratoria Casale, new species (Coleoptera: Carabidae), a newly introduced ground beetle in the Galapagos Islands, Ecuador*. The Coleopterists Bulletin 56(1): 71-78.
36. Dhuyvetter, H., Gaublomme, E., Verdyck, P., Desender, K., Mondor-Genson, G. & Rasplus J.-E. (2002) *Isolation and characterization of microsatellite loci in Galápagos caterpillar hunters (Coleoptera, Carabidae, Calosoma)*. Molecular Ecology Notes 2: 284-286.
37. Español F. (1976) *Coleopteros Anobiidae de las îslas Galápagos*. Mission Zoologique Belge aux îles Galápagos et en Ecuador (N. et J. Leieup, 1964-1965) 3: 293-314.
38. Finston, T.L., Peck S.B. (1995) *Population structure and gene flow in Stomion: a species swarm of flightless beetles of the Galápagos islands*. Heredity 75: 390-397.
39. Finston, T.L., Peck, P.B. & Perry, R.B. (1997) *Population density and dispersal ability in Darwin's darklings: flightless beetles of the Galapagos island*. Pan-pacific Entomologist 73(2): 110-121.
40. Finston, T.L., Peck, S.B. (1997) *Genetic differentiation and speciation in Stomion (Coleoptera: Tenebrionidae): flightless beetles of the Galapagos Islands, Ecuador*. Biological Journal of the Linnean Society 61: 183-200.
41. Finston, T.L., Peck, S.B. (2004) *Speciation in Darwin's darklings: taxonomy and evolution of Stomion beetles in the Galápagos Islands, Ecuador (Insecta: Coleoptera: Tenebrionidae)*. Zool. J. Linn. Soc. 141: 135-152.
42. Franz, H. (1978) *Erster Beitrag zur Kenntnis der Bodenfauna der Galapagos-Inseln*. Entomol. Blätter 74(1-2): 55-66.
43. Franz, H. (1985) *Beitrag zur Kenntnis der Koleopterenfauna der Galapagos-Inseln*. Österr. Akad. Wissensch. Mathem.-naturw. Kl., Abt. I, 194(1-5): 73-124.

44. Gelin, A., Gravez, V. (2002) *Lagunas costeras*. In: Danulat, E. & Edgar, G.J. (eds.) (2002): *Reserva Marina de Galápagos. Línea Base de la Biodiversidad*. Fundación Charles Darwin/Servicio Parque Nacional Galápagos, Santa Cruz, Galápagos, Ecuador, p. 119-145.
45. Gerecke, R., Peck, S.B. & Pehofer, H.E. (1995) *The invertebrate fauna of the inland waters of the Galápagos Archipelago (Ecuador) - a limnological and zoogeographical summary*. Arch. Hydrobiol./ Suppl. 107(2): 113-147.
46. Gidaspow, T. (1963) *The Genus Calosoma in Central America, the Antilles, and South America (Coleoptera: Carabidae)*. Bulletin of the American Museum of Natural History 124(7): 275-314.
47. Hernández, J.J., Outerelo, R. (1993) *Holotrochus isabelae sp. n., a new Osoriini (Coleoptera: Staphylinidae: Osoriinae) from the Galapagos Islands*. Elytron 7: 21-26.
48. Hickin, N. (1979) *Animal life of the Galapagos*. Ferundune Books, Faringdon, U.K., 236 pp.
49. Johnson, C. (1982) *Ptiliidae (Coleoptera) from the Galapagos and Cocos Islands*. Brenesia 19/20: 189-199.
50. Kaszab, Z. (1970) *Coleoptera, Tenebrionidae*. Mission Zool. Belge aux îles Galapagos et en Ecuador (N. et J. Leleup, 1964-1965) 2: 183-210.
51. Kaszab, Z. (1977) *Neue Tenebrioniden (Coleoptera) von den Galapagos und Antillen, sowie aus Südamerika und Ostasien*. Annl. Hist. Nat. Mus. Natl. Hungarici 69: 117-131.
52. Kingsolver, J.M., Ribeiro-Costa, C.S. (2001) *Bruchidae (Insecta: Coleoptera) of the Galápagos Islands with new host and locality records, new synonyms, and descriptions of two new species*. Insecta Mundi 15: 19-30.
53. Klimaszewski, J., Peck, S.B. (1998) *A Review of Aleocharine rove beetles from the Galápagos Islands, Ecuador (Coleoptera: Staphylinidae, Aleocharinae)*. Revue Suisse de Zoologie 105(2): 221-260.
54. Lanteri, A.A. (1992) *Systematics, cladistics and biogeography of a new weevil genus, Galapaganus (Coleoptera: Curculionidae) from the Galápagos Islands, and Coasts of Ecuador and Perú*. Transact. Amer. Entomol. Soc. 118(2): 227-267.
55. Lanteri, A.A. (2001) *Biogeografía de las Islas Galápagos: Principales aportes de los estudios filogenéticos*. Introducción a la Biogeografía en Latinoamérica: Conceptos, teorías, métodos y aplicaciones. Vol. I, Ciencias, UNAM, México Pp. 141-151.
56. Leffler, S. (2000) *Note on the tiger beetles and their habitats in the Galapagos islands, Ecuador*. Cicindela 32(3-4): 55-74.
57. Lincango, M.P., Causton, C.E., Calderón-Álvarez, C. & Jiménez-Uzcátegui, G. (2011) *Evaluating the safety of Rodolia cardinalis to two species of Galapagos finch: Camarhynchus parvulus and Geospiza fuliginosa*. Biological control 56: 145-149. <http://dx.doi.org/10.1016/j.biocontrol.2010.10.006>
58. Linell, M.L. (1898) *On the coleopterous insects of the Galapagos Islands*. Proc. U. S. Natl. Mus. 21(1143): 249-268.
59. Linsley, E.G., Usinger, R.L. (1966) *Insects of the Galápagos Islands*. Proceedings of the California Academy of Sciences Fourth Series 33(7): 113-196.

60. Linsley, E.G., Chemsak, J.A. (1966) *Cerambycidae of the Galápagos Islands*. Proc. Calif. Acad. Sci., 4th ser., 33(8): 197-235.
61. Linsley, E.G., Chemsak, J.A. (1976) XXXI. *Galapagos Cerambycidae (Coleoptera)*. Mission zoologique belge aux îles Galapagos et en Ecuador (N. et J. Leleup, 1964-1965) 3: 315-322.
62. Linsley, E.G. (1977) *Insects of the Galápagos (Supplement)*. Occasional Papers of the California Academy of Sciences 125: 1-50.
63. Löbl, I. (1977) *Baeocera galapagoensis nov. spec. a new scaphidiid beetle from the Galapagos Islands (Coleoptera, Scaphidiidae)*. Studies on Neotropical Fauna and Environment 12(4): 249-252.
64. MacSwain, J.W. (1961) *Primary larvae of Cissites associated with New World Carpenter Bees (Coleoptera-Meloidae: Hymenoptera-Xylocopidae)*. The Pan-Pacific Entomologist 37(3): 191-194.
65. McMullen, C.K. (2011) *Pollination of the heterostylos Galápagos native, Cordia lutea (Boraginaceae)* Plant Syst Evol (2012) 298:569-579
66. Mutchler, A.J. (1925) *Coleoptera. From the Williams Galapagos Expedition*. Zoologica 5(20): 219-240.
67. Mutchler, A.J. (1938) *Coleoptera from the Galapagos Islands*. American Museum Novitates 981: 1-19.
68. Nowak, J.B. (1985) *Regeneration of the Vegetation in the burned areas of Sierra Negra, Isabela Island Annual Report 1986-1987*. Charles Darwin Research Station. Pg 37-40
69. Parkin, P., Parkin D.T., Ewing, A.W. & Ford, H.A. (1972) *A report on the arthropods collected by the Edinburgh University Galapagos Islands Expedition, 1968*. The Pan-pacific Entomologist 48: 100-107.
70. Peck, S.B., Kukalova-Peck J. (1986) *Preliminary summary of the subterranean fauna of the galapagos islands, Ecuador. Part II. The insects, evolution, and biogeography*. Proc. 9th Intl. Congr. Speleology, Barcelona 2: 166-169.
71. Peck, S.B., Kukalová-Peck, J. (1990) *Origin and biogeography of the beetles (Coleoptera) of the Galápagos Archipelago, Ecuador*. Can. J. Zool. 68(8): 1617-1638.
72. Peck, S.B. (1990) *Eyeless arthropods of the Galapagos Islands, Ecuador: Composition and origin of the cryptozoic fauna of a young, tropical, oceanic archipelago*. Biotropica 22(4): 366-381.
73. Peck, S.B. (1991) *Beetle (Coleoptera) faunas of tropical oceanic islands: with emphasis on the Galapagos Archipelago, Ecuador*. In: Zunino, M., Belles, X. & Blas, M. (eds.): *Advances in Coleopterology*. European Association of Coleopterology, Barcelona, p. 177-192.
74. Peck, S.B., Roth, L.M. (1992) *Cockroaches of the Galápagos Islands, Ecuador, with descriptions of three new species (Insecta: Blattodea)*. Canadian Journal of Zoology 70(12): 2202-2217.
75. Peck, S.B. (1993) *New beetle records from the Galapagos Islands, Ecuador (Coleoptera)*. Coleopterists Bull. 47(2): 151-157.
76. Peck, S.B., Balke, M. (1993) *A synopsis of the Dytiscidae of the Galapagos Islands, Ecuador, with a description of Rhantus galapagoensis sp. nov. (Coleoptera: Dytiscidae)*. The Canadian Entomologist 125: 259-266.

77. Peck, S.B. (1994) *Sea-surface (Pleuston) transport of insects between islands in the Galápagos archipelago, Ecuador*. *Anns. Entomol. Soc. Am.* 87(5): 576-582.
78. Peck, S.B. (1996) *Origin and development of an insect fauna on a remote archipelago: The Galápagos Islands, Ecuador*. In: Keast A., Miller S.E. (eds.): *The origin and evolution of Pacific Island biotas, New Guinea to eastern Polynesia: patterns and processes*. SPB Academic Publishing, Amsterdam, The Netherlands, p. 91-122.
79. Peck, S.B. (1996) *The arthropods of the allobiosphere (barren lava flows) of the Galapagos islands, Ecuador* *Noticias de Galápagos* 56: 9-12.
80. Peck, S.B. (1997) *Ammophorus insularis in Hawaii: A Galapagos Islands species immigrant to Hawaii (Coleoptera: Tenebrionidae)*. *Bishop Museum Occasional Papers* 49: 26-29.
81. Peck, S.B., Heraty, J., Landry, B. & Sinclair, B.J. (1998) *Introduced insect fauna of an oceanic archipelago: The Galápagos Islands, Ecuador*. *Am. Entomol.* 44: 218-237.
82. Peck, S.B., Cook, J. (2003) *A review of the Oedemeridae (Coleoptera) of the Galápagos Islands, Ecuador*. *Belgian Journal of Entomology* 5: 89-102.
83. Peck, S.B. (2006) *The Beetles of the Galápagos Islands, Ecuador: Evolution, Ecology, and Diversity (Insecta: Coleoptera)* NRC Research Press, Ottawa, Ontario, Canada. 314 pp.
84. Pedersen, T.M. (1987) *Amaranthaceae, Caryophyllaceae*. In A. Burkart. *Fl. Il. Entre Ríos* 6(3): 160–203, 251–291.
85. R.E. Woodruff (2006) *The Asian mango flower beetle, Protaetia fusca (Herbst), and Euphoria sepulcralis (Fabricius) in Florida and the West Indies* *Insecta Mundi* 20: 227-231, 2006
86. Reichardt, H. (1970) *Bostrichidae (Coleoptera) from the Galápagos Islands*. *Mission Zoologique Belge aux îles Galápagos et en Ecuador (N. et J. Leleup, 1964-1965)* 2: 213-223.
87. Reichardt, H. (1970) *Un nouveau Coléoptère carabique humicole et aveugle des îles Galápagos*. *Mission Zoologique Belge aux îles Galápagos et en Ecuador (N. et J. Leleup, 1964-1965)* 2: 165-169.
88. Reichardt, H. (1976) *A contribution to the knowledge of the carabidae of the Galápagos islands (Coleoptera)*. *Mission zoologique belge aux îles Galapagos et en Ecuador (N. et J. Leleup, 1964-1965)* 3: 177-222.
89. Roskov Y., Kunze T., Paglinawan L., Orrell T., Nicolson D., Culham A., Bailly N., Kirk P., Bourgoin T., Baillargeon G., Hernandez F., De Wever A., (eds.) (2013) *Species 2000 & ITIS Catalogue of Life, 2013 Annual Checklist* Digital resource at www.catalogueoflife.org/annual-checklist/2013/. Species 2000: Reading, UK
90. Rücker, H.W. (1984) *Metopthalmus nodosus sp. n. (Coleoptera: Lathridiidae) von den Galápagos-Inseln*. *Entomol. Blätter*, 79(2-3): 176-178.
91. Schatz, I. (1994) *Blapstinus desenderi sp. nov. from the Galapagos Islands (Ecuador) (Coleoptera, Tenebrionidae)*. *Entomofauna* 15(36): 417-424.
92. Scholtz, C.H. (1990) *Revision of the Trogidae of South America (Coleoptera: Scarabaeoidea)*. *Journal of Natural History* 24(6): 1391-1456.

93. Scholtz, C.H., Peck, S. (1990) *Description of a Polynoncus Burmeister larva, with implications for phylogeny of the Trogidae (Coleoptera: Scarabaeoidea)*. Systematic Entomology 15: 383-389.
94. Schuster, J.C. (1983) *The Passalidae of the Galapagos Islands*. The Coleopterists Bulletin 37(4): 299-301.
95. Sequeira, A.S., Lanteri, A.A., Scataglini, M.A., Confalonieri, V.A. & Farrell, B.D. (2000) *Are flightless Galapaganus weevils older than the Galápagos islands they inhabit?* Heredity 85: 20-29.
96. Smith, E.A. (1877) *Mollusca*. In: Günther, A.: *Account of the zoological collections made during the visit of H.M.S. "Petrel" to the Galapagos Islands*. Proceedings of the Zoological Society of London (1877): 69-73, 91-93.
97. Van Dyke, E.C. (1953) *The Coleoptera of the Galapagos Islands*. Occasional Papers of the California Acadmy of Sciences 22: 1-181.
98. Van Vondel, B.J., Spangler, P.J. (2008) *Revision of the Haliplidae of the Neotropical Region including Mexico (Coleoptera: Haliplidae)*. Koleopterologische Rundschau 78: 69-194.
99. Verdyck, P., Desender, K. (1999) *Hierarchical population genetic analysis reveals metapopulation structure in a phytophagous galápagos beetle*. Belg. J. Zool. 129: 95-104.
100. Verdyck, P., Desender, K. (2000) *Leaf feeding preferences in the monophagous saltbush flea beetle Nesaecrepida darwini (Coleoptera: Chrysomelidae)*. Entomologie 70: 255-258.
101. Waterhouse, G.R. (1845) *Descriptions of coleopterous insects collected by Charles Darwin, Esq., in the Galapagos Islands*. Ann. Nat. Hist. 16: 19-41.
102. Wenzel, R.L. (1976) *Histeridae (Coleoptera) from Ecuador*. Mission zoologique belge îles Galapagos et en Ecuador (N. et J. Leleup, 1964-1965) 3: 233-266.
103. Wittmer, W., Peck, S.B. (1993) *Cantharidae and Malachiidae of the Galapagos Islands, Ecuador*. The Coleopterists Bulletin 47(1): 77-81.
104. Zicha, O. (ed.) (1999-2012) *BioLib. - Online encyclopedia of plants, fungi and animals*.
<http://www.biolib.cz/en>

Disclaimer

The Charles Darwin Foundation Galapagos Species Checklist is a continuously updated list of all species currently known from the Galapagos Islands and reflects up-to-date knowledge compiled by scientists of the Charles Darwin Foundation (CDF) in collaboration with experts from around the world. CDF shares this data publicly and invites comments, corrections and additions.

Please do not hesitate to contact us; your input is very welcome. However, please understand that additions, changes, and corrections will be posted at periodic intervals after thorough cross-referencing of all new data. As an independent international scientific organization, the Charles Darwin Foundation relies on funding from donors who support our work. Please contact us at datazone@fcdarwin.org.ec if you would like to support the Charles Darwin Foundation Galapagos Species Checklist and help make knowledge of Galapagos biodiversity more widely available.