

CDF Checklist of Galapagos Butterflies and Moths

Lázaro Roque-Álbelo, Bernard Landry

Last updated: 09 Jan 2018

Abstract

This Checklist of Galapagos Butterflies and Moths includes a total of all 358 taxa reported from the Galapagos Islands.

For each name, detailed information is provided: its Galapagos distribution in islands groups or bioregions generated from the specimen records, comments about the taxonomy (especially synonyms), the origin (native and introduced), taxon status (accepted vs. rejected records) and relevant literature references.

Introduction

This publication lists all species of Galapagos Butterflies and Moths currently known.

The **Lepidoptera** include two large groups of insects: moths and butterflies. They are undoubtedly one of the most popular insect orders, especially the large and colorful butterflies.

Many species are of economic interest, a famous example is the silk moth. Its larvae feed on mulberry leaves and build cocoons of some of the finest fibre known to man.

Lepidoptera are important pollinators, with many night blooming flowers requiring pollination by moths

All Lepidoptera have a body and wings covered with microscopic scales, a characteristic unique to this insect group.

In Galapagos the large, conspicuous Macro-Lepidoptera are best known.

Although Charles Darwin was the first collector of insects in the Islands, he curiously never mentioned any butterflies.

Today the Lepidoptera belong to the best studied group of Galapagos insects and new species continue to be discovered.

Methods

This checklist of all known Galapagos Butterflies and Moths is automatically generated using the online database of the Charles Darwin Foundation Galapagos Species Checklist.

All CDF Galapagos Species Checklists represent the synthesis of many different records: literature citations, data from previously unpublished reports (grey literature), specimen records of natural history collections located in Galapagos and all over the world. To the best of their knowledge authors of the individual checklists revised all available data. When new information becomes available, the taxonomy of a group changes or new species are discovered, the CDF online database and thus this publication becomes updated.

For many poorly known species groups the higher taxonomic classification still regularly changes according to how our knowledge about species being related changes. In many well known groups the phylogeny is somewhat stable, but to avoid confusion, in

particular for groups where taxonomic changes are frequent, all checklists presented here are sorted alphabetical according to genus name and specific epithet. Please refer to the website for the currently accepted taxonomic hierarchy of each group.

Please be aware that the distribution presented here is automatically generated from specimen records and does not always accurately reflect the known distribution for all species.

For marine species, the distribution generally refers to the five main bioregions of the archipelago (Far Northern, Northern, Western, South Eastern and the Elisabeth Bay Bioregion). For the terrestrial species more than 120 islands, islets and small rocks have been aggregated into Islands Groups, thus, for example, the island group "Santa Cruz" includes smaller islands like Santa Fé, Plaza Norte, Plaza Sur, Baltra, Daphne Mayor, Daphne Minor, and others.

IUCN red-list assessments presented here may deviate from the global IUCN list for the following reasons:

- for well known species groups like vascular plants or vertebrates updates proposed to the IUCN are shown instead of the outdated, but currently accepted status;
- for poorly known species groups (e.g., lichenized fungi) a general assessment is currently not possible and the list presented here is a regional red-list list for Galapagos archipelago.

Numbers of the species included in this list are auto-generated. Adding up the number of species in each category will not always equal the total number indicated. Some species have insufficient data to be categorized while others (e.g., category eradicated) will not be included in the total.

Results

Names of taxa included in this checklist: 358 (322 accepted, 30 unidentified taxon, 3 doubtful, 2 problematic), 1 rejected.

Origin of the taxa included: 69 accidental, 1 questionable native, 169 endemic, 97 indigenous, 3 questionable endemic.

1. *Achyra eneanalis* (Schaus, 1923)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: g et al. (g), Landry, B. et al. (2015), Roque-Albelo, L. et al. (2006).

2. *Acrocercops serrigera galapagosensis* B. Landry, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 1.IV.1992. B. Landry; in Roque-Albelo & Landry (2006) as *Acrocercops* sp.

Origin: Native, Endemic.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

3. *Acrolepiopsis jaspidata* (Meyrick, 1919)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Roque-Albelo, L. et al. (2006).

4. *Adaina scalesiae* B. Landry, Roque & Matthews, 2004

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).

5. *Aetole galapagoensis* (Heppner & B. Landry, 1994)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

6. *Agathodes designalis* Guenée, 1854

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

7. *Agathodes galapagensis* (B. Landry, 2016)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

8. *Agathodes sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

9. *Agnippe omphalopa* (Meyrick, 1917)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Tholerostola omphalopa* Meyrick, 1917, fide Landry & Roque-Albelo (2010).
Syn.: *Evippe omphalopa* (Meyrick), fide Landry & Roque-Albelo (2010).

Origin: Native, Indigenous.

References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).

10. *Agraulis vanillae galapagensis* Holland, 1889

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Hickin, N. et al. (1979), Linsley, E.G. et al. (1966), Michener, C.D. et al. (1942), Roque-Albelo, L. et al. (2006), Van Duzee, E.P. et al. (1933).

11. *Agrius cingulata* (Fabricius, 1775)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

12. *Agrotis consternans* Hayes, 1975

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

13. *Agrotis ipsilon* (Hufnagel, 1766)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006).

14. *Agrotisia williamsi* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
15. *Amyna insularum* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923), Silberglied, R.E. et al. (1978).
16. *Anacampsis primigenia* Meyrick, 1918
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).
17. *Ancylostomia stercorea* (Zeller, 1848)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Landry, B. et al. (1998), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
18. *Anicla infecta* (Ochsenheimer, 1816)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
19. *Anicla oceanica* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
20. *Anomis editrix* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
21. *Anomis erosa* Hübner, [1821]1816
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977).
22. *Anomis illita* Guenée, 1852
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

23. *Anomis luridula professorum* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
24. *Anticarsia gemmatalis* Hübner, 1818
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
25. *Argyria lacteella* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
26. *Argyrogramma verruca* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
27. *Aristotelia naxia* Meyrick, 1926
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (2010), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Meyrick, E. et al. (1926), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006).
28. *Aristotelia sarcodes* Walsingham, 1910
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: No Data.
References: Landry, B. et al. (2010).
29. *Aristotelia sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
30. *Ascalapha odorata* (Linnaeus, 1758)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
31. *Asciodes gordialis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

32. *Asciodes quietalis* Walker 1859

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

33. *Astrotischeria alcedoensis* B. Landry, 2003

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).

34. *Astrotischeria scalesiaella* B. Landry, 2003

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).

35. *Atteva hysginiella* (Wallengren, 1861)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Meyrick, E. et al. (1926), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

36. *Autoplusia egena galapagensis* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

37. *Bactra philoherda* Diakonoff, 1964

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Peck, S.B. et al. (1998), Razowski, J. et al. (2008), Roque-Albelo, L. et al. (2006).

38. *Bagisara repanda* (Fabricius, 1793)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

39. *Beebea guglielmi* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

40. *Bipunctiphorus nigroapicalis* (B. Landry & Gielis, 1992)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
41. *Blastobasis normalis* (Meyrick, 1918)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Adamski, D. et al. (1997), Roque-Albelo, L. et al. (2006).
42. *Bucculatrix cordiaella* Davis & B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Davis, D.R. et al. (2002), Roque-Albelo, L. et al. (2006).
43. *Cadra cautella* (Walker, 1863)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Roque-Albelo, L. et al. (2006).
44. *Calloplistria floridensis* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
45. *Caloptilia cruzorum* B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 12.II.2005. B. Landry & P. Schmitz
Origin: Native, Endemic.
References: Landry, B. et al. (2006).
46. *Caloptilia dondavisii* B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 15.V.1992. B. Landry; in Roque-Albelo & Landry (2006) as *Caloptilia* sp. 1
Origin: Native, Endemic.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
47. *Caloptilia galacotra* B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 6.IV.1992. B. Landry; in Roque-Albelo & Landry (2006) as *Caloptilia* sp. 2
Origin: Native, Endemic.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
48. *Calosima darwini* Adamski & B. Landry, 1997
Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Adamski, D. et al. (1997), Roque-Albelo, L. et al. (2006).

49. *Calpodes ethlius* (Stoll, 1782)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Onore, G. et al. (1988), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

50. *Catabenoides seorsa* (Todd, 1972)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

51. *Caudellia galapagosensis* B. Landry & Neunzig, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

52. *Celiptera remigioides* (Guenée, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

53. *Characoma nilotica* (Rogenhofer, 1881)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

54. *Cheverella galapagensis* B. Landry, 2011

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced.

References: Landry, B. et al. (2011).

55. *Chionodes stefaniae* Schmitz & B. Landry, 2007

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 17.V.1992. leg. B. Landry; in Roque-Albelo & Landry (2006) as *Chionodes* sp.

Origin: Native, Endemic.

References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006), Schmitz, P. et al. (2007).

56. *Cobubatha numma* (Druce, 1889)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

57. *Cocytius antaeus* (Drury, 1773)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (1999).
58. *Coleophora darwini* J.-F. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
59. *Compsolechia cf. salebrosa* Meyrick, 1918
Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
60. *Compsolechia salebrosa* Meyrick, 1918
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: No Data.
References: Landry, B. et al. (2010).
61. *Condica concisa* (Walker, 1856)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
62. *Condica mobilis* (Walker, [1857]1856)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
63. *Condica ruthae* (Schaus, 1923)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
64. *Condica sutor* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
65. *Coniostola isabelae* Razowski & B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: CNC. male. 5.III.1989. B. Landry
Origin: Native, Endemic.
References: Razowski, J. et al. (2008).

66. *Coptarthria dasypyga* (Zeller, 1881)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
67. *Corcyra cephalonica* (Stainton, 1886)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Roque-Albelo, L. et al. (2006).
68. *Cosmopterix attenuatella* (Walker, 1864)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
69. *Cosmopterix galapagosensis* B. Landry, 2001
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
70. *Cosmopterix madeleinae* B. Landry, 2001
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
71. *Cosmopterix yvani* B. Landry, 2001
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
72. *Crambus sp. 1*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
73. *Crambus sp. 2*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
74. *Crociosema plebejana* Zeller, 1847
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Linsley, E.G. et al. (1977), Parkin, P. et al. (1972), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

75. *Crociosema synneurota* Meyrick, 1926
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Meyrick, E. et al. (1926), Razowski, J. et al. (2008).
76. *Cropia infusa* (Walker, [1858]1857)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
77. *Cryptolectica lazaroï* B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: CNC. male. 8.II.1989. B.Landry; in Roque-Albelo & Landry (2006) as *Cryptolectica* sp.
Origin: Native, Endemic.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
78. *Ctenoplusia oxygramma* (Geyer, 1832)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
79. *Cyclophora impudens* (Warren, 1904)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Herbulot, C. et al. (1970), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).
80. *Cyclophora* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Questionable Endemic.
References: Roque-Albelo, L. et al. (2006).
81. *Danaus gillippus thersippus* (Bates, 1863)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
82. *Danaus plexippus megalippe* (Hübner, [1819-1826])
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hickin, N. et al. (1979), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
83. *Desmia mordor* (B. Landry & Solis, 2016)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.

84. *Desmia* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
85. *Dialectica galapagosensis* B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 9.IV.1992. leg. B. Landry; in Roque-Albelo & Landry (2006) as *Dialectica* sp.
Origin: Native, Endemic.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
86. *Dialectica sanctaecrucis darwini* Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 5.IV.1992. leg. B. Landry; in Roque-Albelo & Landry (2006) as *Dialectica* sp. 2
Origin: Native, Endemic.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
87. *Diaphania galapagensis* (B. Landry & Solis, 2016)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
88. *Diaphania glauculalis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: No Data.
References: Roque-Albelo, L. et al. (2006).
89. *Diaphania hyalinata* (Linnaeus, 1767)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
90. *Diaphania indica* (Saunders, 1851)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
91. *Diaphania nitidalis* (Cramer, 1781)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Roque-Albelo, L. et al. (2006).
92. *Diatraea saccharalis* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Roque-Albelo, L. et al. (2006).

93. *Dichomeris acuminatus* (Staudinger, 1876)
Taxon status: Accepted name; taxon occurs in Galapagos.
possible Syn.: *Mesophleps acuminatus* Staudinger, 1876, fide Landry & Roque-Albelo (2010).
Origin: Native, Indigenous.
References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).
94. *Dichrorampha galapagana* Razowski & B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 15.V.1992. B. Landry
Origin: Native, Endemic.
References: Razowski, J. et al. (2008).
95. *Disclisoprocta stellata* Guenée, 1858
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Hayes, A.H. et al. (1975), Herbulot, C. et al. (1970), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), McMullen, C.K. et al. (2010), Peck, S.B. et al. (1998), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).
96. *Eccopsis floreana* Razowski & B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 30.IV.1992. B. Landry
Origin: Native, Endemic.
References: Razowski, J. et al. (2008).
97. *Eccopsis galapagana* Razowski & B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: CDRS. male. 12.IX.2001. L. Roque, Type locality: Ecuador, Galapagos, Santa Cruz, Barranco, Charles Darwin Research Station
Origin: Native, Endemic.
References: Razowski, J. et al. (2008).
98. *Elaphria encantada* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
99. *Endothenia eidolon* Razowski & Pelz, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Razowski, J. et al. (2008).
100. *Enyo lugubris delanoi* Kernbach, 1962
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

101. *Ephysteris scimitarella* Landry, 2010

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2010).

102. *Ephysteris sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

103. *Ephysteris sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

104. *Ephysteris sporobolella* Landry, 2010

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

References: Landry, B. et al. (2010).

105. *Ephysteris subdiminutella* (Stainton, 1867)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Phthorimaea subdiminutella Stainton, 1867, fide Landry & Roque-Albelo (2010).
Syn.: Gelechia jamaicensis Walsingham, 1897, fide Landry & Roque-Albelo (2010).
Syn.: Phthorimaea jamaicensis (Walsingham), fide Landry & Roque-Albelo (2010).

Origin: No Data.

References: Landry, B. et al. (2010).

106. *Epidromia zephyritis* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), McMullen, C.K. et al. (2011), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

107. *Epidromia zetophora* Guenée, 1852

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

108. *Epinotia lantana* (Busck, 1910)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Razowski, J. et al. (2008).

109. *Epinothia microscyphos* Razowski & B. Landry, 2008

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: CDRS. female. 15.I.2002. L. Roque & C, Causton

Origin: Native, Endemic.

References: Razowski, J. et al. (2008).

110. *Epiplema becki* Hayes, 1975

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

111. *Episimus alcedanus* Razowski & B. Landry, 2008

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 15.V.1992. B. Landry

Origin: Native, Endemic.

References: Razowski, J. et al. (2008).

112. *Episimus transferranus* (Walker, 1863)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Peck, S.B. et al. (1998), Razowski, J. et al. (2008).

113. *Episimus utilis* Zimmerman, 1978

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

114. *Epitausa prona* (Möschler, 1880)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

115. *Ercta vittata* (Fabricius, 1794)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

116. *Erechtias minuscula* (Walsingham, 1897)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

117. *Erinnyis alope dispersa* Kernbach, 1962
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
118. *Erinnyis ello encantada* Kernbach, 1962
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), McMullen, C.K. et al. (2011), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
119. *Erinnyis obscura conformis* Kernbach, 1962
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
120. *Etiella zinckenella* (Treitschke, 1832)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
121. *Eublemma recta* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
122. *Euchromius galapagosalis* Capps, 1966
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
123. *Eumorpha fasciata tupaci* (Kernbach, 1962)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
124. *Eumorpha labruscae yupanquii* (Kernbach, 1962)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001), Silberglied, R.E. et al. (1978).

125. *Eupithecia galapagosata* B. Landry & Rindge, 1995

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

References: Landry, B. et al. (1995).

126. *Eupithecia perryvriesi* Herbulot, 1971

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

References: Hayes, A.H. et al. (1975), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).

127. *Exelastis montischristi* (Walsingham, 1897)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Roque-Albelo, L. et al. (2006).

128. *Exelastis pumilio* (Zeller, 1873)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Landry, B. et al. (1993), Landry, B. et al. (2004), Peck, S.B. et al. (1998), Peck, S.B. et al. (1994), Roque-Albelo, L. et al. (2006).

129. *Feltia williamsi* (Schaus, 1923)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

130. *Fulrada carpasella* (Schaus, 1923)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

131. *Fundella argentina* Dyar, 1919

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Landry, B. et al. (1998), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

132. *Galagete cinerea* B. Landry, 2002

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).

133. *Galagete consimilis* B. Landry, 2002

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).

134. *Galagete cristobalensis* B. Landry, 2002

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).

135. *Galagete darwini* B. Landry, 2002

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).

136. *Galagete gnathodoxa* Meyrick, 1926

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).

137. *Galagete griseonana* Schmitz & B. Landry, 2005

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006), Schmitz, P. et al. (2005).

138. *Galagete krameri* B. Landry & Schmitz, 2008

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 25.II.2005. leg. B. Landry.

Origin: Native, Endemic.

References: Landry, B. et al. (2008), Schmitz, P. et al. (2008).

139. *Galagete levequei* B. Landry, 2002

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).

140. *Galagete pecki flavofasciata* Schmitz & B. Landry, 2005

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006), Schmitz, P. et al. (2005).

141. *Galagete pecki pecki* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
142. *Galagete protozona* Meyrick, 1926
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
143. *Galagete seymourensis* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. gen. slide no. BL 1133. 29.III.1992. B. Landry
Origin: Native, Endemic.
References: Landry, B. et al. (2002).
144. *Galagete turritella españolaensis* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Not Evaluated.
References: Roque-Albelo, L. et al. (2006).
145. *Galagete turritella turritella* B. Landry, 2002
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (2002), Roque-Albelo, L. et al. (2006).
146. *Gen. Crambinae indet. sp. 1*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
147. *Gen. Crambinae indet. sp. 2*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
148. *Gen. Crambinae indet. sp. 3*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
149. *Gen. Phycitinae indet. sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: No Data.

References: Roque-Albelo, L. et al. (2006).

150. *Gen. Scythridinae indet. sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

151. *Gen. Scythridinae indet. sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

152. *Gen. Scythridinae indet. sp. 3*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

153. *Gen. Scythridinae indet. sp. 4*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

154. *Gen. Scythridinae indet. sp. 5*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

155. *Gonodonta biarmata evadens* Walker, [1858]

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Questionable Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

156. *Gonodonta fulvangula* Geyer, 1832

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

157. *Gonodonta pyrgo* (Cramer, 1777)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

158. *Gonodonta sicheas* (Cramer, 1777)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

159. *Haplochrois galapagosalis* B. Landry, 2001

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).

160. *Hedya brunneograpt* Razowski & B. Landry, 2008

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: CDRS. male. 14.IV.2002. L. Roque & B. Landry, Type locality: Ecuador, Galapagos, Alcedo I
Isabela, North east side, 200 m

Origin: Native, Endemic.

References: Razowski, J. et al. (2008).

161. *Heliocheilus cystiphora* (Wallengren, 1860)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Roque-Albelo, L. et al. (2006).

162. *Heliodines galapagoensis* Heppner & B. Landry, 1994

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Heppner, J.B. et al. (1994).

163. *Heliothis virescens* (Fabricius, 1777)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo,
L. et al. (2006).

164. *Hellinsia cristobalis* (B. Landry & Gielis, 1992)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).

165. *Hellinsia devriesi* (B. Landry & Gielis, 1992)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).

166. *Hellinsia nephogenes* (Meyrick, 1926)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).

167. *Hellula galapagensis* B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
B. Landry (2012): in Roque-Albelo & Landry (2006) as *Hellula* sp.
Origin: Native, Endemic.
References: Landry, B. et al. (2008), Roque-Albelo, L. et al. (2006).
168. *Hellula phidilealis* (Walker, 1859)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Landry, B. et al. (2008), Roque-Albelo, L. et al. (2006).
169. *Hemeroplanis toddi* (Hayes, 1975)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
170. *Hemiargus ramon* (Dognin, 1887)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2007), Roque-Albelo, L. et al. (2006).
171. *Herpetogramma bipunctalis* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
172. *Herpetogramma chathamalis* Schaus, 1923
Taxon status: Taxonomic status unresolved or unrevised.
Origin: No Data.
References: Linsley, E.G. et al. (1966).
173. *Herpetogramma phaeopteralis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
174. *Holococera gozmanyi* Adamski & B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
175. *Hyles lineata* (Fabricius, 1775)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

176. *Hymenia perspectalis* (Hübner, 1796)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Linsley, E.G. et al. (1977), Parkin, P. et al. (1972), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
177. *Hypena fuliginea* (Hayes, 1975)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
178. *Hypena lividalis* (Hübner, 1796)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
179. *Hypena microfuliginea* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
180. *Hypena minualis constans* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
181. *Hypena vetustalis* Guenée, 1854
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
182. *Hypocala andremona* (Stoll, 1781)*
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
183. *Hypsipyla grandella* (Zeller, 1848)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Causton, C.E. et al. (2008), Landry, B. et al. (1998), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Roque-Albelo, L. et al. (2006).
184. *Ithome volcanica* B. Landry, 2001
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.

References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).

185. *Lantanophaga minima* (B. Landry & Gielis, 1992)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

186. *Lantanophaga pusillidactyla* (Walker, 1864)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Landry, B. et al. (1992), Landry, B. et al. (1993), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

187. *Leptotes parrhasioides* (Wallengren, 1860)

Taxon status: Accepted name; taxon occurs in Galapagos.

B. Landry (2012): erroneously spelled "Leptodes" in Fitter et al. (2000) Wildlife of the Galapagos. Safari Field Guides. Collins. 254 pp.

Origin: Native, Endemic.

References: Hickin, N. et al. (1979), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Van Duzee, E.P. et al. (1933).

188. *Lepyrotica acantha* Davis, 1994

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

189. *Lesmone formularis* (Geyer, 1837)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

190. *Letis mycerina* (Cramer, 1777)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

191. *Leucania cooperi* (Schaus, 1923)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

192. *Leucania humidicola* Guenée, 1852

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

193. *Leucania subpuncta* (Harvey, 1875)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
194. *Lineodes corinnae* (B. Landry, 2016)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
195. *Lineodes fontella* Walsingham, 1913
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
196. *Lineodes integra* (Zeller, 1873)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
197. *Lineodes sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
198. *Loxomorpha cf. cambogialis* (Guenée, 1854)
Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
199. *Macaria cruciata cruciata* (Herbulot, 1970)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Endangered.
References: Roque-Albelo, L. et al. (2006).
200. *Macaria cruciata isabelae* (Rindge, 1973)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Endangered.
References: Roque-Albelo, L. et al. (2006).
201. *Macrorrhinia pinta* B. Landry & Neunzig, 1997
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).

202. *Magusa erema* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
203. *Magusa orbifera* (Walker, 1857)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
204. *Manduca rustica galapagensis* (Holland, 1889)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
205. *Manduca sexta leucoptera* (Rothschild & Jordan, 1903)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).
206. *Marasmia trapezalis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
207. *Maruca vitrata* (Fabricius, 1787)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
208. *Megalorhipida leucodactyla* (Fabricius, 1794)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
209. *Megalota johni* Razowski & B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: CDRS. male. 12.X.1998. L. Roque, Type locality: Ecuador, Galapagos, Isabela, Volcan Alcedo, 850 m
Origin: Native, Endemic.
References: Razowski, J. et al. (2008).
210. *Melipotis acontioides producta* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

211. *Melipotis harrisoni* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), McMullen, C.K. et al. (2010), McMullen, C.K. et al. (2011), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923), Silberglied, R.E. et al. (1978).

212. *Melipotis indomita* (Walker, [1858]1857)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1994), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923), Silberglied, R.E. et al. (1978).

213. *Mesolia* sp.

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: No Data.

References: Roque-Albelo, L. et al. (2006).

214. *Mesophleps adustipennis* (Walsingham, 1897)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: Lathontogenus adustipennis Walsingham, 1897, fide Landry & Roque-Albelo (2010).
Syn.: Brachyacma palpigera (Walsingham, 1891), fide Landry & Roque-Albelo (2010).
Syn.: ? Lipatia crotalariella Busck, 1910, fide Landry & Roque-Albelo (2010).

Origin: Native, Indigenous.

References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).

215. *Metalectra praecisalis* Hübner, 1823

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

216. *Metallata absumens contiguata* Hayes, 1975

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

217. *Microthyris anormalis* (Guenée, 1854)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

218. *Mocis incurvalis* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
219. *Mocis latipes* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1994), Roque-Albelo, L. et al. (2006).
220. *Mouralia tinctoides* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
221. *Neogalea sunia longfieldae* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
222. *Neohelviotys hoecki* B. Landry, 2015
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
223. *Neoleucinodes elegantalis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Roque-Albelo, L. et al. (2006).
224. *Neoleucinodes galapagensis* (B. Landry, 2016)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
225. *Neoleucinodes sp.*
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
226. *Neurostrota brunnea* B. Landry, 2006
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 22.II.2005. leg. B. Landry
Origin: Native, Endemic.

References: Landry, B. et al. (2006).

227. *Neurostrota magnifica* B. Landry, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 17.III.2004. leg. B. Landry; in Roque-Albelo & Landry (2006) as *Neurostrota* sp.

Origin: Native, Endemic.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

228. *Nicetiodes apianellus* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Jaramillo, P. et al. (2005), Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

229. *Notiplusia illustrata* (Guenée, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

230. *Ocrasa nostralis* (Guenée, 1854)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Roque-Albelo, L. et al. (2006).

231. *Oecia oecophila* (Staudinger, 1876)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Roque-Albelo, L. et al. (2006).

232. *Oidaematophorus cristobalis* B. Landry & Gielis, 1992

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (1992).

233. *Omiodes indicata* (Fabricius, 1775)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

234. *Ommatochila mundula* (Zeller, 1872)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

235. *Oryctometopia fossulatella* Ragonot, 1888
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
236. *Oxydia lignata* (Warren, 1905)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).
237. *Ozarba consternans* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
238. *Paectes arcigera* (Guenée, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006), Silberglied, R.E. et al. (1978).
239. *Palpita flegia* (Cramer, 1777)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006).
240. *Parapoynx fluctuosalis* (Zeller, 1852)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
241. *Patania silicalis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
242. *Penestola bufalis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
243. *Peridroma saucia* Hübner, 1808
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo,

L. et al. (2006).

244. *Perigonia lusca* (Fabricius, 1777)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

245. *Periploca darwini* B. Landry, 2001

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).

246. *Periploca longipenis* B. Landry, 2001

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).

247. *Perizoma cf. perryi* Rindge, 1973

Taxon status: The identification of this taxon or its occurrence in Galapagos is doubtful.

Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).

248. *Phereoeca allutella* (Rebel, 1892)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Roque-Albelo, L. et al. (2006).

249. *Phidotricha erigens* Ragonot, 1888

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

250. *Phoebis sennae marcellina* (Cramer, 1779)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hickin, N. et al. (1979), Roque-Albelo, L. et al. (2006).

251. *Phthorimaea absoluta* Meyrick, 1917

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Gnorimoschema absoluta* (Meyrick), fide Landry & Roque-Albelo (2010).
Syn.: *Scrobipalpula*

absoluta (Meyrick), fide Landry & Roque-Albelo (2010).
Syn.: *Scrobipalpuloides absoluta* (Meyrick),

fide Landry & Roque-Albelo (2010).
Syn.: *Tuta absoluta* (Meyrick), fide Landry & Roque-Albelo (2010).

Origin: No Data.

References: Landry, B. et al. (2010).

252. *Phthorimaea perfidiosa* Meyrick, 1917
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: Gnorimoschema perfidiosa (Meyrick), fide Landry & Roque-Albelo (2010).
Origin: Native, Indigenous.
References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).
253. *Phyllocnistis citrella* Stainton, 1856
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Causton, C.E. et al. (2008), Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).
254. *Pilocrocis chathamalis* Schaus, 1923
Taxon status: Taxonomic status unresolved or unrevised.
Origin: No Data.
References: Schaus, W. et al. (1923).
255. *Pilocrocis ramentalis* Lederer, 1863
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
256. *Platynota colobota* Meyrick, 1926
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Linsley, E.G. et al. (1966), Meyrick, E. et al. (1926), Razowski, J. et al. (2008), Roque-Albelo, L. et al. (2006).
257. *Platyptilia vilema* B. Landry, 1993
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
References: Landry, B. et al. (1993), Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2003).
258. *Pleuroprucha insulsaria* Guenée, 1858
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Landry, B. et al. (1995), Roque-Albelo, L. et al. (2006).
259. *Pleuroptya silicalis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

260. *Plusiodonta clavifera* (Walker, 1869)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
261. *Plutella xylostella* (Linnaeus, 1758)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Roque-Albelo, L. et al. (2006).
262. *Ponometia exigua* (Fabricius, 1793)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Roque-Albelo, L. et al. (2006).
263. *Postplatyptilia huigraica* B. Landry & Gielis, 1992
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Landry, B. et al. (1992), Landry, B. et al. (1993), Landry, B. et al. (2004), Roque-Albelo, L. et al. (2006).
264. *Powondrella cingillaria* Geyer, 1837
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
265. *Praecedes atomosella* (Walker, 1863)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Roque-Albelo, L. et al. (2006).
266. *Prays galapagosella* B. Landry & J.-F. Landry, 1998
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
267. *Proteoteras atromacula* Razowski & B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: CNC. male. 8.III.1989. B. Landry
Origin: Native, Endemic.
References: Razowski, J. et al. (2008).
268. *Psaphara conwayi* (Richards, 1941)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

269. *Psaphara interclusa* Walker, 1857

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

270. *Psara chathamalis* (Schaus, 1923)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

271. *Pseudaletia sequax* Franclemont, 1951

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

272. *Pseudoplusia includens* (Walker, [1858])

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Peck, S.B. et al. (1994), Roque-Albelo, L. et al. (2006).

273. *Pseudopostega galapagosae* Davis & Stonis, 2007

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

274. *Psorya hadesia* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).

275. *Pyralis manihotalis* Guenée, 1854

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Roque-Albelo, L. et al. (2006).

276. *Pyrausta galapagensis* B. Landry, 2015

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Landry, B. et al. (2015).

277. *Pyrausta insolata* B. Landry, 2015
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Questionable Endemic.
References: Landry, B. et al. (2015).
278. *Pyrausta panopealis* (Walker, 1859)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Landry, B. et al. (2015), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
279. *Pyroderces rileyi* (Walsingham, 1882)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Landry, B. et al. (2008), Landry, B. et al. (2001), Roque-Albelo, L. et al. (2006).
280. *Rhectocraspeda periusalis* (Walker, 1859)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Roque-Albelo, L. et al. (2006).
281. *Rivula asteria* (Druce, 1898)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
282. *Salbia haemorrhoidalis* (Guenée, 1854)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
283. *Samea ecclesialis* Guenée, 1854
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
284. *Samea castellalis* Guenée, 1854
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
285. *Samea inconspicuella* (B. Landry, 2016)
Taxon status: Accepted name; taxon occurs in Galapagos.
Etymology: Named for the diminutive size and inconspicuous forewing markings.
Origin: Native, Endemic.

286. *Samea sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

287. *Samea sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

288. *Scopula sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Introduced, Questionable Native.

References: Roque-Albelo, L. et al. (2006).

289. *Scrobipalpula caustonae* Landry, 2010

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

References: Landry, B. et al. (2010).

290. *Scrobipalpula densata* (Meyrick, 1917)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Phthorimaea densata* Meyrick, 1917, fide Landry & Roque-Albelo (2010).
Syn.: ? *Scrobipalpula densata* (Meyrick), fide Landry & Roque-Albelo (2010).
Syn.: *Gnorimoschema densata* (Meyrick), fide Landry & Roque-Albelo (2010).
Syn.: *Scrobipalpula densata* (Meyrick), fide Landry & Roque-Albelo (2010).

Origin: No Data.

References: Landry, B. et al. (2010).

291. *Scrobipalpula equatoriella* Landry, 2010

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

References: Landry, B. et al. (2010).

292. *Scrobipalpula inornata* Landry, 2010

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

References: Landry, B. et al. (2010).

293. *Semiothisa cerussata* Herbulot, 1970

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

References: Hayes, A.H. et al. (1975), Herbulot, C. et al. (1970), Landry, B. et al. (1995), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2003).

294. *Setomorpha rutella* Zeller, 1852
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Roque-Albelo, L. et al. (2006).
295. *Shafferiessa galapagoensis* B. Landry & Neunzig, 1997
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
296. *Shafferiessa pumila* B. Landry & Neunzig, 1997
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (1998), Roque-Albelo, L. et al. (2006).
297. *Shranki* sp.
Taxon status: Taxon not identified to species, subspecies, form or variety.
Origin: Native, Endemic.
References: Roque-Albelo, L. et al. (2006).
298. *Sisyracera inabsconsalis* (Möschler, 1890)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
299. *Sisyracera jacquelinae* (B. Landry, 2016)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
300. *Sitotroga cerealella* (Olivier, 1789)
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Alucita cerealella* Olivier, 1789, fide Landry & Roque-Albelo (2010).
Syn.: *Sitotroga cerealella* (Olivier), fide Landry & Roque-Albelo (2010).
Origin: Introduced, Accidental.
References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).
301. *Sorygaza variata* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
302. *Sphacelodes vulneraria* (Hübner, 1823)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Hayes, A.H. et al. (1975), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Peck, S.B. et al.

(1998), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).

303. *Spodoptera cosmioides* Walker

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

304. *Spodoptera dolichos* (Fabricius, 1794)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

305. *Spodoptera eridania* (Stoll, 1782)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

306. *Spodoptera frugiperda* (Smith, 1797)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

307. *Spodoptera roseae* (Schaus, 1923)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

308. *Spoladea recurvalis* (Fabricius, 1775)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

309. *Spragueia creton* Schaus, 1923

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923), Todd, E.L. et al. (1972).

310. *Spragueia margana* (Fabricius, 1794)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Roque-Albelo, L. et al. (2006).

311. *Stegasta francisci* Landry, 2010
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: No Data.
References: Landry, B. et al. (2010).
312. *Stegasta zygotoma* Meyrick, 1917
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Landry, B. et al. (2010), Roque-Albelo, L. et al. (2006).
313. *Stenoma catenifer* Walsingham, 1912
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Causton, C.E. et al. (2008), Roque-Albelo, L. et al. (2006).
314. *Stenoptilodes brevipennis* (Zeller, 1874)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Landry, B. et al. (1992), Landry, B. et al. (1993), Landry, B. et al. (2004), Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).
315. *Stenoptilodes gielisi* B. Landry, 1993
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (1993), Roque-Albelo, L. et al. (2006).
316. *Stenoptilodes juanfernandicus* Gielis, 1991
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Landry, B. et al. (1992), Roque-Albelo, L. et al. (2006).
317. *Stilbosis schmitzi* B. Landry, 2008
Taxon status: Accepted name; taxon occurs in Galapagos.
Holotype: MHNG. male. 20.II.2005. leg. B. Landry; in Roque-Albelo & Landry (2006) as *Stilbosis* sp.
Origin: Native, Endemic.
References: Landry, B. et al. (2008), Roque-Albelo, L. et al. (2006).
318. *Strepsicrates smithiana* Walsingham, 1892
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Linsley, E.G. et al. (1966), Peck, S.B. et al. (1998), Razowski, J. et al. (2008), Roque-Albelo, L. et al. (2006), Schaus, W. et al. (1923).
319. *Symmetrischema escondidella* Landry, 2010
Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

References: Landry, B. et al. (2010).

320. *Symmetrischema sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

321. *Symmetrischema sp. 5*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

322. *Synclera jarbusalis* (Walker, 1859)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006).

323. *Syngamia florella* (Cramer, 1781)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

324. *Taygete sphecophila* (Meyrick, 1936)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

325. *Tebenna galapagoensis* Heppner & B. Landry, 1994

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

References: Heppner, J.B. et al. (1994), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2003).

326. *Terastia meticulosalis* Guenée, 1854

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Peck, S.B. et al. (1998), Roque-Albelo, L. et al. (2006).

327. *Thyrinteina infans* Herbulot, 1970

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Hayes, A.H. et al. (1975), Herbulot, C. et al. (1970), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).

328. *Thyrinteina umbrosa* Herbulot, 1971
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
References: Hayes, A.H. et al. (1975), Landry, B. et al. (1995), Linsley, E.G. et al. (1977), Rindge, F.H. et al. (1973), Roque-Albelo, L. et al. (2006).
329. *Thysania zenobia* (Cramer, 1777)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Indigenous.
References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (1999).
330. *Tota galdinella* Schaus, 1923
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
References: Landry, B. et al. (1998), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).
331. *Trachea cavagnaroi* Hayes, 1975
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).
332. *Trichophaga mormopis* Meyrick, 1935
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Roque-Albelo, L. et al. (2006).
333. *Triphosa affirmata* Guenée, 1858
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Roque-Albelo, L. et al. (2006).
334. *Tuta absoluta* (Meyrick, 1917)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
References: Roque-Albelo, L. et al. (2006).
335. *Udea galapagensis* (B. Landry, 2016)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
336. *Udea sideralis* (B. Landry, 2016)
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.

337. *Udea sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

338. *Udea sp. 2*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

339. *Unadilla maturella* (Zeller, 1881)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

340. *Undulambia lindbladi* B. Landry & Roque-Albelo, 2006

Taxon status: Accepted name; taxon occurs in Galapagos.

Holotype: MHNG. male. 9.IV.1992. leg. B. Landry; in Roque-Albelo & Landry (2006) as *Undulambia* sp.

Origin: Native, Endemic.

References: Landry, B. et al. (2006), Roque-Albelo, L. et al. (2006).

341. *Untomia lunatella* Landry, 2010

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: No Data.

References: Landry, B. et al. (2010).

342. *Untomia sp.*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

343. *Urbanus galapagensis* (Williams, 1911)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Urbanus dorantes galapagensis* Williams, 1911

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2006).

344. *Utetheisa connerorum* Roque-Albelo & B. Landry, 2009

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2009).

345. *Utetheisa devriesi* Hayes, 1975

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2009).

346. *Utetheisa galapagensis* (Wallengren, 1860)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Forbes, W.T.M. et al. (1941), Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), McMullen, C.K. et al. (2011), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2009), Schaus, W. et al. (1923), Silberglied, R.E. et al. (1978).

347. *Utetheisa henrii* Roque-Albelo & B. Landry, 2009

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

References: Roque-Albelo, L. et al. (2009).

348. *Utetheisa ornatatrix* (Linnaeus, 1758)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Parkin, P. et al. (1972), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2009), Schaus, W. et al. (1923).

349. *Utetheisa perryi* Hayes, 1975

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2009).

350. *Vanessa carye* (Hübner, 1812)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

351. *Vanessa virginiensis* (Drury, 1773)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006).

352. *Xylesthia pruniramiella* Clemens, 1859

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Linsley, E.G. et al. (1966), Meyrick, E. et al. (1926), Peck, S.B. et al. (1998), Peck, S.B. et al. (1996), Roque-Albelo, L. et al. (2006).

353. *Xylophanes norfolki* Kernbach, 1962

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1977), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

354. *Xylophanes pluto* (Fabricius, 1777)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

355. *Xylophanes tersa tersa* (Linnaeus, 1771)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Linsley, E.G. et al. (1966), Roque-Albelo, L. et al. (2006), Roque-Albelo, L. et al. (2001).

356. *Zale obsita* (Guenée, 1852)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Indigenous.

References: Hayes, A.H. et al. (1975), Hickin, N. et al. (1979), Linsley, E.G. et al. (1977), Roque-Albelo, L. et al. (2006).

357. *Zeuctostyla vidrierata* (Dognin, 1893)

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

References: Roque-Albelo, L. et al. (2006).

Rejected taxa

1. *Gelechia bosquella* Chambers, 1875

Acknowledgements

We are grateful for the financial report received for this project. Please refer to the website (www.darwinfoundation.org/datazone/checklist/) for a detailed list of all our donors.

This checklist would not be possible without adjunct and collaborating scientists, and volunteers of the Charles Darwin Foundation. The following scientists and volunteers have contributed to the CDF Checklist of Galapagos Butterflies and Moths: Sandra Abedrabbo, Fabián Bersosa, Ruth Boada, Omar Cartillo, Germania Estévez, Lilian Guzmán, Henri W. Herrera, María T. Lasso, María Piedad Lincango, E. G. Linsley, Edison Lomas, Yale Lubin, Alejandro Mieleles, Renato Oquendo, Christine E. Parent, Stewart B. Peck, Patrick Schmitz, Leslie Usinger.

References

1. Adamski, D., Landry, B. (1997) *Review of the Blastobasinae (Lepidoptera: Gelechioidea: Coleophoridae) of the Galápagos Islands*. Proc. Entomol. Soc. Wash. 99(2): 348-358.
2. Causton, C.E., Sevilla, C. (2008) *Latest Records of Introduced Invertebrates in Galapagos and Measures to control them*. Galapagos Report 2006-2007, CDF, GNP and INGALA, Puerto Ayora, Galapagos, Ecuador, p. 142-145.
3. Davis, D.R., Landry, B. & Roque-Albelo, L. (2002) *Two new Neotropical species of Bucculatrix leaf miners (Lepidoptera: Bucculatricidae) reared from Cordia (Boraginaceae)*. Rev. Suisse Zool. 109(2): 277-294.
4. Forbes, W.T.M. (1941) *The position of Utetheisa galapagensis (Lepidoptera, Arctiidae)*. J. N.Y. Entom. Soc. 49: 101-110.
5. Hayes, A.H. (1975) *The larger moths of the Galápagos Islands (Geometroidea: Sphingoidea & Noctuoidea)*. Proc. Calif. Acad. Sc., 4th series, 40(7): 145-208.
6. Heppner, J.B., Landry, B. (1994) *A new sun moth from the Galápagos Islands (Lepidoptera: Heliodinidae)*. Tropical Lepidoptera 5(2): 126-128.
7. Heppner, J.B., Landry, B. (1994) *A new Tebenna species from the Galápagos Islands (Lepidoptera: Choreutidae)*. Tropical Lepidoptera 5(2): 123-125.
8. Herbulot, C. (1970) *Lepidopteres Geometridae des îles Galápagos recueillis par M. et Mme. N. Leleup*. Lambillionea 69(7-12): 17-25.
9. Hickin, N. (1979) *Animal life of the Galapagos*. Ferundune Books, Faringdon, U.K., 236 pp.
10. Jaramillo, P., Reyes, D. & Yáñez, P. (2005) *Arthropods in the Charles Darwin Research Station herbarium, Galápagos, during 1999-2001. GALAPAGOS RESEARCH*. Noticias de Galápagos. 63: 23-25.
11. Landry, B., Gielis, C. (1992) *A synopsis of the Pterophoridae (Lepidoptera) of the Galápagos Islands, Ecuador*. Zool. Verhandelingen 276: 3-42.
12. Landry, B. (1993) *Additions to the knowledge of Pterophoridae (Lepidoptera) of the Galápagos archipelago, Ecuador, with descriptions of two new species*. Zool. Med. 67(34): 473-485.
13. Landry, B., Rindge, F.H. (1995) *Additions to the Geometridae (Lepidoptera) of the Galápagos Islands, Ecuador, including a new species of Eupithecia*. American Museum Novitates 3118: 1-10.
14. Landry, B., Neunzig, H.H. (1998) *A review of the Phycitinae of the Galápagos Islands (Lepidoptera: Pyralidae)*. Entomol. Scand. 28: 493-508.
15. Landry, B., Landry, J.-F. (1998) *Yponomeutidae of the Galápagos Islands, with description of a new species of Prays (Lepidoptera: Yponomeutoidea)*. Tropical Lepidoptera 9(1): 31-40.
16. Landry, B. (2001) *The Cosmopterigidae (Lepidoptera) of the Galápagos Islands, Ecuador*. Rev. Suisse Zool. 108(3): 513-539.
17. Landry, B. (2001) *A new agonoxenine moth from the Galápagos Islands (Gelechioidea: Elachistidae)*. Journal of the Lepidopterists' Society 55(2): 59-62.

18. Landry, B. (2002) *Galagete*, a new genus of *Autostichidae* representing the first case of an extensive radiation of endemic *Lepidoptera* in the Galápagos Islands. *Revue Suisse de Zoologie* 109(4): 813-868.
19. Landry, B., Roque-Albelo, L. & Matthews, D.L. (2004) *Supplemental additions to the Pterophoridae (Lepidoptera) of the Galapagos Islands (Ecuador) with descriptions of a new species of Adaina Tutt*. *Mitteil. schweiz. Entomol. Ges. - Bull. Soc. Entomol. Suisse* 77: 289-310.
20. Landry, B., Roque-Albelo, L. (2004) *First report of Tischeriidae (Lepidoptera) on the Galapagos Islands, Ecuador, with descriptions of two new endemic species*. *Rev. Suisse Zool.* 111(3): 599-609.
21. Landry, B. (2006) *The Gracillariidae (Lepidoptera: Gracillarioidea) of the Galapagos Islands, Ecuador, with notes on some of their relatives*. *Revue Suisse de Zoologie* 113(3): 437-485.
22. Landry, B., Neunzig, H.H. (2006) *Additions to the Phycitinae (Lepidoptera, Pyralidae) of the Galapagos Islands, Ecuador, with descriptions of a new species of Caudellia Dyar*. *Bulletin de la Société Entomologique Suisse* 79: 1-6.
23. Landry, B., Roque-Albelo, L. (2006) *The Acentropinae and Musotiminae (Lepidoptera, Pyralidae) of the Galapagos Islands, Ecuador*. *Zootaxa* 1354: 45-56.
24. Landry, B., Adamski, D., Schmitz, P., Parent, C.E. & Roque-Albelo, L. (2006) *Taygete sphecophila (Meyrick) (Lepidoptera; Autostichidae): redescription of the adult, description of the larva and pupa and impact in Polistes wasps (Hymenoptera; Vespidae) nests in the Galapagos Islands*. *Revue Suisse de Zoologie* 113(2): 307-323.
25. Landry, B., Roque-Albelo, L. (2008) *Additions to the Cosmopterigidae (Lepidoptera) of the Galapagos Islands, Ecuador, with description of a new species of Stilbosis Clemens*. *Revue Suisse de Zoologie* 115(2): 303-309.
26. Landry, B., Schmitz, P. (2008) *A striking new endemic species of Galagete Landry (Lepidoptera, Autostichidae) from the Galapagos Islands, Ecuador*. *Rev. Suisse Zool.* 115(3): 575-583.
27. Landry, B., Roque-Albelo, L. (2008) *The Glaphyriinae (Lepidoptera: Pyralidae) of the Galapagos Islands, Ecuador, with keys to the Neotropical species of Hellula Guenée*. *Tijdschrift voor Entomologie* 151: 193-203.
28. Landry, B., Roque-Albelo, L. (2010) *The Gelechiidae (Lepidoptera) of the Galápagos Islands, Ecuador, a taxonomic revision*. *Revue Suisse de Zoologie* 117(4): 697-770.
29. Landry, B., Roque-Albelo, L. & James E. Hayden. (2011) *A new genus and species of Spilomelinae (Lepidoptera, Pyralidae) from the Galapagos Islands, Ecuador* *Revue Suisse de Zoologie* 118(4): 639-649
30. Landry, B. (2015) *The Pyraustinae (Lepidoptera, Pyralidae s. l.) of the Galápagos Islands, Ecuador* *Revue suisse de Zoologie* 122(1): 55-70
31. Linsley, E.G., Usinger, R.L. (1966) *Insects of the Galápagos Islands*. *Proceedings of the California Academy of Sciences Fourth Series* 33(7): 113-196.
32. Linsley, E.G. (1977) *Insects of the Galápagos (Supplement)*. *Occasional Papers of the California Academy of Sciences* 125: 1-50.
33. McMullen, C.K. (2010) *Nocturnal and diurnal pollination of Clerodendrum molle (Verbenaceae) in the Galápagos Islands* *Plant Syst Evol* (2011) 292:15-23

34. McMullen, C.K. (2011) *Pollination of the heterostylos Galápagos native, Cordia lutea (Boraginaceae)* Plant Syst Evol (2012) 298:569-579
35. Meyrick, E. (1926) *On Micro-Lepidoptera from the Galapagos Islands and Rapa*. Transactions Royal Entomological Society of London 2: 269-278.
36. Michener, C.D. (1942) *A review of the subspecies of Agraulis vanillae (Linnaeus). Lepidoptera: Nymphalidae*. American Museum Novitates 1215: 1-7.
37. Onore, G., Mielke, O.H.H. (1988) *Calpododes ethlius (Cramer) (Lepidoptera, Hesperiiidae) em Galápagos*. Revista Brasileira de Zoologia 5(4): 619-620.
38. Parkin, P., Parkin D.T., Ewing, A.W. & Ford, H.A. (1972) *A report on the arthropods collected by the Edinburgh University Galapagos Islands Expedition, 1968*. The Pan-pacific Entomologist 48: 100-107.
39. Peck, S.B. (1994) *Sea-surface (Pleuston) transport of insects between islands in the Galápagos archipelago, Ecuador*. Anns. Entomol. Soc. Am. 87(5): 576-582.
40. Peck, S.B. (1996) *Origin and development of an insect fauna on a remote archipelago: The Galápagos Islands, Ecuador*. In: Keast A., Miller S.E. (eds.): *The origin and evolution of Pacific Island biotas, New Guinea to eastern Polynesia: patterns and processes*. SPB Academic Publishing, Amsterdam, The Netherlands, p. 91-122.
41. Peck, S.B., Heraty, J., Landry, B. & Sinclair, B.J. (1998) *Introduced insect fauna of an oceanic archipelago: The Galápagos Islands, Ecuador*. Am. Entomol. 44: 218-237.
42. Razowski, J., Landry, B. & Roque-Albelo, L. (2008) *The Tortricidae (Lepidoptera) of the Galapagos Islands, Ecuador*. Revue Suisse de Zoologie 115(1): 185-220.
43. Rindge, F.H. (1973) *The Geometridae (Lepidoptera) of the Galapagos Islands*. American Museum Novitates 2510: 1-31.
44. Roque-Albelo, L. (1999) *Two large tropical moths (Thysania zenobia (Noctuidae) and Cocutius antaeus (Sphingidae) colonize the Galapagos Islands*. Journal of the Lepidopterists Society 53(3): 129-130.
45. Roque-Albelo, L. (2001) *The Sphingidae (Lepidoptera) of the Galápagos Islands: their identification, distribution, and host plants, with new records*. Mitteil. schweiz. Entomol. Ges. - Bull. Soc. Entomol. Suisse 74: 217-226.
46. Roque-Albelo, L. (2003) *Population Decline of Galapagos endemic Lepidoptera on Volcán Alcedo (Isabela Island, Galapagos Islands, Ecuador): An effect of the introduction of the cottony cushion scale?* Bulletin de L'Institut Royal des Sciences Naturelles de Belgique 73: 177-180.
47. Roque-Albelo, L., Landry, B. (2006) *Lista anotada de los Lepidópteros de las islas Galápagos, Ecuador*. Charles Darwin Research Station, Puerto Ayora, Ecuador, 32 pp.
48. Roque-Albelo, L., Cruz Bedón, V. & Lamas, G. (2007) *Hemiargus ramon (Dognin, 1887) (Lycaenidae: Polyommatainae) A new resident butterfly of the Galápagos Islands*. Noticias de Galápagos 224: 1.
49. Roque-Albelo, L., Landry, B. (2009) *Two new species of Utetheisa Hübner (Lepidoptera, Noctuidae, Arctiinae) from the Galapagos Islands, Ecuador*. ZooKeys 21: 55-72. doi: 10.3897/zookeys.21.201.

50. Schaus, W. (1923) *Galápagos Heterocera with descriptions of new species*. Zoologica, Scientific Contributions of the New York Zoological Society 5(2): 22-48.
51. Schmitz, P., Landry, B. (2005) *Two new taxa of Galagete (Lepidoptera, Autostichidae) from the Galápagos Islands, Ecuador*. Revue Suisse de Zoologie 112(2): 511-517.
52. Schmitz, P., Landry, B. (2007) *Two new species of Chionodes Hübner from Ecuador, with a summary of known Galapagos records of Gelechiidae (Lepidoptera)*. Suisse de Zoologie 114(2): 175-184.
53. Schmitz, P., Landry, B. (2008) *A striking new endemic species of Galagete Landry (Lepidoptera: Autostichidae) from the Galapagos Islands, Ecuador*. Revue Suisse de Zoologie 115 (3): 575-583.
54. Silberglied, R.E. (1978) *Inter-island transport of insects aboard ships in the Galápagos Islands*. Biol. Conserv. 13(4): 273-278.
55. Todd, E.L. (1972) *Descriptive and Synonymical notes for some species of Noctuidae from the Galapagos Islands (Lepidoptera)*. Journal Washinton Academy of Science 62(1): 36-40.
56. Van Duzee, E.P. (1933) *The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 12 The diurnal Lepidoptera of the Expedition*. Proceedings of the California Academy of Sciences Fourth Series 21(12): 139-146.
57. g, g (g) g Nag

Disclaimer

The Charles Darwin Foundation Galapagos Species Checklist is a continuously updated list of all species currently known from the Galapagos Islands and reflects up-to-date knowledge compiled by scientists of the Charles Darwin Foundation (CDF) in collaboration with experts from around the world. CDF shares this data publicly and invites comments, corrections and additions.

Please do not hesitate to contact us; your input is very welcome. However, please understand that additions, changes, and corrections will be posted at periodic intervals after thorough cross-referencing of all new data. As an independent international scientific organization, the Charles Darwin Foundation relies on funding from donors who support our work. Please contact us at datazone@fcdarwin.org.ec if you would like to support the Charles Darwin Foundation Galapagos Species Checklist and help make knowledge of Galapagos biodiversity more widely available.